BIOCHIMICA ET BIOPHYSICA ACTA

AUTHOR and SUBJECT INDEXES

VOLUMES 332–374

1974

BIOCHIMICA et BIOPHYSICA ACTA

AUTHOR and SUBJECT INDEXES

VOLUMES 332–347

1974

EDITORIAL BOARD

H. R. V. Arnstein (London)
J. Baddiley (Newcastle)
A. D. Bangham (Babraham)
A. J. Barrett (Cambridge)
G. Bernardi (Paris)
C. C. F. Blake (Oxford)
R. L. Blakley (Iowa City)
N. K. Boardman (Canberra)
S. L. Bonting (Nijmegen)
P. Bornstein (Seattle)
P. Borst (Amsterdam)
L. Bosch (Leiden)
J. Brachet (Brussels)
A. E. Braunstein (Moscow)
J. Bremer (Oslo)
D. H. Brown (St. Louis)
M. M. Burger (Basel)
P. N. Campbell (Leeds)
E. S. Canellakis (New Haven)
H. N. Christensen (Ann Arbor)
R. D. Cole (Berkeley)
C. F. Cori (Boston)
F. L. Crane (Lafayette)
R. K. Crane (Piscataway)
A. R. Crofts (Bristol)
P. Cuatrecasas (Baltimore)
P. F. Curran (New Haven)
J. Daly (Bethesda)
J. De Gier (Utrecht)
P. Desnuelle (Marseilles)
S. Ebashi (Tokyo)
A. Ehrenberg (Stockholm)
P. Emmelot (Amsterdam)
L. Ernster (Stockholm)
H. Faillard (Saarbrücken)
E. F. Gale (Cambridge)
F. Gibson (Canberra)
G. A. Gilbert (Birmingham)
W. B. Gratzer (London)
O. Greengard (Boston)
M. Gruber (Groningen)
M. Grunberg-Manago (Paris)
H. Gutfreund (Bristol)
D. J. Hanahan (Tucson)
W. Hasselbach (Heidelberg)
J. N. Hawthorne (Nottingham)
D. A. Haydon (Cambridge)
E. Heinz (Frankfurt)
H. C. Hemker (Leiden)
H. G. Hers (Louvain)
G. Hind (Upton)
V. Jagannathan (Poona)
O. Jardetzky (Stanford)
P. Joliot (Paris)
P. Jollès (Paris)
P. W. Jungblut (Wilhelmshaven)
M. D. Kamen (La Jolla)
K. A. Karlsson (Göteborg)
M. Kates (Ottawa)
B. Ke (Yellow Springs)
O. Kedem (Rehovoth)
A. Kepes (Paris)
S. C. Kinsky (St. Louis)
A. Kleinzeller (Philadelphia)
M. Klingenberg (Munich)
J. R. Knowles (Cambridge, Mass.)
H. A. Krebs (Oxford)
W. E. M. Lands (Ann Arbor)
M. D. Lane (Baltimore)
C. P. Lee (Philadelphia)
L. F. Leloir (Buenos Aires)
W. J. Lennarz (Baltimore)
S. Lissitzky (Marseilles)
F. Lynen (Munich)
H. M. McConnell (Stanford)
F. Maley (Albany)
K. A. Marcker (Aarhus)
R. D. Marshall (London)
V. Massey (Ann Arbor)
A. Meister (New York)
J. C. Metcalfe (Cambridge)
A. Monroy (Naples)
J. F. Morrison (Canberra)
H. N. Munro (Cambridge, Mass.)
A. Neuberger (London)
L. W. Nichol (Canberra)
P. Nicholls (Odense)
G. L. Nicolson (San Diego)
R. C. Nordlie (Grand Forks)
A. I. Oparin (Moscow)
L. E. Orgel (San Diego)
L. Packer (Berkeley)
D. F. Parsons (Buffalo)
D. S. Parsons (Oxford)
S. M. Partridge (Bristol)
H. Peck (Athens, Ga.)
P. G. W. Plagemann (Minneapolis)
D. J. Prockop (New Brunswick)
G. K. Radda (Oxford)
H. Rasmussen (Philadelphia)
J. Roche (Paris)
K. J. Ryan (Boston)
M. R. J. Salton (New York)
H. J. Schatzmann (Bern)
R. T. Schimke (Stanford)
N. Sharon (Rehovoth)
B. Shore (Livermore)
D. Shugar (Warsaw)
P. Siekevitz (New York)
J. Sjövall (Stockholm)
V. P. Skulachev (Moscow)
E. C. Slater (Amsterdam)
F. Snyder (Oak Ridge)
F. Šorm (Prague)
W. D. Stein (Jerusalem)
Y. Stein (Jerusalem)
R. H. Stellwagen (Los Angeles)
W. Stoeckenius (San Francisco)
F. B. Straub (Budapest)
J. M. Tager (Amsterdam)
C. A. Thomas (Boston)
T. E. Thompson (Charlottesville)
S. N. Timasheff (Waltham)
P. O. P. Ts'o (Baltimore)
A. Tzagoloff (New York)
D. W. Urry (Birmingham, Ala.)
P. R. Vagelos (St. Louis)
L. L. M. Van Deenen (Utrecht)
D. Vazquez (Madrid)
D. F. H. Wallach (Boston)
E. C. Webb (Brisbane)
C. Weissmann (Zürich)
R. Whittam (Leicester)
R. J. P. Williams (Oxford)
H. G. Wittmann (Berlin)
T. Yonetani (Philadelphia)
H. G. Zachau (Munich)
D. B. Zilversmit (Ithaca)

ELSEVIER SCIENTIFIC PUBLISHING COMPANY

AMSTERDAM

© Elsevier Scientific Publishing Company, 1975

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without permission in writing from the publisher,

Printed in The Netherlands

AUTHOR INDEX

VOLUMES 332–374

1974

A

Aalto, M., Rõnnemaa, T. and Kulonen, E.
Effect of neuraminidase on the synthesis of collagen and other proteins (342) 247

Aaronson, S., see Pattni, N.J. (373) 347

Aarsman, A.J., see Van den Bosch, H. (348) 197

Abatangelo, G. and Daga-Gordini, D.
Ca^{2+} binding study to some low molecular weight elastin peptides (342) 281

Abatangelo, G., Cortivo, R., Daga-Gordini, D. and Garbin, G.
Chemical characterization of α-elastin components (365) 115

Abatangelo, G., Daga-Gordini, D., Garbin, G. and Cortivo, R.
Calcium ion-binding study on α-elastin (371) 526

Abbott, E.H., see Tenenbaum, S.W. (362) 308

Abe, M., Ohno, K. and Sato, R.
Possible identity of lysolecithin acylhydrolase with lysolecithin-lysolecithin acyltransferase in rat-lung soluble fraction (369) 361

Abe, N. and Tsuiki, S.
Studies on glycogen synthase D phosphatase of rat liver. Multiple nature (350) 383

Abe, S.-I. and Maruyama, K.
Dynamic viscoelastic study of acto-heavy meromyosin in solution (342) 160

Abe, T., Takenaka, O. and Inada, Y.
Reinvestigation of the physicochemical and enzymic properties of L-glutaminase from Pseudomonas (358) 113

Abelson, H.T., Karlan, D. and Penman, S.
Comparison of the effects of alkylating agents 1,3-Bis(2-chloroethyl)-1-nitrosourea, 1-(2-chloroethyl)-3-cyclohexyl-1-nitrosourea and nitrogen mustard on nuclear RNA synthesis and processing (349) 389

Abood, L.G. and Hoss, W.
Kinetics of Ca^{2+} adsorption and cationic selectivity with a synaptic membrane protein (332) 85

Abou-Issa, H., see Mendicino, J. (364) 159

Abraham, C.V. and Bakerman, S.
Isolation and purification of RH (c) antigen (365) 445

Abrell, J.W., see Lewis, B.J. (349) 148

Ackerson, L.C., see Feher, G. (368) 135

Ackman, R.G., see Cox, R.E. (360) 166

Acs, G., see Christman, J.K. (340) 339

Adams, J.B., Ellyard, R.K. and Low, J.
Enzymic studies of steroid sulphates. IX. Physical and chemical properties of purified oestrogen sulphotransferase from bovine adrenal glands, the nature of its isoenzyme forms and a proposed model to explain its wave-like kinetics (370) 160

Adams, J.B. and Low, J.
Enzymic synthesis of steroid sulphates. X. Isolation of oestrogen sulphotransferase from bovine placenta and comparison of its properties with adrenal oestrogen sulphotransferase (370) 189

Adams, R.L.P.
Newly synthesised DNA is not methylated (335) 365

Adelman, T.G. and Lovett, J.S.
Evidence for a ribosome-associated translation inhibitor during differentation of Blastocladiella emersonii (335) 236

Adelman, T.G. and Lovett, J.S.
Ribosome function in vitro and in vivo during the life cycle of Blastocladiella emersonii (349) 240

Adragna, N., see Beaugé, L.A. (352) 441

Agin, P.P., see Phillips, D.R. (352) 218

Agradi, E., see Galli, C. (369) 142

Agris, P.F., see Seno, T. (349) 328

Agsteribbe, E., see Datema, R. (335) 386

Ahmad, A., see Surolia, A. (371) 491

Ahrens, H.M., see Ito, Y. (369) 338

Aikazyan, V.Ts., see Markossian, K.A. (359) 47

Akera, T., see Tobin, T. (345) 102

Åkeson, Å., see Andersson, L. (364) 1

Åkesson, B., see Sundler, R. (337) 248

Akiyama, F., see Seno, N. (362) 290

Akkerman, J.W.N., Gorter, G., Sixma, J.J. and Staal, G.E.J.
Human platelet 6-phosphofructokinase. Purification, kinetic parameters and the influence of sulphate ions on enzyme activity (370) 102

Akkerman, J.W.N., Gorter, G., Sixma, J.J. and Staal, G.E.J.
Influence of Mg^{2+}, ITP^{4-} and ATP^{4-} on human platelet phosphofructokinase (370) 113

Akkermans-Kruyswijk, J., see Prins, R.A. (348) 361
Alais, C., see Guérin, J. (351) 325
Alais, C., see Jollés, J. (365) 335
Alais, C., see Linden, G. (358) 82
Alberti, R., Mariuzzi, G.M., Artibani, L., Bruni, E. and Tentori, L.
New haemoglobin variant. J-Rovigo alpha 53 (E-2) alanine → aspartic acid (342) 1
Albertsson, P.-Å., see Larsson, C. (357) 412
Albracht, S.P.J.
Some new paramagnetic centers in submitochondrial particles detectable by EPR spectroscopy (347) 183
Albro, P.W. and Thomas, R.O.
Metabolism of phytane in rats (372) 1
Aledort, L.M., see Puszkin, S. (347) 102
Aleksandrowicz, Z., see Świerczyński, J. (373) 66
Aleo, J.J., see Levene, C.I. (338) 29
Alexander, J.C. see Guo, L.S.S. (369) 411
Alhanaty, E. and Livne, A.
Osmotic fragility of liposomes as affected by antihemolytic compounds (339) 146
Alizade, M.A., Bressler, R. and Brendel, K.
Stereospecificity of the hydrogen transfer from (R)-carnitine to NAD, catalyzed by (R)-carnitine dehydrogenase from Pseudomonas aeruginosa (364) 204
Alizade, M.A., Bressler, R. and Brendel, K.
Stereochemistry of the L-iditol dehydrogenase catalyzed hydrogen transfer to NAD (370) 354
Allen, A. and Starkey, B.J.
Neuraminidase in pig gastric mucus (338) 364
Allen, W.S., see Varma, R. (362) 584
Allewell, N.M. and Sama, A.
Effect of ammonium sulfate on the activity of ribonuclease A (341) 484
Alleyne, G.A.O., see Roobol, A. (362) 83
Almeida, A.P. and Neves, A.G.A.
Hemoglobin of Biomphalaria glabrata. Chemical composition and some physicochemical properties (371) 140
Aloni, B. and Livne, A.
Acetylcholine esterase as a probe for erythrocyte membrane intactness (339) 359
Aloni, B., Shinitzky, M. and Livne, A.
Dynamics of erythrocyte lipids in intact cells, in ghost membranes and in liposomes (348) 438
Alper, S., see Blank, M.L. (348) 397
Alpers, D.H., see Birkenmeier, E. (350) 100
Alsbach, E.J.J., see Riemersma, J.C. (339) 274
Alvarez, O., see Latorre, R. (367) 361
Alving, C.R., see Conrad, D.H. (332) 36
Amalric, F., Nicoloso, M. and Zalta, J.P.
Sodium paraaminosalicylate-DNA interactions (335) 69
Amar, A., Rottem, S. and Razin, S.
Characterization of the mycoplasma membrane proteins. IV. Disposition of proteins in the membrane (352) 228
Amaral, L., Lin, K., Samuels, A.J. and Werthamer, S.
Human liver nuclear transcortin. Its postulated role in glucocorticoid regulation of genetic activity (362) 332
Amatruda, J.M. and Lockwood, D.H.
Insulin-like effects of polyamines. Spermine binding to fat cells and fat cell membranes (372) 266
Amemura, A., Moori, K. and Harada, T.
Purification and properties of a specific, inducible β-glucunase, succinoglucan depolymerase from Flavobacterium (334) 398
Amesz, J., see Velthuys, B.R. (333) 85
Amesz, J., see Visser, J.W.M. (333) 279
Amesz, J., see Visser, J.W.M. (368) 235
Amiconi, G., see Tondo, C. (342) 15
Aminoff, D., see Huang, C.C. (371) 462
Amrhein, N., see Fischer, U. (341) 412
Ananthanarayanan, M., see Tejwani, G.A. (370) 120
Anderson, B.M., Vercellotti, S.V. and Fisher, T.L.
Maleimide inactivation of lactate dehydrogenase isozymes (350) 135
Anderson, J.M. and Levine, R.P.
Membrane polypeptides of some higher plant chloroplasts (333) 378
Anderson, J.M. and Levine, R.P.
Relationship between chlorophyll-protein complexes and chloroplast membrane polypeptides (357) 118
Anderson, J.M. and Roth, R.M.
Cordycepin sensitivity in adenosine utilizing mutants of Saccharomyces cerevisiae (335) 285
Anderson, J.M., see Cormier, M.J. (346) 137
Anderson, L., see Swanson, P.D. (356) 174
Anderson, R., see Carrell, R.W. (365) 323
Andersson, L. Jörnvall, H., Åkeson, Å. and

Mosbach, K.
Separation of isozymes of horse liver alcohol dehydrogenase and purification of the enzyme by affinity chromatography on an immobilized AMP-analogue (364) 1
Andersson, L.-O., see Svenson, A. (342) 54
Andersson, L.-O., see Wichman, A. (372) 218
Ando, K., see Aparicio, P.J. (357) 246
Ando, T., see Yoshida, S. (353) 463
Andreo, C.S., see Vallejos, R.H. (333) 136
Angello, J.C. and Hauschka, S.D.
Glucosamine binding to serum proteins. Its possible relevance to cell surface and conditioned medium studies (367) 148
Angyal, S.J., Bender, V.J. and Ralph, B.J.
Structure of polysaccharides from the Polyporus tumulosus cell wall (362) 175
Anno, K., see Seno, N. (343) 423
Anno, K., see Seno, N. (362) 290
Antoni, F., see Faragó, A. (370) 459
Antonini, E., see Brunori, M. (342) 15
Antonopoulus, C.A., Axelsson, I., Heinegard, D. and Gardell, S.
Extraction and purification of proteoglycans from various types of connective tissue (338) 108
Aoki, K., see Terada, H. (342) 41
Aoshima, H., Manabe, T., Hiromi, K. and Hatano, H.
Effect of photooxidation of bacterial liquefying α-amylase dependent on the degree of polymerization of linear substrates (341) 497
Aparicio, P.J., Ando, K. and Arnon, D.I.
Photochemical activity and components of membrane preparations from blue-green algae. II. Low-temperature photooxidation of cytochrome b_{559} (357) 246
Aprille, J., see Barr, L. (345) 336
Aprille, J.R., Lefkowitz, R.J. and Warshaw, J.B.
[^{3}H]Norepinephrine binding and lipolysis by isolated fat cells (373) 502
Aquerman de Cabrera, A.L. and Trucco, R.E.
Isolation and characterization of an unsaponfiable lipid from Neurospora crassa (337) 377
Arai, S., see Yamashita, M. (358) 105
Arai, Y., see Katoh, S. (370) 378
Araki, T., Okazaki, T., Kajita, A. and Shukuya, R.
Polymerization of oxygenated and deoxygenated bullfrog hemoglobins (351) 427
Arata, H., Takamiya, K.-I. and Nishimura, M.
New type of delayed light emission from photosynthetic bacteria (357) 365
Ardelt, W.
Partial purification and properties of porcine pancreatic elastase II (341) 318
Arens, M.Q. and Stout, E.R.
Purification and comparative mechanistic studies of an endogenous inhibitor of maize RNA polymerase (353) 121
Argyrakis, M., see Sideris, E.G. (366) 367
Arias, I.M., see Kamisaka, K. (365) 169
Ariel, M. and Grossowicz, N.
Enhancement of transport in Micrococcus lysodeikticus by sodium ions (352) 122
Arima, K., see Sasaki, R. (366) 435
Armond, P., see Arntzen, C.J. (368) 39
Armond, P.A., see Arntzen, C.J. (347) 329
Armstrong, I.L. and Redmond, J.W.
Fatty acids present in the lipopolysaccharide of Vibrio cholerae 569B (Inaba) (348) 302
Arnaboldi, A., see Perin, A. (366) 101
Arnason, T., see Sinclair, J. (368) 393
Arnaud, J. and Boyer, J.
Identification of an acylcholesterol lipase activity in human adipose tissue (337) 165
Arnberg, A.C., Van Bruggen, E.F.J., Clegg, R.A., Upholt, W.B. and Borst, P.
Analysis by elctron microscopy of intermediates in the replication of linear Tetrahymena mitochondrial DNA (361) 266
Arnberg, H., Eaker, D., Fryklund, L. and Karlsson, E.
Amino acid sequence of oxiana α, the main neurotoxin of the venom of Naja naja oxiana (359) 222
Arner, P. and Ostman, J.
Mono- and diacylglycerols in human adipose tissue (369) 209
Arnold, H., see Blume, K.G. (370) 601
Arnon, D.I., see Aparicio, P.J. (357) 246
Arnon, D.I., McSwain, B.D., Tsujimoto, H.Y. and Wada, K.
Photochemical activity and components of membrane preparations from blue-green algae. I. Coexistence of two photosystems in relation to chlorophyll a and removal of phycocyanin (357) 231
Arntzen, C.J., Armond, P.A., Zettinger, C.S., Vernotte, C. and Briantais, J.M.
Lactoperoxidase-catalyzed iodination of chloroplast membranes. I. Analysis of surface-localized proteins (347) 329
Arntzen, C.J., Vernotte, C. Briantais, J.M. and Armond, P.

Lactoperoxidase-catalyzed iodination of chloroplast membranes. II. Evidence for surface localization of Photosystem II reaction centers (368) 39
Arntzen, C.J., see Croft, S.M. (335) 211
Aronson, P.S. and Sacktor, B.
Transport of D-glucose by brush border membranes isolated from the renal cortex (356) 231
Arora, D.J.S. and Robert, P.
Association of different ribonucleases with free and membrane-bound polyribosomes of rat liver (374) 350
Arscott, L.D., see Green Matthews, R. (370) 26
Arst, Jr, H.N., see MacDonald, D.W. (362) 60
Artibani, L., see Alberti, R. (342) 1
Asai, H., see Kagawa, H. (338) 496
Ascoli, M. and Puett, D.
Tritium labeling of luteinizing hormone by reductive methylation (371) 203
Ashida, Y., see Kanzaki, T. (348) 162
Ashwell, G., see Lunney, J. (367) 304
Astier, M., see Erlanson, C. (359) 198
Atassi, M.Z., see Habeeb, A.F.S.A. (342) 389
Atassi, M.Z., see Koketsu, J. (342) 21
Atkinson, D., Hauser, H., Shipley, G.G. and Stubbs, J.M.
Structure and morphology of phosphatidylserine dispersions (339) 10
Attridge, T.H.
Phytochrome-mediated synthesis of ascorbic acid oxidase in mustard cotyledons (362) 258
Attridge, T.H., Johnson, C.B. and Smith, H.
Density labelling evidence for the phytochrome-mediated activation of phenylalanine ammonia-lyase in mustard cotyledons (343) 440
Attridge, T.H. and Smith, H.
Density labelling evidence for the blue-light mediated activation of phenylalanine ammonia lyase in Cucumis sativus seedlings (343) 452
Attwood, M.A. and Doughty, C.C.
Purification and properties of calf liver aldose reductase (370) 358
Atwell, J.L., see Marchalonis, J.J. (351) 99
Audet, A., Nantel, G. and Proulx, P.
Phospholipase A activity in growing E. coli cells (348) 334
Aunis, D., Miras-Portugal, M.-T. and Mandel, P.
Bovine adrenal medullary dopamine-β-hydroxylase: Studies on the structure (365) 259
Ausländer, W. and Junge, W.
Electric generator in photosynthesis of green plants. II. Kinetic correlation between protolytic reactions and redox reactions (357) 285
Ausländer, W., see Junge, W. (333) 59
Aust, S.D., see Welton, A.F. (373) 197
Austin, J.P., see Barratt, M.D. (348) 126
Avdeeva, A.V., see Sabelnikov, A.G. (374) 304
Avigad, G. and Englard, S.
5-keto-D-fructose VIII. Synthesis of 5-keto-D-fructose 1,6-bisphosphate and some of its properties (343) 330
Avila, J., see Jiménez, F. (349) 320
Avila, J.L. and Convit, J.
Studies on human polymorphonuclear leukocyte enzymes. III. Differential activation of primary and specific granules by phospholipase C and deoxycholate (345) 11
Avila, J.L. and Convit, J.
Studies on human polymorphonuclear leukocyte enzymes. IV. Intracellular distribution and properties of α-L-fucosidase (358) 308
Axelsson, I., see Antonopoulus, C.A. (338) 108
Ayad, S., see Jackson, D.S. (336) 100
Ayuso-Parrilla, M.S., see Jimenez, M.I. (372) 436
Azuma, K., see Azuma, M. (351) 133
Azuma, M., Azuma, K. and Kito, Y.
Circular dichroism of squid retinochrome (351) 133
Azuma, M., see Suzuki, T. (333) 149

B

B-Grégoire, S., Schyns, R. and Florkin, M.
N-terminal amino acid sequence of trypsinogen from the elephant seal Mirounga leonina L. (Carnivora) (351) 87
Baba, T. and Tsuiki, S.
Glycogen synthesis in mouse Ehrlich ascites carcinoma cells. The presence of an endogenous inhibitor for activation of glycogen synthase (370) 419
Babior, B.M., see Schneider, R.P. (373) 58
Baccanari, D.P. and Cha, S.
Sulfhydryl groups, a factor in the polymorphism of succinyl-CoA synthetase (GDP-forming) (334) 226
Bach, D. and Miller, I.R.
Interaction of vasopressin with phosphatidylserine bilayers (339) 367
Bachhawat, B.K., see Bishayee, S. (334) 378
Bachhawat, B.K., see Surolia, A. (371) 491
Bachmann, R.C., see Turnquist, R.L. (364) 59
Bachofen, R., see Lutz, H.U. (347) 359
Bade, M.L.
Localization of molting chitinase in insect cuticle (372) 474
Baden, H.P., see Goldsmith, L.A. (351) 113
Baeck, A., see Verbruggen, R. (365) 108
Bagnara, A.S., Brox, L.W. and Henderson, J.F.
Kinetics of amidophosphoribosyltransferase in intact tumor cells (350) 171
Bagnara, A.S., Letter, A.A. and Henderson, J.F.
Multiple mechanisms of regulation of purine biosynthesis de novo in intact tumor cells (374) 259
Bahr, W., see Peters, R. (367) 282
Bailey, R.B., Thompson, E.D. and Parks, L.W.
Kinetic properties of S-adenosylmethionine: ^{24}-sterol methyltransferase enzyme(s) in mitochondrial structures of Saccharomyces cerevisiae (334) 127
Bailey, R.B., see Thompson, E.D. (334) 116
Baillie, E. and Murrell, W.G.
Some hydrodynamic properties of spore peptidoglycan (372) 23
Baker, E., see Morgan, E.H. (363) 240
Baker, R.F., see Case, S.T. (349) 1
Bakerman, S., see Abraham, C.V. (365) 445
Bakker, E.P., see Fiolet, J.W.T. (368) 432
Bakker, E.P. and van Dam, K.
The influence of diffusion potentials across liposomal membranes on the fluorescence intensity of L-anilinonaphthalene-8-sulphonate (339) 157
Bakker, E.P. and van Dam, K.
Movement of monocarboxylic acids across phospholipid membranes: Evidence for an exchange diffusion between pyruvate and other monocarboxylate ions (339) 285
Bakker, E.P., Van Den Heuvel, E.J. and Van Dam, K.
Binding of uncouplers of oxidative phosphorylation to rat-liver mitochondria (333) 12
Bakker-Grunwald, T.
Ca^{2+}-stimulated incorporation of phosphate into ATP in chloroplasts; the problem of allotopy (347) 141
Bakker-Grunwald, T.
Energy-linked conformational equilibrium in chloroplast ATPase (368) 386
Bakker-Grunwald, T. and Van Dam, K.
On the mechanism of activation on the ATPase in chloroplasts (347) 290
Baldwin, R.W., Bowen, J.G. and Price, M.R.
Solubilization of membrane-associated tumour specific antigens by β-glucosidase (367) 47
Baliga, B.S., see Hubert, C. (374) 359
Ball, E., see Winter, K. (343) 465
Ball, W.D.
Isolation of salivary ribonuclease, deoxyribonuclease and amylase from the parotid gland of the rat, Rattus Rattus norvegicus albinus (341) 305
Ballas, S.K. and Burka, E.R.
Pathways of de novo phospholipid synthesis in reticulocytes (337) 239
Ballieux, R.E., see Zegers, B.J.M. (351) 261
Ballschmiter, K., see Cotton, T.M. (368) 181
Balmain, A. and Hecker, E.
On the biochemical mechanism of tumorigenesis in mouse skin. VI. Early effects of growth-stimulating phorbol esters on phosphate transport and phospholipid synthesis in mouse epidermis (362) 457
Bamberg, E. and Läuger, P.
Temperature-dependent properties of gramicidin A channels (367) 127

Bandlow, W., see Lang, B. (368) 71
Bandlow, W., Wolf, K., Kaudewitz, F. and Slater, E.C.
Characterization of a mutant of Schizosaccharomyces pombe lacking cytochrome b-566 (333) 446
Banerjee, S., see Bhattacharya, A. (374) 384
Bangham, A.D., see Nicholls, P. (363) 190
Banis, R.J. and Tove, S.B.
Solubilization of a long chain fatty Acyl-CoA synthetase from chicken adipose tissue microsomes (348) 210
Bannister, J.V., see Phizackerley, P.J.R. (362) 129
Bannister, L.H., see Gennings, J.N. (369) 294
Bannister, T.T., see Selman, R. (347) 113
Bannon, P., see Verly, W.G. (349) 204
Barbacid, M., see Contreras, A. (349) 376
Barber, J., Telfer, A. and Nicolson, J.
Evidence for divalent cation movement within isolated whole chloroplasts from studies with Ionophore A23187 (357)
Barber, J., see Telfer, A. (333) 343
Barbieri, G., see Grazi, E. (341) 248
Barcinski, M.A., see Oliveira-Castro, G.M. (352) 338
Bardon, A., see Zan-Kowalczewska, M. (341) 138
Barela, T.D. and Kizer, D.E.
In vivo phosphorylation of free and membrane-bound ribosomal protein (335) 218
Barenholz, Y., see Cooper, V.G. (363) 86
Barenholz, Y., Edelman, I. and Gatt, S.
Amine-acetyl coenzyme A acetyltransferase from the soluble fraction of Hansenula ciferri: Isolation and properties (358) 262
Barenholz, Y., see Yedgar, S. (363) 98
Barker, S.A., see Gray, C.J. (341) 457
Barlow, V., see Mirsky, R. (345) 55
Barnabei, O., Leghissa, G. and Tomasi, V.
Hormonal control of the potassium level in isolated rat liver cells (362) 316
Barnabei, O., see Tria, E. (343) 297
Barnett, G., see Hammermeister, D. (332) 125
Barnola, F.V., see Chacko, G.K. (373) 308
Barns, R.J. and Elmslie, R.G.
The active site of porcine enteropeptidase. Selective inactivation of the peptidase activity (350) 495
Barr, L., Connor, J.A., Dewey, M.M. Aprille, J. and Johnston, P.V.
The isolation of plasma membrane from frog cardiac muscle cells (345) 336
Barratt, M.D., Austin, J.P. and Whitehurst, R.J.
The influence of the Alkyl chain length of lecithins and lysolecithins on their interaction with α_{s1}-Casein (348) 126
Barratt, M.D. and Laggner, P.
pH-dependence of ESR spectra from nitroxide probes in lecithin dispersions (363) 127
Barrett, A.J.
Chicken α_2-proteinase inhibitor: A serum protein homologous with ovoinhibitor of egg white (371) 52
Barrett, A.J., see Lazarus, G.S. (350) 1
Barrett, D., see Wheeler, G.E. (372) 440
Bartoli, S., see Manzoli, F.A. (340) 1
Barton, P.G. see Chen, J.S. (352) 202
Barton, P.G., see Horak, H. (373) 471
Baserga, R., see Durham, J.P. (372) 196
Bases, R., see Neubort, S. (340) 31
Basford, R.E., see Craven, P.A. (338) 619
Basford, R.E., see Craven, P.A. (354) 49
Basford, R.E., see Patriarca, P. (362) 221
Bassel, A.R., see Nevaldine, B.H. (336) 283
Bassham, J.A., see Levine, G. (333) 136
Basu, M.K., see Ghosh, S. (337) 395
Baszyński, T.
Effect of α-tocopherol on reconstitution of Photosystem I in heptane-extracted spinach chloroplasts (347) 31
Batchelor, J.G., see Cronan, Jr, J.E. (348) 63
Batenburg, J.J., see Van Golde, L.M.G. (360) 179
Bates, C.J., see Levene, C.I. (338) 29
Bates, S.R. and Rothblat, G.H.
Regulation of cellular sterol flux and synthesis by human serum lipoproteins (360) 38
Batrkov, S.G., Panosyan, A.G., Konova, I.V. and Bergelson, L.D.
Diol lipids. XXVI. Identification of a threo-butane-2,3-diol phospholipid from Actinomyces olivaceus (337) 29
Batt, R.D., see Crow, K.E. (350) 121
Bauer, E.A., see Eisen, A.Z. (350) 442
Bauer, S., see Biely, P. (352) 268
Baugh, R., Brown, J., Sargeant, R. and Hougie, C.
Separation of human factor VIII activity from the von Willebrand's antigen and ristocetin platelet aggregating activity (371) 360
Baughman, W., see Scouten, W.H. (336) 421
Baulieu, E.-E., see Robel, P. (373) 1
Baumeister, W., see Hahn, M. (371) 267
Bayen, M.
Interaction of polyribonucleotides with

nuclear and chloroplastic DNA of Chorella pyrenoidosa (335) 42
Bazán, N.G., see Pechen, A.M. (372) 388
Beach, D.H., Harrington, G.W., Gellerman, J.L., Schlenk, H. and Holz, Jr, G.G.
Biosynthesis of oleic acid and docosahexaenoic acid by a heterotrophic marine dinoflagellate, Crypthecodinium cohnii (369) 16
Beale, D.
A porcine immunoglobulin Fc_μ polymer that has no J chain (351) 13
Bearden, Jr, J.
Isolation of nucleolar proteins by ethanol precipitation of nucleic acids (361) 109
Beaugé, L.A. and Adragna, N.
pH dependence of rubidium influx in human erythrocytes (352) 441
Becker, J.F., see Geacintov, N.E. (347) 443
Beckman, B., see Flores, J. (362) 501
Beckman, B., Guertler, B., Leaf, R., Witkum, P. and Sharp, G.W.G.
Evidence for an apical membrane effect in the regulation of the hexose monophosphate shunt pathway in toad bladder. Studies with amiloride (332) 350
Bedetti, C., Bozzini, A., Silano, V. and Vittozzi, L.
Amylase protein inhibitors and the role of Aegilops species in polyploid wheat speciation (362) 299
Bedford, G.R. and Sadler, P.J.
^{13}C magnetic resonance study of the ionization of N-acetyl-DL-proline in aqueous solution (343) 656
Beeby, R.
Half-cystines of bovine κ-casein (359) 346
Beer, C.T., see Mastro, A.M. (352) 38
Beesley, R.C. and Forte, J.G.
Glycoproteins and glycolipids of oxyntic cell microsomes. II. Glycopeptides and glycolipids (356) 144
Begbie, R.
Studies on fetuin from foetal bovine serum. The composition and amino acid sequences of glycopeptides from fetuin (371) 549
Behuň, M., see Šubík, J. (343) 363
Beinert, H., see Hartzell, C.R. (368) 318
Beinert, H., see Ke, B. (347) 36
Beinert, H., see Ke, B. (368) 401
Beitner, R. and Haberman, S.
The effect of diabetes, insulin, magnesium ions, and ATP on the multiple forms of phosphoglucomutase from rat adipose tissue (334) 237
Bekkering-Kuylaars, S.A.M. and Campagnari, F.
Characterization and properties of a DNA polymerase partially purified from the nuclei of calf thymus cells (349) 277
Belitsky, R., see Weinstein, I. (348) 14
Bell, J.J. and Harding, B.W.
The acute action of ACTH on adrenal steroidogenesis (348) 285
Belton, P.S. and Packer, K.J.
Pulsed NMR studies of water in straited muscle III. The effects of water content (354) 305
Benassi, C.A., see Veronese, F.M. (334) 31
Bendall, D.S., see Cox, R.P. (347) 49
Bender, V.J., see Angyal, S.J. (362) 175
Benedetto, A. and Cassone, A.
Inhibition of uridine transport in cultured mammalian cells by theophylline (349) 53
Benesch, R.E., see Suzuki, T. (351) 442
Bengtsson, G., see Kohen, E. (362) 575
Benjamin, W.B. and Singer, I.
Effect of insulin on the phosphorylation of adipose tissue protein (351) 28
Bennett, E.L., see Eterović, V.A. (362) 346
Bennoun, P.
Correlation between States I and II in algae and the effect of magnesium on chloroplasts (368) 141
Benns, G., see Cole, R. (337) 325
Benns, G. and Proulx, P.
The effect of ATP and Mg^{2+} on the synthesis of phosphatidylglycerol in Escherichia coli preparations (337) 318
Ben-Shaul, Y., see Nass, M.M.K. (374) 283
Benson, A.M., Suruda, A.J., Shaw, R. and Talalay, P.
Affinity chromatography of 3-oxosteroid Δ^4-Δ^5-isomerase of Pseudomonas testosteroni (348) 317
Bensusan, H.B., see Housley, T.J. (365) 405
Bentley, J.P., see Pinto, J.S. (354) 254
Bentvelzen, P.
Host-virus interactions in murine mammary carcinogenesis (355) 235
Benyesh-Melnick, M., see Murray, B.K. (361) 209
Benz, F.W., see Sadler, P.J. (359) 13
Benzonana, G., Kohler, L. and Stein, E.A.
Regulatory proteins of crayfish tail muscle (368) 247
Berendsen, H.J.C., see Schoot Uiterkamp, A.J.M. (372) 407
Berezin, I.V., Klibanov, A.M. and Martinek, K.
The mechanochemistry of immobilized en-

zymes. How to steer a chemical process at the molecular level by a mechanical device (364) 193
Berg, G. and Dahlgren, K.E.
Electron microscopical structure of thyroglobulin of thyroglobulin obtained by micropuncture of rat thyroid follicles (359) 1
Berg, T., see Christoffersen, T. (338) 408
Bergelson, L.D. see Batrakov, S.G. (337) 29
Bergelson, L.D., Dyatlovitskaya, E.V., Sorokina, I.B. and Gorkova, N.P.
Phospholipid composition of mitochondria and microsomes from regenerating rat liver and hepatomas of different growth rate (360) 361
Berger, B., see Dungan, S.M. (374) 220
Berger, J., see Weinblum, D. (374) 324
Berger, R. and Hommes, F.A.
Studies on the control of pyruvate oxidation in isolated fetal rat liver cells (333) 535
Bergeron, J.J.M., see Pain, V.M. (353) 487
Berman, P., see Mirsky, R. (345) 55
Bernadac, A., see Huet, Ch. (365) 28
Bernheimer, A.W.
Interactions between membranes and cytolytic bacterial toxins (344) 27
Bernier, I., Dautigny, A., Colombani, J. and Jollès, P.
Detergent solubilized HL-A antigens from human platelets. A comparative study of various purification techniques (356) 82
Bernlohr, R.W., see Snyder, Jr, P.D. (350) 432
Bernofsky, C., see Jacobson, M.K. (350) 277
Berry, E., see Carrell, R.W. (365) 323
Bersier, D. and Braun, R.
Pools of deoxyribonucleoside triphosphates in the mitotic cycle of Physarum (340) 463
Berthillier, G. et Got, R.
Biosynthèse de l'UDPglucose par les microsomes des héptocytes de rat (Biosynthesis of UDPglucose by rat liver microsomes) (362) 390
Berthold, W., see Lim, L. (361) 241
Berthou, J. and Jollès, P.
A phase transition in a protein crystal: the example of hen lysozyme (336) 222
Bertin, R., see Hittelman, K.J. (338) 398
Bertina, R.M., Steenstra, J.A. and Slater, E.C.
The mechanism of inhibition by oligomycin of oxidative phosphorylation in mitochondria (368) 279
Bertsch, W., see Cohen, W.S. (347) 371
Bertsch, W., see Lurie, S. (357) 420
Bertsch, W., see Lurie S. (357) 429
Betheil, J.J., see Kamisaka, K. (365) 169
Betteridge, A. and Wallis, M.
Biosynthesis of growth hormone in the rat anterior pituitary gland. Control of biosynthesis in vitro by glucose (362) 66
Bevers, M.M., Smits, R.A.E., Van Rijn, J. and Van Wijk, R.
Heat treatment of rat liver adenosine-3′: 5′-monophosphate phosphodiesterase. Kinetic characterization of the low affinity enzyme (341) 120
Bhakdi, S., see Bjerrum, O.J. (373) 44
Bhakdi, S., Knüfermann, H., Fischer, H. and Wallach, D.F.H.
Interaction between erythrocyte membrane proteins and complement components. II. The identification and peptide composition of complement components C^3 and C^4 desorbed from erythrocyte membranes (373) 295
Bhakdi, S., Knüfermann, H., Schmidt-Ullrich, R., Fischer, H. and Wallach, D.F.H.
Interaction between erythrocyte membrane proteins and complement components. I. The role of -S-S linkages as revealed by two-dimensional sodium dodecylsulfate-polyacrylamide gel electrophoresis (363) 39
Bhakdi, S., Knüfermann, H. and Wallach, D.F.H.
Separation of EDTA-extractable erythrocyte membrane proteins by isoelectric focussing linked to electrophoresis in sodium dodecylsulfate (345) 448
Bhakdi, S., Speth, V., Knüfermann, H., Wallach, D.F.H. and Fischer, H.
Complement-induced changes in the core structure of sheep erythrocyte membranes. A study by freezeetch electron microscopy (356) 300
Bhattacharya, A., Banerjee, S. and Datta, A.
Regulation of N-acetylglucosamine kinase synthesis in yeast (374) 384
Bhattacharya, A.K.
Catabolite repression of L-arabinose isomerase in Escherichia coli induced by ultraviolet irradiation
Bhattacharyya, S.N. Passero, M.A. and Lynn, W.S.
Isolation and characterization of subunits of human Clq. (342) 343
Bhattacharya, J. and Chaudhuri, D.K.
Isolation and characterisation of a crystalline antithiamine factor from mustard seed, Brassica juncea (343) 211
Bianchetta, J., see Charles, M. (359) 186
Bielski, B.H.J., see Chan, S.W. (338) 213

Bielski, B.H.J., Comstock, D.A., Haber, A. and Chan, P.C.
Study of peroxidase mechanisms by pulse radiolysis. II. Reaction of horseradish peroxidase compound I with O_2^- (350) 113
Bielski, B.H.J. and Gebicki, J.M.
Study of peroxidase mechanisms by pulse radiolysis. III. The rate of reaction of O_2^- and HO_2 radicals with horseradish peroxidase Compound I (364) 233
Biely, P., Krátký, Z. and Bauer, S.
Metabolism of 2-deoxy-D-Glucose by baker's yeast. VI. A study on cell wall mannan (352) 268
Bieri, V., see Wallach, D.F.H. (356)68
Bierman, E.L., see Pykalisto, O.J. (369) 254
Bieth, J. and Frechin, J.C.
Elastase inhibitors as impurities in commercial preparations of Kunitz soybean trypsin inhibitor (364) 97
Bigon, E., see Bruni, A. (357) 333
Bikle, D.D. and Rasmussen, H.
The metabolism of 25-hydroxycholecalciferol by isolated renal tubules in vitro as studied by a new chromatographic technique (362) 425
Bikle, D.D. and Rasmussen, H.
A comparison of the metabolism of 25-hydroxyvitamin D_3 by chick renal tubules, homogenates and mitochondria (362) 439
Billecocq, A.
Structure des membranes biologiques: Localisation des galactosyldiglycérides dans les chloroplastes au moyen des anticorps specifiques. II. Etude en microscopie electronique à l'aide d'un marquage à la peroxydase (352) 245
Billen, D. and Hellermann, G.R.
X-ray-stimulated incorporation of [^{3}H] thymidine triphosphate into DNA of toluenized Bacillus subtilis (361) 166
Billmire, E., see Patni, N.J. (373) 347
Bindslev, N., Tormey, J.McD., Pietras, R.J. and Wright, E.M.
Electrically and osmotically induced changes in permeability and structure of toad urinary bladder (332) 286
Binford, J.S., Lindskog, S. and Wadso, I.
A calorimetric study of the binding of sulfonamides and cyanate to carbonic anhydrase (341) 345
Birkenmeier, E. and Alpers, D.H.
Enzymatic properties of rat lactase-phlorizin hydrolase (350) 100
Birnie, G.D., see Rickwood, D. (353) 353
Birnie, G.D., see Rickwood, D. (342) 367
Bird, J.W.C., see Stauber, W.T. (338) 234
Biserte, G., see Wouters-Tyrou, D. (342) 360
Bishayee, S. and Bachhawat, B.K.
Interaction between concanavalin A and brain lysosomal acid hydrolases (334) 378
Bishop, Jr, C.C., see Gill, J.E. (335) 330
Biswal, N., see Murray, B.K. (361) 209
Bjerrum, O.J., Bhakdi, S., Knüfermann, H. and Bøg-Hansen, T.C.
Immunoelectrophoretic heterogeneity and cross-reactions of individual "spectrin" components isolated by preparative sodium dodecylsulfate-polyacrylamide gel electrophoresis (373) 44
Bjerrum, O.J. and Lundahl, P.
Crossed immunoelectrophoresis of human erythrocyte membrane proteins. Immunoprecipitation patterns for fresh and stored samples of membranes extensively solubilized with non-ionic detergents (342) 69
Björkhem, I. and Karlmar, K.-E.
Biosynthesis of cholestanol: Conversion of cholesterol into 4-cholesten-3-one by rat liver microsomes (337) 129
Björklind, A. and Jörnvall, H.
Substrate specificity of three different extracellular proteolytic enzymes from Staphylococcus aureus (370) 524
Björntorp, P., see Smith, U. (337) 278
Blackwell, J., see Gardner, K.H. (343) 232
Blackwell, J., see Gelman, R.A. (342) 254
Blackwell, L.F., see Hardman, M.J. (350) 247
Blackwell, M.M., see Ingram, L.O. (335) 295
Blackwell, R.Q., Wong, H.B., Wang, C.-L., Weng, M.-I. and Liu, C.-S.
Hemoglobin J Meerut: α 120 Ala → Glu (351) 7
Blanco, A., see Gerez de Burgos, N.M. (341) 505
Blandin, M., Tran-Dinh, S., Catlin, J.C. and Guschlbauer, W.
Nucleoside conformations. 16. NMR and CD studies on pyrimidine-2′-fluoro-2′-deoxyribonucleosides (361) 249
Blank, M.L., Wykle, R.L., Alper, S. and Snyder, F.
Microsomal synthesis of the ether analogs of triacylglycerols. Acyl CoA:alkylacylglycerol and acyl CoA:alk-1-enylacylglycerol acyltransferases in tumors and liver (348) 397
Blankenhorn, G., see Proffitt, R.T. (362) 534
Blankenship, J. and Bresnick, E.
Effects of phenobarbital on the phosphoryl-

ation of acidic nuclear proteins of rat liver (340) 218
Blankenship, R.E. and Sauer, K.
Manganese in photosynthetic oxygen evolution. I. Electron paramagnetic resonance study of the environment of manganese in Tris-washed chloroplasts (357) 252
Blanshard, J.M.V., see Pearson, R.T. (362) 188
Blatt, F.J.
Temperature dependence of the action potential in Nitella flexilis (339) 382
Bleau, G., Bodley, F.H., Longpré, J., Chapdelaine, A. and Roberts, K.D.
Cholesterol sulfate: I. Occurrence and biological function as an amphipathic lipid in the membrane of the human erythrocyte (352) 1
Blitznakov, E.G. and Casey, A.C.
Effect of exogenous ubiquinone-10 on the ubiquinone pool of liver and spleen of mice (362) 326
Bloemendal, H., see Herbrink, P. (336) 370
Bloemendal, H., see Strous, G.J.A.M. (353) 89
Blok, M.C., De Gier, J. and Van Deenen, L.L.M.
Some factors affecting the valinomycin-induced leak from liposomes (367) 202
Blok, M.C., De Gier, J. and Van Deenen, L.L.M.
Kinetics of the valinomycin-induced potassium ion leak from liposomes with potassium thiocyanate enclosed (367) 210
Blondeau, J.-P., see Robel, P. (373) 1
Blondin, J., see Schoolwerth, A.C. (372) 274
Bloomfield, V.A., see Dewan, R.K. (342) 313
Blosse, P.T. and Fenton, E.L.
The biological assay of epidermal growth factor in neonatal mice (354) 57
Blouquit, Y., see Cohen-Solat, M. (351) 306
Bluard-Deconinck, J.M. Masson, P.L., Osinski, P.A. and Heremans, J.F.
Amino acid sequence of cysteic peptides of lactoferrin and demonstration of similarities between lactoferrin and transferrin (365) 311
Blume, H.D., see Pepper, D.S. (365) 203
Blume, K.G., Arnold, H., Löhr, G.W. and Scholz, G.
On the molecular basis of pyruvate kinase deficiency (370) 601
Boas, J.F., see Schoot Uiterkamp, A.J.M. (372) 407
Boccù, E., see Veronese, F.M. (334) 31
Bodley, F.H., see Bleau, G. (352) 1
Boehm, C., see Fuhrmann, G.F. (363) 295
Boffa, G.A., see Boffa, M.-C. (354) 275
Boffa, M.-C. and Boffa, G.A.
Correlations between the enzymatic activities and the factors active on blood coagulation and platelet aggregation from the venom of Vipera aspis (354) 275
Bøg-Hansen, T.C., see Bjerrum, O.J. (373) 44
Boguslavsky, L.I., see Yaguzhinsky, L.S. (368) 22
Böhm, E.L., see Van der Westhuyzen, R. (359) 341
Böhme, R., see Fouquet, H. (353) 313
Bøhmer, T.
Conversion of butyrobetaine to carnitine in the rat in vivo (343) 551
Bohn, E., see Kunze, H. (360) 260
Bohne, L., see Loh, W. (353) 238
Boivin, P., see Kahn, A. (343) 431
Boldyrev, A.A., Tkachuk, V.A. and Titanji, P.V.K.
Activation energy of skeletal muscle sarcolemmal Na^+, K^+ - adenosinetriphosphatase (357) 319
Bollini, R., see Lanzani, G.A. (335) 275
Bolognesi, D.P., Huper, G., Green, R.W. and Graf, T.
Biochemical properties of oncornavirus polypeptides (355) 220
Bolton, J.R., see Hsi, E.S.P. (347) 126
Bonaly, R., see Moulki, H. (338) 120
Bonanni, F. and DeLuca, L.
Vitamin A-Dependent fucose-glycopeptide from rat tracheal epithelium (343) 632
Bonaventura, C., see Bonaventura, J. (371) 147
Bonaventura, C., see Chiancone, E. (336) 403
Bonaventura, J., Bonaventura, C. and Sullivan, B.
Hemoglobin of the electric Atlantic Torpedo: Torpedo nobiliana; a cooperative hemoglobin without Bohr effects (371) 147
Bonaventura, J., see Chiancone, E. (336) 403
Bonaventura, J., see Tondo, C. (342) 15
Bond, J.S., see Thorpe, C.W. (340) 413
Bonfils, S., see Soumarmon, A. (339) 403
Bonini, I.C., see Pechen, A.M. (372) 388
Bonora, B., see Manzoli, F.A. (340) 1
Bonting, S.L., see Kempen, H.J.M. (370) 573
Bonting, S.L., see Rotmans, J.P. (357) 151
Bornstein, P., see Jansen, H.W. (362) 150
Borst, P., see Arnberg, A.C. (361) 266
Borst, P., see Clegg, R.A. (361) 277
Borst, P., see Mol, J.N.M. (374) 115
Borst, P., see Sanders, J.P.M. (374) 136
Bosch, L., see Cocito, C. (340) 285
Bosmann, H.B. and Kessel, D.

Electrokinetic properties of asparaginase sensitive or resistant mouse leukemic cells treated with L-asparaginase (338) 280
Bot, G., see Gergely, P. (370) 78
Bot, G., Kovács, E.F. and Gergely, P.
Partial phosphorylation of muscle phosphorylase. I. Formation of a hybrid phosphorylase in vitro (370) 70
Botes, D.P.
Snake venom toxins. The reactivity of the disulphide bonds of Naja nivea toxin α (359) 242
Botes, D.P., see Viljoen, C.C. (360) 156
Both, P., see Schmidt, D.G. (365) 72
Bothorel, P. and Desmazes, J.P.
Trapping of benzo(a)pyrene by bovine serum albumin (365) 181
Bouche, J.P.C.
Isolation and in vitro restriction of unmethylated DNA from Escherichia coli K (366) 135
Boudrant, J., see Gellf, G. (334) 467
Bouma, J.M.W., see Huisman, W. (370) 297
Bourrillon, R., see Dievard, J.C. (345) 198
Bourrillon, R., see Frénoy, J.P. (371) 168
Bourrillon, R., see Pere, M. (365) 40
Bowen, J.G., see Bladwin, R.W. (367) 47
Boyarsky, L.L., see Michaelis, E.K. (367) 338
Boyd, G.S., Brown, M.J.G., Hattersley, N.G. and Suckling, K.E.
Studies on the specificity of the rat liver microsomal cholesterol 7α-hydroxylase (337) 132
Boyd, M.R., Burka, L.T., Harris, T.M. and Wilson, B.J.
Lung-toxic furanoterpenoids produced by sweet potatoes (Ipomoea batatas) following microbial infection (337) 184
Boyer, J., see Arnaud, J.
Boyer, J., see Giudicelli, H. (348) 221
Boyer, J., see Giudicelli, H. (369) 25
Boyer, J., see Verine, A. (369) 125
Bozzini, A., see Bedetti, C. (362) 299
Braams, R., see Van Buuren, K.J.H. (333) 421
Bradbury, E.M., see Lewis, P.N. (336) 153
Bradbury, E.M., Matthews, H.R., McNaughton, J. and Molgaard, H.V.
Sub-nuclear components of Physarum polycephalum (335) 19
Bradeen, D.A. and Winget, G.D.
Site-specific inhibition of photophosphorylation in isolated spinach chloroplasts by $HgCl_2$. II. Evidence for three sites of energy conservation associated with non-cyclic electron transport (333) 331
Bradley, D.M., see Parkes, A.B. (362) 527
Bradley, R.J., see Romine, W.O. (367) 316
Brady, R.O. and Fishman, P.H.
Biosynthesis of glycolipids in virus-transformed cells (355) 121
Brady, T.G. and Costello, J.F.
Activation and inhibition of AMP deaminase by GTP and ATP (350) 455
Brand, J.M., see Britton, L.N. (369) 45
Brand, M.D., see Halestrap, A.P. (367) 102
Brand, S.J. and Morgan, R.G.H.
Fatty acid uptake and esterification by proximal and distal intestine in bile fistula rats (369) 1
Brandan, N.C., see Espada, J. (359) 369
Brandt, K., see Palmoski, M. (372) 171
Brants, F., see De Kruyff, B. (356) 1
Braun, R., see Bersier, D. (340) 463
Braun, R., see Fouquet, H. (353) 313
Braun, R., see Ryser, U. (361) 33
Brdiczka, D., see Di Pauli, G. (352) 252
Brecher, A.S., see Burkholder, D.E. (332) 201
Breimer, M.E., Karlsson, K.A. and Samuelsson, B.E.
The distribution of molecular species of monoglycosylceramides (cerebrosides) in different parts of bovine digestive tract (348) 232
Breitkreutz, D., see Fietzek, P.P. (365) 305
Bremer, J. and Davis, E.J.
Citrate as a regulator of acetyl-CoA metabolism in liver mitochondria (370) 564
Brendel, K., see Alizade, M.A. (364) 204
Brendel, K., see Alizade, M.A. (370) 354
Brenner, D.J., see Miller, W.L. (366) 188
Brenner, R.R., see Ninno, R.E. (360) 124
Breslow, J., see Manganiello, V.C. (362) 509
Bresnick, E., see Blankenship, J. (340) 218
Bresnick, E., see Hopkinson, J. (374) 375
Bressler, R., see Alizade, M.A. (364) 204
Bressler, R., see Alizade, M.A. (370) 354
Breter, H.J., see Weinblum, D. (374) 324
Briantais, J.M., see Arntzen, C.J. (347) 329
Briantais, J.M., see Arntzen, C.J. (368) 39
Bricker, J. and Garrick, M.D.
An isoleucine-valine substitution in the β chain of rabbit hemoglobin (351) 437
Brill, W.J., see Nagatani, H.H. (362) 160
Brimhall, B., Duerst, M., Hollan, S.R., Stenzel, P., Szelenyi, J. and Jones, R.T.
Structural characterization of hemoglobins J-Buda [a61(E10)Lys→Asn] and G-Pest [α74(EF 3)Asp→Asn] (336) 344

Brisson, D.L., see Izutsu, K.T. (373) 361
Britton, L.N., Brand, J.M. and Markovetz, A.J.
Source of oxygen in the conversion of 2-tridecanone to undecyl acetate by Pseudomonas cepacia and Nocardia sp (369) 45
Brocas, H., see Vassart, G. (353) 261
Brodersen, R., see Hierowski, M. (354) 121
Brody, T.M., see Tobin, T. (345) 102
Brønstad, G.O., see Christoffersen, T. (372) 291
Brophy, P.J. and Gower, D.B.
Studies on the inhibition by 5α-pregnane-3, 20-dione of the biosynthesis of 16-androstenes and dehydroepiandrosterone in boar testis preparations (360) 252
Broquet, P., see Morelis, R. (373) 10
Brown, A. and Cohen, S.N.
Effects of development on template specificity of Escherichia coli RNA polymerase (335) 123
Brown, A.S., see Troxler, R.A. (366) 341
Brown, D., see Chen, J.S. (352) 202
Brown, D.G., see Swetik, P.G. (343) 641
Brown, J., see Baugh, R. (371) 360
Brown, J.L., see Johnson, G.L. (370) 530
Brown, J.P., Davidson, G.E. and Scott, J.M.
The identification of the forms of folate found in the liver, kidney and intestine of the monkey and their biosynthesis from exogenous pteroylglutamate (folic acid). (343) 78
Brown, K.A., see Ratledge, C. (372) 39
Brown, M.J.G., see Boyd, G.S. (337) 132
Brown, S.L., see Kapp, L.N. (361) 140
Brown, W.V., see Ehnholm, C. (360) 68
Brox, L.W., see Bagnara, A.S. (350) 171
Brozmanová, J., see Sedliaková, M. (349) 442
Bruce, W.R., see Letts, P.J. (343) 192
Brune, D.C. and Clayton, R.K.
A light-initiated, dark oxidation of bacteriochlorophyll from reaction center particles (333) 37
Brunel, C., see Paoli, A. (370) 487
Bruni, A. and Bigon, E.
Diphosphatidylglycerol-induced changes in the organization of mitochondrial ADPase (357) 333
Bruni, A., see Dabbeni-Sala, F. (347) 77
Bruni, E., see Alberti, R. (342) 1
Brunori, M., see Tondo, C. (342) 15
Bryan, W.P., see Frey, C.A. (356) 156
Bryant, M.L., Stoner, G.D. and Metzger, R.P.
Protein-bound carbohydrate content of normal and tumorous human lung tissue (343) 226
Buchanan, A.M., see Rosenthal, S.L. (363) 141
Buchanan, V., see Connellan, J.M. (364) 68
Buchheim, W., see Schmidt, D.G. (365) 72
Buckhold Shank, B. and Egan Smith, N.
Characterization of the steady state in mouse lymphoblasts cultured in hypotonic medium (367) 59
Bückmann, F., see Havekes, L. (334) 272
Buddecke, E., see Mersmann, G. (364) 88
Budowsky, E.I., see Sverdlov, E.D. (340) 153
Buess, C.M., see Carper, W.R. (358) 49
Bugaisky, L.B., see Penney, D.G. (334) 24
Buhler, D.R., see Miller, T.L. (352) 86
Buisson, D.H. and Sigel, H.
Significance of binary and ternary copper (II) complexes for the promotion and protection of adenosine 5'-Di- and triphosphate toward hydrolysis (343) 45
Bukolova-Orlova, T.G., Burstein, E.A. and Yukelson, L.Ya.
Fluorescence of neurotoxins from Middle-Asian cobra venom (342) 275
Bukowiecki, L.J. and Lindberg, O.
Control of sn-glycerol 3-phosphate oxidation in brown adipose tissue mitochondria by calcium and acyl CoA (348) 115
Bunting, J.W. and Myers, C.D.
An interpretation of partially competitive inhibition of the esterase activity of carboxypeptidase A (341) 222
Burger, G., see Lang, B. (368) 71
Burgess, A.H., see Hendler, R.W. (357) 215
Burgos, C., see Gerez de Burgos, N.M. (341) 505
Burgos, J., see Díez, V. (350) 253
Burgos, J., Martín, R. and Díez, V.
Pigeon liver diacetyl reductase: kinetic and thermodynamic studies with NADH as coenzyme (364) 9
Burk, R.F.
In vivo ^{75}Se binding to human plasma proteins after administration of $^{75}SeO_3^{2-}$ (372) 255
Burka, E.R., see Ballas, S.K. (337) 239
Burka, L.T., see Boyd, M.R. (337) 184
Burke, W.F., Johanson, R.A. and Reeves, H.C.
NADP$^+$-specific isocitrate dehydrogenase of Escherichia coli. II. Subunit structure (351) 333
Burke, W.F., see Reeves, H.C. (336) 396
Burkholder, D.E. and Brecher, A.S.
Interaction between proteases and bovine erythrocyte membranes. II. Binding of fibrinolytic components (332) 201

Burrill, P.H., Sattelmeyer, P.A. and Lerner, J. Effect of theophylline and Na^+ on methionine influx in Na^+-depleted intestine (373) 265

Burstein, E.A., see Bukolova-Orlova, T.G. (342) 275

Busby, Jr, W.F., Hele, P. and Chang, M.C. Apparent amino acid incorporation by ejaculated rabbit spermatozoa (335) 246

Buscher, H.-P., see Schauer, R. (338) 369

Busse, D. and Steinmaier, G. Osmotically reactive plasma membrane vesicles prepared from rabbit kidney tubules by mild hypotonic lysis (345) 359

Butcher, F.R., see Durham, J.P. (372) 196

Butcher, R.W., see Hittelman, K.J. (338) 398

Butler, D.G., see Grant Gall, D. (339) 291

Butler, K.W., Tattrie, N.H. and Smith, I.C.P. Location of spin probes in two phase mixed lipid systems (363) 351

Butler, L., see Lozier, H. (333) 460

Butler, W.L., see Lozier, R.H. (333) 465

Butterworth, B.J., see Ramasamy, I. (370) 477

C

Cailla, H.L., see Reggio, H. (338) 37
Calissano, P., see Levi, A. (365) 450
Callaghan Rose, M. and Henkens, R.W.
Stability of sodium and potassium complexes of valinomycin (372) 426
Calvaruso, G., see Tesoriere, G. (338) 641
Cama, H.R., see Singh, H. (370) 49
Campagnari, F., see Bekkering-Kuylaars, S.A.M. (349) 277
Campbell, B.E., see Catsimpoolas, N. (351) 196
Campbell, E.W., see Enger, M.D. (353) 227
Canavan, P.M., see Rooney, S.A. (360) 56
Canellakis, E.S., see Huang, C.-C. (332) 59
Canellakis, E.S., see Tsai, C.-M. (332) 47
Capitani, S., see Manzoli, F.A. (340) 1
Carballo, B., see Jimenez, M.I. (372) 436
Cardin, D.J., Joblin, K.N., Johnson, A.W., Lang, G. and Lappert, M.F.
Coenzyme-B_{12}-dependent enzyme reactions. Part I. Emission Mössbauer spectroscopic study of ethanolamine-ammonia lyase, a coenzyme-B_{12}-dependent enzyme (371) 44
Carleton, S., see Ellory, J.C. (363) 397
Carlotti, R.J., Garnett, G.F., Hseih, W.T., Smucker, C.S. and Vestling, C.S. and Morris, H.P.
Comparison of purified lactate dehydrogenases from normal rat liver and Morris hepatomas in rats and culture (341) 357
Carlsen, S.A., see See Y.P. (373) 242
Carlsson, F.H.H. and Joubert, F.J.
Snake venom toxins. The isolation and purification of three cytotoxin homologues from the venom of the forest cobra (Naja Melonoleuca) and the complete amino acid sequence of toxin $V^{11}1$ (336) 453
Carmody, P.J. and Rattazzi, M.C.
Conversion of human hexosaminidase A to hexosamindase "B" by crude Vibrio cholerae neuraminidase preparations: merthiolate is the active factor (371) 117
Carpe, A.I. and Smith, I.K.
Serine–glyoxylate aminotransferase from kidney bean (Phaseolus vulgaris). II. The reverse reactions (370) 96
Carper, M.A., see Carper, W.R. (358) 49
Carper, W.R., Chang, K.W., Thorpe, W.G., Carper, M.A. and Buess, C.M.
Arabinose (fucose) dehydrogenase from pig liver. II. Steady-state kinetics (358) 49
Carper, W.R., Stoddard, D.D. and Martin, D.F.
Pig liver monoamine oxidase. I. Isolation and characterization (334) 287
Carraway, K.L., see Shin, B.C. (345) 141
Carré, D.S. and Chapeville, F.
Study of the Escherichia coli tRNA nucleotidyltransferase. Effect of inorganic ions an thiol blocking reagents on enzyme activity (361) 176
Carré, D.S., Litvak, S. and Chapeville, F.
Study of the Escherichia coli tRNA nucleotidyltransferase. Interactions of the enzyme with tRNA (361) 185
Carrell, R.W., see Ching Geh Chua (365) 328
Carrell, R.W., Owen, M.C., Anderson, R. and Berry, E.
Haemoglobin F Auckland Gδ7Asp→Asn: further evidence for multiple genes for the gamma chain (365) 323
Carson, J.H., see Gerber, A.C. (364) 103
Carter, B.R., Chapman, D., Hawes, S.M. and Saville, J.
Lipid phase transitions and drug interactions (363) 54
Cartwright, G.E., see Williams, D.M. (350) 129
Case, S.T., Mongeon, R.L. and Baker, R.F.
Single-stranded regions in DNA isolated from different developmental stages of the sea urchin (349) 1
Casey, A.C., see Bliznakov, E.G. (362) 326
Casey, R., see Vella, F. (336) 25
Cashel, M., see Raué, H.A. (340) 40
Caspary, W.F., see Ramaswamy, K. (345) 39
Cass, C.E., Gaudette, L.A. and Paterson, A.R.P.
Mediated transport of nucleosides in human erythrocytes. Specific binding of the inhibitor nitrobenzylthioinosine to nucleoside transport sites in the erythrocyte membrane (345) 1
Cassidy, P., Six, H.R. and Harshman, S.
Biological properties of staphylococcal α-toxin (332) 413
Cassone, A., see Benedetto, A. (349) 53
Castellani, I. and Volpin, D.

Isolation of two peptides from elastin (371) 299
Castuma, J.C., see Ninno, R.E. (360) 124
Catlin, J.C., see Blandin, M. (361) 249
Catsimpoolas, N., Campbell, B.E. and Griffith, A.L.
Transient state isoelectric focusing: measurement of minimal focusing time (351) 196
Catt, K.J., see Dufau, M.L. (343) 417
Cedergren, R.J., see Ecarot, B. (340) 130
Cerda, J.J., see Preiser, H. (363) 279
Cerny, L.C., see DeTraglia, M. (345) 213
Cerny, L.C., see DeTraglia, M.C. (345) 305
Cespedes, C. and Christensen, H.N.
Complexity in valinomycin effects on amino acid transport (339) 139
Cestaro, B., see Preti, A. (350) 406
Cestaro, B., see Tettamanti, G. (350) 415
Ceulen, M.Th.E., see Van Dorp, B. (340) 166
Cha, S., see Baccanari, D.P. (334) 226
Chachaty, C., see Son, T.-D. (335) 1
Chacko, G.K., Barnola, F.V., Villegas, R. and Goldman, D.E.
The binding of tetrodotoxin to axonal membrane fraction isolated from garfish olfactory nerve (373) 308
Chader, G.J., Herz, L.R. and Fletcher, R.T.
Light activation of phosphodiesterase activity in retinal rod outer segments (347) 491
Chakravarti, R.N., see Vasdev, S.C. (369) 323
Chambaz, E.M., see Cochet, C. (362) 37
Chambon, P., see Cochet-Meilhac, M. (353) 160
Chambon, P., see Cochet-Meilhac, M. (353) 185
Chan, P.C., see Bielski, B.H.J. (350) 113
Chan, P.C., see Chan, S.W. (338) 213
Chan, S.W., Chan, P.C. and Bielski, B.H.J.
Studies on the lipoic acid free radical (338) 213
Chance, B., see Oshino, N. (368) 298
Chance, B., see Sugano, T. (347) 340
Chanda, S.K., see Dounce, A.L. (342) 81
Chang, C.C., see Yang, C.C. (365) 1
Chang, E.P., Keedy, D.A. and Chien, J.C.W.
Ultrastructures of rabbit corneal stroma: mapping of optical and morphological anisotropies (343) 615
Chang, K.W., see Carper, W.R. (358) 49
Chang, M.C., see Busby, Jr, W.F. (335) 246
Chang, R., see Chu, D.K. (334) 438
Chang, T.M.S., see Poznansky, M.J. (334) 103
Chapdelaine, A., see Bleau, G. (352) 1
Chapeville, F., see Carré, D.S. (361) 176
Chapeville, F., see Carré, D.S. (361) 185
Chapman, B.E., see O'Sullivan, W.J. (370) 153
Chapman, D., see Carter, B.R. (363) 54
Charbonnier, L.
Isolation and characterization of ω-gliadin fractions (359) 142
Charles, M., see Erlanson, C. (359) 198
Charles, M., Erlanson, C., Bianchetta, J., Joffre, J., Guidoni, A. and Rovery, M.
Primary structure of porcine colipase II. I. The amino acid sequence (359) 186
Charlwood, P.A. and Jarritt, P.H.
Theory of competitive binding of iron by different transferrins (342) 145
Charney, A.N., Gots, R.E. and Giannella, R.A.
($Na^+ - K^+$)-stimulated adenosinetriphosphatase in isolated intestinal villus tip and crypt cells (367) 265
Charney, E., see Glaubiger, D. (361) 303
Chatkoff, M.L., Julian, J.A., Martin, J.E. and Young, R.J.
The role of estradiol in the equilibrium binding of estrogen receptor to rabbit uterine chromatin (343) 480
Chaudhuri, D.K., see Bhattacharya, J. (343) 211
Chee, P.Y., see Ip, M.M. (354) 29
Chen, J.S., Barton, P.G., Brown, D. and Kates, M.
Osmometric and microscopic studies on bilayers of polar lipids from the extreme halophile Halobacterium cutirubrum (352) 202
Chen, J.-S. and Mortenson, L.E.
Purification and properties of hydrogenase from Clostridium pasteurianum W5 (371) 283
Chen, L.K. and Duncan, C.L.
Sporangial autolysis in Clostridium perfringens type A (338) 605
Chen, M.C. and Lord, R.C.
Reinvestigation of specific hydrogen bonding of certain adenine and uracil derivatives by infrared spectroscopy (340) 90
Chen, N.C., Gholson, R.K. and Raica, N.
Isolation and identification of indole-3-carboxaldehyde. A major new urinary metabolite of D-tryptophan (343) 167
Chen, T.S., see Moore, L. (345) 405
Cheneval, J.P. and Johnstone, R.M.
Transport of amino acids in rat pancreas during development (345) 17
Cheng, P.J., Hickey, R., Engel, R. and Tropp, B.E.
Rabbit muscle L-glycerol-3-phosphate dehy-

drogenase. Substrate activity of 3,4-dehydroxybutyl-1-phosphonate and 4-hydroxy-3-oxobutyl-1-phosphonate (341) 85
Cheret, A.M., see Soumarmon, A. (339) 403
Chertok, R.J. and Lake, S.
Evidence for a single kind of D-glucose binding site on renal brush borders (339) 202
Chesney, R., Sacktor, B. and Kleinzeller, A.
The binding of phloridzin to the isolated luminal membrane of the renal proximal tubule (332) 263
Chessin, H., see Marfey, P. (337) 136
Chetsanga, C.J., see Golob, R. (349) 135
Cheung, W.Y., see Smoake, J.A. (341) 402
Chew, C.S. and Rinard, G.A.
Estrogenic regulation of uterine cyclic AMP metabolism (362) 493
Chew, L.F. and Mackinlay, A.G.
Histone and casein kinases of lactating bovine mammary gland (359) 73
Chia, L.S.Y., see Randerath, E. (366) 159
Chiancone, E., Norne, J.E., Bonaventura, J., Bonaventura, C. and Forsén, S.
Nuclear magnetic resonance quadrupole relaxation study of chloride binding to hemoglobin Abruzzo ($\alpha^{A}_{2}\beta_{2}$ 143His→Arg) (336) 403
Chiarugi, V.P., Vannucchi, S. and Urbano, P.
Exposure of trypsin-removable sulphated polyanions on the surface of normal and virally transformed BHK_{21}/C_{13} cells (345) 283
Chibata, I., see Matuo, Y. (338) 520
Chibata, I., see Tosa, T. (334) 1
Chien, J.C.W., see Chang, E.P. (343) 615
Chin, J.H., see Trudell, J.R. (373) 141
Chin, J.H., see Trudell, J.R. (373) 436
Ching Geh Chua and Carrell, R.W.
Three cysteine residues in the α chain of rat heamoglobin (albino Rattus norvegicus): 13(A 11), 104 (G 11) and 111 (G 18) (365) 328
Cho, I.C. and Swaisgood, H.
Surface-bound lactate dehydrogenase: Preparation and study of the effect of matrix microenvironment on kinetic and structural properties (334) 243
Chojnacki, T., see Jankowski, W. (337) 153
Chou, S.C., see Levy, M.R. (334) 423
Choudhury, S.R.
Studies of substrate hydrolysis by an esterase isozyme of rat serum (350) 484
Chowdhury, K., see Neogy, R.K. (374) 96
Christensen, D.D., see Williams, D.M. (350) 129
Christensen, H.N., see de Cespedes, C. (339) 139
Christensen, U. and Müllertz, S.
Mechanism of reaction of human plasmin with α-N-benzoyl-L-arginine-p-nitroanilide. Titration of the enzyme (334) 187
Christman, J.K. and Acs, G.
Purification and characterization of a cellular fibrinolytic factor associated with oncogenic transformation: The plasminogen activator from SV-40-transformed hamster cells (340) 339
Christoffersen, T. and Berg, T.
Glucagon control of cyclic AMP accumulation in isolated intact rat liver parenchymal cells in vitro (338) 408
Christoffersen, T., Brønstad, G.O., Walstad, P. and Øye, I.
Cyclic AMP metabolism in rat liver during 2-acetylaminofluorene carcinogenesis (372) 291
Christophe, J., see Vandermeers, A. (370) 257
Chu, D.K., Chang, R. and Vickery, L.E.
An electron paramagnetic resonance study of the binding of manganese to ribulose-1,5-diphosphate carboxylase - - inhibition by magnesium (334) 438
Chua, N.H., see Iwanij, V. (358) 329
Chudgar, A., see Dewan, R.K. (342) 313
Cierniewski, C. and Krajewski, T.
Phosphorus-rich A α polypeptide chains of pig and sheep fibrinogen (351) 372
Cimasoni, G., see Young, D.A.B. (342) 333
Cimino, M., see Levi, A. (365) 450
Civan, M.M. and Shporer, M.
Pulsed NMR studies of ^{17}O from $H_2{}^{17}O$ in frog striated muscle (343) 399
Civan, M.M., see Shporer, M. (354) 291
Claeys, H. and Vermylen, J.
Physicochemical and proenzyme properties of NH_2-terminal glutamic acid and NH_2-terminal lysine human plasminogen. Influence of 6-aminohexanoic acid (342) 351
Clark, E.T., see Oleson, A.E. (366) 89
Clarke, F.M. and Masters, C.J.
On the association of glycolytic components in skeletal muscle extracts (358) 193
Clausen, T. and Hansen, O.
Ouabain binding and $Na^+ - K^+$ transport in rat muscle cells and adipocytes (345) 387
Clauser, H., see Leblanc, P. (347) 87
Clauser, H., see Leblanc, P. (347) 193
Claverie, P., see Mely, B. (353) 28

Clayton, N.W., see Hartman, K.A. (335) 201
Clayton, R.K., see Brune, D.C. (333) 37
Clayton, R.K., see Wraight, C.A. (333) 246
Clayton, R.K., see Wraight, C.A. (333) 401
Clegg, R.A., see Arnberg, A.C. (361) 266
Clegg, R.A., Borst, P. and Weijers, P.J.
Intermediates in the replication of the mitochondrial DNA of Tetrahymena pyriformis (361) 277
Clemens, M.J., see Pain, V.M. (353) 487
Clemens, M.J. and Pain, V.M.
Hormonal requirements for acute stimulation of rat liver polysome formation by amino acid feeding (361) 345
Clement-Metral, J.D. and Lefort-Tran, M.
Relations between fluorescence and thylakoid structure in Porphyridium cruentum (333) 560
Cleveland, L. and Davis, L.
Superoxide dismutase activity of galactose oxidase (341) 517
Cochet, C. and Chambaz, E.M.
Glucocorticoid binding in the chicken liver cytosol (362) 37
Cochet-Meilhac, M. and Chambon, P.
Animal DNA-dependent RNA polymerases. 11. Mechanism of the inhibition of RNA polymerases B by amatoxins (353) 160
Cochet-Meilhac, M., Nuret, P., Courvalin, J.C. and Chambon, P.
Animal DNA-dependent RNA polymerases. 12. Determination of the cellular number of RNA polymerases B molecules (353) 185
Cocito, C., Voorma, H.O. and Bosch, L.
Interference of virginiamycin M with the initiation and the elongation of peptide chains in cell-free systems (340) 285
Cogdell, R.J. and Crofts, A.R.
H^+-uptake by chromatophores from Rhodopseudomonas speroides; the relation between rapid H^+-uptake and the H^+-pump (347) 264
Cogdell, R.J., see Prince, R.C. (347) 1
Cognetti, G., Spinelli, G. and Vivoli, A.
Synthesis of histones during sea urchin oogenesis (349) 447
Cohen, A.B. and Fallat, R.
Purification of phenotypically unaltered alpha-1-antitrypsin (336) 399
Cohen, B.I., Raicht, R.F., Shefer, S. and Mosbach, E.H.
Effects of clofibrate on sterol metabolism in the rat (369) 79
Cohen, E.N., see Trudell, J.R. (373) 141
Cohen, E.N., see Trudell, J.R. (373) 436
Cohen, H.J., see Kessler, D.L. (334) 86
Cohen, S.N., see Brown, A. (335) 123
Cohen, W.S. and Bertsch, W.
Delayed light studies on photosynthetic energy conversion. VII. Effect of the high energy state, coupled to 2,3,5,6-tetramethyl p-phenylenediamine-catalyzed cyclic electron flow, on millisecond emission from chloroplasts and digitonin subchloroplast particles (347) 371
Cohen-Solat, M., Blouquit, Y., Garel, M.C., Thillet, J., Gaillard, L., Creyssel, R., Gibaud, A. and Rosa, J.
Haemoglobin Lyon (β 17-18 (A14-15) Lys-Val→O): Determination by sequenator analysis (351) 306
Colbow, K. and Jones, B.L.
On the stability of the liquid–crystalline lamellar lecithin–water system (345) 91
Cole, R., Benns, G. and Proulx, P.
Cardiolipin specific phospholipase D activity in Escherichia coli extracts (337) 325
Coleman, R.A., see Pratt, L.H. (365) 93
Coles, E., McIlwain, D.L. and Rapport, M.M.
The activity of pure phospholipase A_2 from Crotalus atrox venom on myelin and on pure phospholipids (337) 68
Colilla, W., Johnson, W.T. and Nordlie, R.C.
The nature of modifications by various anions of synthetic and hydrolytic activities of multifunctional glucose-6-phosphatase (364) 78
Colli, W., see Marzzoco, A. (374) 292
Collin, R., Griffith, W.P., Phillips, F.L. and Skapski, A.C.
Staining and fixation of unsaturated membrane lipids by osmium tetroxide: crystal structure of a model osmium(V1) di-ester (354) 152
Collins, J.M., see Thorpe, C.W. (340) 413
Collins, P.A., see Weston, J.A. (368) 148
Colman, R., see Goldsmith, L.A. (351) 113
Colman, R.F., see Siliski, J.M. (370) 1
Colman, R.W., see Osbahr, A.J. (336) 273
Colomb, E., Estevenon, J.P., Figarella, C., Guy, O. and Sarles, H.
Characterization of an additional protein in pancreatic juice of men with chronic calcifying pancreatitis. Identification to lactoferrin (342) 306
Colombani, J., see Bernier, I. (356) 82
Colombe, B.W. and Macey, R.I.
Effects of calcium on potassium transport

and water transport in human erythrocyte ghosts (363) 226
Colombo, B., Vidal, H., Kamuzora, H. and Lehmann, H.
A new haemoglobin J-Habana -α71 (E20) alanine→glutamic acid (351) 1
Colson, P., Houssier, C. and Fredericq, E.
Electro-optical properties of nucleic acids and nucleoproteins. V. Study of sonicated DNA and nucleohistone solutions (340) 244
Combes-Pastre, N., see Giudicelli, H. (369) 25
Compans, R.W., see Lenard, J. (332) 341
Compans, W., see Lenard, J. (344) 51
Comstock, D.A., see Bielski, B.H.J. (350) 113
Comte, J., see Maïsterrena, B. (367) 115
Condie, R.M., see Snyder, Jr, P.D. (350) 432
Congote, L.F. and Solomon, S.
Studies on the inhibition of RNA synthesis by phalloidin in primary cultures of fetal cells (366) 79
Connellan, J.M. and Buchanan, V.
The presence of isozymes of hexose-1-phosphate uridylyltransferase from postmortem human liver, heart and kidney (364) 68
Conner, R.L., see Kaneshiro, E.S. (338) 554
Connolly, P., see Humphries, P. (366) 70
Connor, J.A., see Barr, L. (345) 336
Conrad, D.H., Alving, C.R. and Wirtz, G.H.
The influence of retinal on complement-dependent immune damage to liposomes (332) 36
Conrad, R. and Schlegel, H.G.
Different pathways for fructose and glucose utilization in Rhodopseudomonas capsulata and demonstration of 1-phosphofructokinase in phototrophic bacteria (358) 221
Contreras, A., Barbacid, M. and Vazquez, D.
Binding to ribosomes and mode of action of chloramphenicol analogues (349) 376
Convit, J., see Avilla, J.L. (358) 308
Convit, J., see Avila, J.L. (345) 11
Cook, F.B., see DeTraglia, M. (345) 213
Cook, F.B., see DeTraglia, M.C. (345) 305
Cook, H.W. and Spence, M.W.
Biosynthesis of fatty acids in vitro by homogenate of developing rat brain: Desaturation and chain-elongation (369) 129
Cooper, B.A.
Equilibrium of B_{12} binding proteins between transudates and plasma in man; evidence that transcobalamin 2 in vivo is smaller than albumin (336) 270
Cooper, D.Y., see Czygan, P. (354) 168
Cooper, M.F., Thody, A.J. and Shuster, S.
Hormonal regulation of cutaneous lipogenesis: Effects of hypophysectomy, posterior-hypophysectomy and -melanocyte-stimulating hormone treatment (360) 193
Cooper, V.G., see Yedgar, S. (363) 98
Cooper, V.G., Yedgar, S. and Barenholz, Y.
Diffusion coefficients of mixed micelles of Triton X-100 and sphingomyelin liposomes, Triton X-100 and sphingomyelin and of sonicated sphingomyelin liposomes, measured by autocorrelation spectroscopy of Rayleigh scattered light (363) 86
Copp, D.H., see Ma, S.W.Y. (345) 243
Copp, D.H., see Shami, Y. (339) 323
Coquerelle, T., see Hagen, U. (374) 271
Cormier, M.J., Hori, K. and Anderson, J.M.
Bioluminescence in Coelenterates (346) 137
Cornelis, J.J., see Rommelaere, J. (340) 388
Corry, M.J., see Woledge, J. (349) 339
Cortivo, R., see Abatangelo, G. (365) 115
Cortivo, R., see Abatangelo, G. (371) 526
Corvol, P., see Devaux, C. (359) 421
Costello, J.F., see Brady, T.G. (350) 455
Coster, H.G.L. and Smith, J.R.
The molecular organisation of bimolecular lipid membranes: A study of the low frequency Maxwell-Wagner impedance dispersion (373) 151
Cotton, F.A., La Cour, T., Hazen, Jr, E.E. and Legg, M.
Crystal and molecular structure of a complex formed by guanidine hydrochloride and glycylglycine $[C(NH_2)_3]\,Cl{\cdot}C_4N_2O_3H_8$ (359) 7
Cotton, T.M., Trifunac, A.D., Ballschmiter, K. and Katz, J.J.
State of chlorophyll a in vitro and in vivo from electronic transition spectra, and the nature of antenna chlorophyll (368) 181
Cottreau, D., see Kahn, A. (343) 431
Couchoud, P., see Karibian, D. (364) 218
Courvalin, J.C., see Cochet-Meilhac, M. (353) 185
Cove, D.J., see MacDonald, D.W. (362) 60
Cowie, C.H., see Li, L.H. (353) 375
Cox, B.A., see Urry, D.W. (371)
Cox, G.B. and Gibson, F.
Studies on electron transport and energy-linked reactions using mutants of Escherichia coli (346) 1
Cox, J.A. and Elliott, F.G.
Isotopic copper exchange in Pila haemocyanin with three radioactive cuprous complexes (371) 392

Cox, R.A. and Hoppel, C.L.
Carnitine biosynthesis in rat liver slices (362) 403
Cox, R.E., Maxwell, J.R., Ackman, R.G. and Hooper, S.N.
Stereochemical studies of acyclic isoprenoid compounds. IV. Microbial oxidation of 2,6,10,14-tetramethylpentadecane (pristane) (360) 166
Cox, R.P. and Bendall, D.S.
The functions of plastoquinone and β-carotene in Photosystem II of chloroplasts (347) 49
Cox, R.P., see Ghosh, N.K. (343) 638
Cozzarelli, N.R., see Kanamori, N. (335) 173
Cozzone, P., see Pommier, G. (350) 71
Cramer, F., Sprinzl, R., Furgaç, N., Freist, W., Saenger, W., Manor, P.C., Sprinzl, M. and Sternbach, H.
Crystallisation of yeast phenylalanine transfer RNA: polymorphism and studies of sulphur-substituted mercury binding derivatives (349) 351
Cramer, H., see Lindl, T. (343) 182
Cramer, R., see Patrarca, P. (362) 221
Cramer, W.A., see Horton, P. (368) 348
Cramer, W.A., Horton, P. and Donnell, J.J.
Inhibition of chemical oxidation and reduction of cytochromes f and b-559 by carbonylcyanide p-trifluoromethoxyphenylhydrazone (368) 361
Crane, F.L., see Harmon, H.J. (344) 119
Crane, F.L., see Harmon, H.J. (368) 125
Crane, R.K., see Preiser, H. (363) 279
Crane, R.K., see Ramaswamy, K. (345) 39
Crane, R.K., see Schmitz, J. (343) 435
Crastes de Paulet, A., see Torreilles, J. (362) 375
Craven, P.A. and Basford, R.E.
Glucose-6-phosphate solubilized hexokinase: some electrophoretic properties (338) 619
Craven, P.A. and Basford, R.E.
ADP-induced binding of phosphofructokinase to the brain mitochondrial membrane (354) 49
Crawford, G.P.M. and Ogston, D.
The influence of α-1-antitrypsin on plasmin, urokinase and Hageman factor cofactor (354) 107
Creamer, L.K., see Richardson, B.C. (365) 133
Creyssel, R., see Cohen-Solat, M. (351) 306
Crine, P., see Verly, W.G. (349) 204
Crissman, Jr, J.K., see Katz, S. (342) 5
Croft, S.M., Arntzen, C.J., Vanderhoef, L.N. and Zettinger, C.S.
Inhibition of chloroplast ribosome formation by N,N-bis(phosphonomethyl)glycine (335) 211
Crofts, A.R., see Cogdell, R.J. (347) 264
Crofts, A.R., see Evans, E.H. (333) 44
Crofts, A.R., see Evans, E.H. (357) 78
Crofts, A.R., see Evans, E.H. (357) 89
Crofts, A.R., see Prince, R.C. (347) 1
Cronan, Jr, J.E., Nunn, W.D. and Batchelor, J.G.
Studies on the biosynthesis of cyclopropane fatty acids in Escherichia coli (348) 63
Crouzet, J., see Rech, J. (350) 392
Crow, K.E., Kitson, T.M., MacGibbon, A.K.H. and Batt, R.D.
Intracellular localization and properties of aldehyde dehydrogenases from sheep liver (350) 121
Croxen, R.C., see Kuettner, K.E. (372) 335
Csopak, H. and Falk, K.-E.
Electron paramagnetic resonance studies on the copper (II) substituted alkaline phosphatase from Escherichia coli (359) 22
Cuatrecasas, P., see Desbuquois, B. (343) 101
Cuatrecasas, P., see O'Keefe, E. (343) 64
Cull, M.D., see Ward, R.L. (365) 281
Cullen, S.E., see Nathenson, S.G. (344) 1
Cummings, D.J., Tait, A. and Goddard, J.M.
Methylated bases in DNA from Paramecium aurelia (374) 1
Cummins, J.W., see Wuthier, R.E. (337) 50
Cunningham, W.L., see San Blas, G. (343) 208
Cunningham, W.L., see San Blas, G. (354) 233
Cunningham, W.L., see San Blas, G. (354) 247
Cupp, J., see Sands, J.A. (373) 277
Cupp, J., see Snipes, W. (339) 311
Curstedt, T.
Mass spectra of trimethylsilyl ethers of ^{2}H-labelled mono- and diglycerides (360) 12
Curstedt, T.
Biosynthesis of molecular species of phosphatidylcholines in bile, liver and plasma of rats given [1,1-$^{2}H_{2}$]ethanol (369) 196
Curstedt, T. and Sjövall, J.
Analysis of molecular species of ^{2}H-labelled phosphatidylcholines by liquid-gel chromatography and gas chromatography-mass spectrometry (360) 24
Curstedt, T. and Sjövall, J.
Biosynthetic pathways and turnover of individual biliary phosphatidylcholines during metabolism of [1,1-$^{2}H_{2}$]ethanol in the rat (369) 173

Curzon, G., see Young, S.N. (336) 306
Cusanovich, M.A., see Maltempo, M.M. (342) 290
Czygan, P., Greim, H., Trülzsch, D., Rudick, J., Hutterer, F., Schaffner, F., Popper, H., Rosenthal, O. and Cooper, D.Y. Hydroxylation of taurolithocholate by isolated human liver microsomes. II. Cytochrome P-450 dependency (354) 168

D

Dabbeni-Sala, F., Furlan, R., Pitotti, A. and Bruni, A.
Activation of mitochondrial particulate ATPase by liposomes of diacylphospholipids (347) 77

Dade, E., see Elliott, J. (343) 307

Daemen, F.J.M., see Rotmans, J.P. (357) 151

Daga-Gordini, D., see Abatangelo, G. (342) 281

Daga-Gordini, D., see Abatangelo, A. (365) 115

Daga-Gordini, D., see Abatangelo, G. (371) 526

Dahl, J.S., see Lutz, H.U. (347) 359

Dahlgren, K.E., see Berg, G. (359) 1

Dale, B., see Nester, E.W. (361) 59

Dall'Acqua, F., Marciani, S., Vedaldi, D. and Rodighiero, G.
Studies on the photoreactions (365nm) between DNA and some methyl-psoralens (353) 267

Dambach, G. and Friedmann, N.
Effects of varying ionic composition of the perfusate on liver membrane potential gluconeogenesis and cyclic AMP responses (332) 374

Dambach, G. and Friedmann, N.
Substrate-induced membrane potential changes in the perfused rat liver (367) 366

Dancewicz, A.M., see Sopata, I. (370) 510

Daniel, J.L. and Hartshorne, D.J.
Reaction of myosin with N-ethylmaleimide in the presence of ADP (347) 151

Danielsson, B., see Mosbach, K. (364) 140

Danpure, H.J. and Ormerod, M.G.
Density labelling in vivo of replicating DNA in a rat (349) 173

Da Prada, M., see Steffen, H. (338) 561

D'Armiento, M. and Monaco, F.
Cyclic AMP and thyroglobulin biosynthesis in the experimental rat thyroid tumor (372) 176

Da Roza, D.A., see Kasarda, D.D. (351) 290

Das, G.C., Dasgupta, S. and Das Gupta, N.N.
Interaction of nogalamycin with DNA (353) 274

Das Gupta, N.N., see Das, G.C. (353) 274

Das Gupta, R. and Mitra, S.
Strand separation of DNA induced by ultraviolet irradiation in vitro (374) 145

Dasgupta, S., see Das, G.C. (353) 274

Datema, R., Agsteribbe, E. and Kroon, A.M.
Mitochondrial ribosomes of Neurospora crassa. I. On the occurrence of 80-S ribosomes (335) 386

Datta, A., see Bhattacharya, A. (374) 384

D'Aurora, V., see Wedler, F.C. (371) 432

Dautigny, A., see Bernier, I. (356) 82

Dautrevaux, M., see Tetaert, D. (351) 317

David, M.M., Sperling, R. and Steinberg, I.Z.
Simultaneous reduction and mercuration of disulfide bonds by monovalent mercury (359) 101

Davidson, G.E., see Brown, J.P. (343) 78

Davies, D.B., see Manor, P.C. (340) 472

Davies, P. and Mosbach, K.
Application of immobilized NAD^+ in an enzyme electrode and in model enzyme reactors (370) 329

Davis, A., see Snipes, W. (339) 311

Davis, A.R. and Nierlich, D.P.
The methylation of transfer RNA in Escherichia coli (374) 23

Davis, B.D., see Lubsen, N.H. (335) 196

Davis, E.J., see Bremer, J. (370) 564

Davis, J.E., Nolan, L.D. and Frey, P.A.
UMP-dependent reduction of UDP-galactose-4-epimerase, · NAD^+ complex by sodium cyanoborohydride (334) 442

Davis, L., see Cleveland, L. (341) 517

Davis, M.T.B. and Silbert, D.F.
Changes in cell permeability following a marked reduction of saturated fatty acid content of Escherichia coli K_{12} (373) 224

Davison, A.N., see Lim, L. (361) 241

Day, H.J., see Mürer, E.H. (362) 53

Day, H.J., see Mürer, E.H. (362) 266

De Bruyne, C.K., see Van Wauwe, J.P. (354) 148

DeBuysere, M.S., see Rees, A.W. (361) 97

De Clercq, E., see Stewart II, W.E. (359) 364

Declercq, J.-P., see Suck, D. (361) 257

Deery, S., see Menninger, J.R. (335) 185

Defendi, V., see Roller, B.A. (366) 402

De Gier, J., see Blok, M.C. (367) 202

De Gier, J., see Blok, M.C. (367) 210

De Gier, J., see Haest, C.W.M. (356) 17

De Gier, J., see Van der Neut-Kok, E.C.M. (332) 97

De Haan, E.J., see Hoek, J.B. (333) 546

De Jong, J.G.N., van den Bosch, H., Rijken, D. and van Deenen, L.L.M.
Studies on lysophospholipases. III. The complete purification of two proteins with lysophospholipase activity from beef liver (369) 50
De Jong, L.P.A., see Keijzer, J.H. (334) 146
De Kok, A., see Haaker, H. (357) 344
De Kouchkovsky, Y. and de Kouchkovsky, F.
Study of the photosynthetic electron and proton transfer reactions in chloroplasts and algae with the plastoquinone antagonist dibromothymoquinone (368) 113
De Kouchkovsky, F., see de Kouchkovsky, Y. (368) 113
De Kruijff, B., Gerritsen, W.J., Oerlemans, A., Demel, R.A. and van Deenen, L.L.M.
Polyene antibiotic–sterol interactions in membranes of *Acholeplasma laidlawii* and lecithin liposomes. I. Specificity of the membrane permeability changes induced by the polyene antibiotics (339) 30
De Kruijff, B., Gerritsen, W.J., Oerlemans, A., van Dijck, P.W.M., Demel, R.A. and van Deenen, L.L.M.
Polyene antibiotic–sterol interactions in membranes of *Acholeplasma laidlawii* and lecithin liposomes. II. Temperature dependence of the polyene antibiotic–sterol complex formation (339) 44
De Kruijff, B. and Demel, R.A.
Polyene antibiotic–sterol interactions in membranes of *Acholeplasma laidlawii* and lecithin liposomes. III. Molecular structure of the polyene antibiotic–cholesterol-complexes (339) 57
De Kruyff, B., Van Dijck, P.W.M., Demel, R.A., Schuijff, A., Brants, F. and Van Deenen, L.L.M.
Non-random distribution of cholesterol in phosphatidylcholine bilayers (356) 1
De Kruyff, B., see Verkleij, A.J. (373) 495
De la Chica, G., see Ondarza, R.N. (341) 162
De la Haba, G., see Mochan, B.S. (335) 408
DeLain, E., see Schapira, G. (345) 348
De la Llosa, P., Durosay, M., Tertrin-Clary, C. and Jutisz, M.
Chemical modification of lysine residues in ovine luteinizing hormone. Effect on biological activity (342) 97
De Lamirande, G., see Gagnon, C. (353) 323
De Lamirande, G., see Gavard, D. (332) 145
De Lamirande, G., see Gavard, D. (374) 207
Delaunay, J. and Schapira, G.
Questioning the in vitro protein exchange between ribosomes and post-microsomal supernatant (349) 262
Delmelle, M. and Pontus, M.
Magnetic resonance study of spin-labelled rhodopsin (365) 47
Delosme, R., see Joliot, P. (357) 267
DeLuca, H.F., see Ito, Y. (369) 338
DeLuca, H.F., see Kleiner-Bossaller, A. (338) 489
DeLuca, L., see Bonanni, F. (343) 632
Demassieux, S. et Lachance, J.P.
Palmitate synthétase de foie de lapin. Purification; propriétés physico-chimiques de l'enzyme native; étude des sous-unités; étude des structures secondaire et tertiaire en fonction de la force ionique (348) 94
De Meester, P., Goodgame, D.M.L., Jones, T.J. and Skapski, A.C.
Polymeric structure of zinc inosine 5′-monophasphate: X-ray evidence for metal bonding to both N(7) and phosphate (353) 395
De Meester, P., Goodgame, D.M.L., Skapski, A.C. and Smith, B.T.
X-ray structure of a hydrated nickel salt of guanosine 5′-monophosphate; evidence for the absence of direct metal-phosphate bonding (340) 113
De Meis, L., see Masuda, H. (332) 313
Demel, R.A., see De Kruijff, B. (339) 30
Demel, R.A., see De Kruijff, B. (339) 44
Demel, R.A., see De Kruijff, B. (339) 57
Demel, R.A., see De Kruyff, B. (356) 1
Demel, R.A., see London, Y. (332) 69
De Moor, P., see Heyns, W. (358) 1
Den Haan, G.A., Duysens, L.N.M. and Egberts, D.J.N.
Fluorescence yield kinetics in the microsecond-range in Chlorella pyrenoidosa and spinach chloroplasts in the presence of hydroxylamine (368) 409
Dennis, E.A., see Ribeiro, A.A. (332) 26
Denton, R.M., see Halestrap, A.P. (367) 102
De Pont, J.J.H.H.M., see Kempen, H.J.M. (370) 573
Derbyshire, W., see Pearson, R. T. (362) 188
De Robertis, E., see Reader, T.A. (352) 192
DerVartanian, D.V., Lee, I.Y., Slater, E.C. and Van Gelder, B.F.
Effects of ATP, antimycin and cyanide on the EPR spectra of cytochromes in phosphorylating submitochondrial particles (347) 321

DerVartanian, D.V. and LeGall, J.
Monomolecular electron transfer chain: structure and function of cytochrome c_3 (346) 79
Desaiah, D., see Koch, R.B. (367) 259
Desbuquois, B., Krug, F. and Cuatrecasas, P.
Inhibitors of glucagon inactivation: effect on glucagon–receptor interactions and glucagon-stimulated adenylate cyclase activity in liver cell membranes (343) 101
De Scarnati, O.C. and Lapetina, E.G.
Adrenergic stimulation of phosphatidylinositol labelling in rat vas deferens (360) 298
Desmazes, J.P., see Bothorel, P. (365) 181
Desnick, R.J., Snyder, Jr, P.D. (350) 432
Desnuelle, P., see Entressangles, B. (341) 437
Desnuelle, P., see Erlanson, C. (359) 198
De Somer, P., see Stewart II, W.E. (359) 364
De Tomas, M.E., see Marcuri, O. (369) 264
De Törrengo, M.A.P., see Ninno, R.E. (360) 124
DeTraglia, M., Cook, F.B., Stasiw, D.M. and Cerny, L.C.
Erythrocyte fragility in aging (345) 213
DeTraglia, M.C., Cook, F.B., Stasiw, D.M. and Cerny, L.C.
Kinetics of malonamide-induced hemolysis of human erythrocytes, an autocatalytic effect (345) 305
Deuticke, B., see Grunze, M. (356) 125
Deutschmann, G., Gratzl, M. and Ullrich, V.
Binding of bromosulphthalein to serum albumins (371) 470
Devaux, C., Corvol, P. and Menard, J.
One-step separation of human plasma angiotensinogen from renin (359) 421
De Vellis, J., see McGinnis, J.F. (364) 17
De Visscher, M., see Kozyreff, V. (362) 17
Dewan, R.K., Chudgar, A., Mead, R., Bloomfield, V.A. and Morr, C.V.
Molecular weight and size distribution of bovine milk casein micelles (342) 313
Dewey, M.M., see Barr, L. (345) 336
Dey, P.M. and Dixon, M.
Separation and properties of α-galactosidase and β-galactosidase of Cajanus indicus (370) 269
Dhalla, N.S., see Singh, J.N. (341) 378
Diamant, S. and Shafrir, E.
Lipogenesis in aminonucleoside-induced nephrotic syndrome (360) 241
Diem, S., see Jakob, A. (362) 469
Dierick, W., see Hilderson, H.J. (337) 385
Dietrich, C.P. and Nader, H.B.
Fractionation and properties of four heparitin sulfates from beef lung tissue. Isolation and partial characterization of a homogeneous species of heparitin sulfate (343) 34
Dietrich, L.S., see Dungan, S.M. (374) 220
Dietschy, J.M., see Nervi, F.O. (369) 351
Dietschy, J.M., see Wilson, F.A. (363) 112
Dievard, J.C. and Bourrillon, R.
Séparation et purification des sites récepteurs de la lectine de Robinia et de la concanavaline A, présents à la surface des cellules hépatiques normales et tumorales (hépatome de Zajdela) (345) 198
Díez, V., Burgos, J. and Martín, R.
Pigeon liver diacetyl reductase: Purification and some properties (350) 253
Díez, V., see Burgos, J. (364) 9
Dilworth, M.J., see Whiting, M.J. (371) 337
Di Mayorca, G., see Mishra, N.K. (355) 205
Dimmock, N.J., see Stephenson, J.R. (361) 198
Diner, B.
Cooperativity between Photosystem II centers at the level of primary electron transfer (368) 371
Dinh, N.D., see She, C.Y. (372) 345
Di Pauli, G. and Brdiczka, D.
Localization of glycoproteins within erythrocyte membranes of sheep. A freeze-etching and biochemical study (352) 252
Dipple, A. and Shooter, K.V.
Chemical modification and biological inactivation of bacteriophage R17 by 7-bromomethylbenz[a]anthracenes (374) 392
Dirheimer, G., see Dubois, E.G. (374) 332
Dirkx, J., see Michel, A. (365) 15
Dittmer, J.C., see Long, R.A. (367) 295
Diver, A., see Kosower, E.M. (363) 261
Dixon, M., see Dey, P.M. (370) 269
Dixit, S.N., see Katzman, R.L. (336) 367
Dobberstein, B., Volkman, D. and Klämbt, D.
Attachment of polyribosomes to membranes of the hypocotyl of Phaseolus vulgaris (374) 187
Dobocz, I., see Schapira, G. (345) 348
Doctor, B.P., see Miller, W.L. (366) 188
Doddema, H.J., see Huisman, W. (370) 297
Doi, O. and Nojima, S.
Lipase activity of detergent-resistant phospholipase A in E. Coli (369) 64
Dolan, E. and Hind, G.
Kinetics of the reduction and oxidation of cytochromes b_6 and f in isolated chloroplasts (357) 380

Donaldson, Jr, R.M., see Schneider, R.P. (373) 58
Donnell, J.J., see Cramer, W.A. (368) 361
Doolittle, R.F. and Wooding, G.L.
The subunit structure of lamprey fibrinogen and fibrin (371) 277
Dorado, M., see Espada, J. (359) 369
Dorr, R.G., see Frank, J.J. (366) 353
Doskocil, J., see Pivec, L. (340) 199
Doty, P., see Golob, R. (349) 135
Doughty, C.C., see Attwood, M.A. (370) 358
Dounce, A.L., Legge, G., Volkman, D. and Chanda, S.K.
Simple method for the crystallization of beef liver crotonase (342) 81
Douthwright, J., see Snipes, W. (363) 340
Draper, D., see Menninger, J.R. (335) 185
Dresden, M.H., see Westover, C.J. (365) 389
Drews, J., see Eich, F. (340) 334
Dreyfus, J.-C., see Kahn, A. (334) 257
Dreyfus, J.-C., see Mennecier, F. (364) 320
Dri, P., see Patriarca, P. (362) 221
Dubertret, G. and Joliot, P.
Structure and organization of System II photosynthetic units during the greening of a dark-grown Chlorella mutant (357) 399
Dubin, D.T. and Friend, D.A.
Methylation properties of mitochondrion-specific transfer RNA from cultured hamster cells (340) 269
Dubois, E.G., Dirheimer, G. and Weil, J.H.
Methylation of yeast $tRNA^{Asp}$ by enzymes from cytoplasm, chloroplasts and mitochondria of Phaseolus vulgaris (374) 332
Ducastaing, S., see Tetaert, D. (351) 317
Duerst, M., see Brimhall, B. (336) 344
Dufau, M.L., Ryan, D. and Catt, K.J.
Disulphide groups of gonadotropin receptors are essential for specific binding of human chorionic gonadotropin (343) 417
Duff, I.D., see Pearson, R.T. (362) 188
Duhm, J.
Inosine permeability and purine nucleoside phosphorylase activity as limiting factors for the synthesis of 2,3 diphosphoglycerate from inosine, pyruvate, and inorganic phosphate in erythrocytes of various mammalian species (343) 89
Dullum, C., see Snyder, Jr, P.D., (350) 432
Dumont, J.E., see Swillens, S. (364) 250
Dumont, J.E., see Vassart, G. (353) 261
Duncan, C.L., see Chen, L.K. (338) 605
Dungan, S.M., Berger, B., Zervoudakis, R.J. and Dietrich, L.S.
Solubilization and properties of poly(ADP-ribose)polymerases from bovine spleen and ehrlich ascites cells (374) 220
Dunn, M.J.
Red blood cell calcium and magnesium: Effects upon sodium and potassium transport and cellular morphology (352) 97
Dunn, M.J. and Grant, R.
Influence of the extracellular counter-ion on the sodium-dependent, ouabain-uninhibited sodium efflux from human erythrocytes (352) 117
Dunn, M.J., see Green, J.R. (373) 51
DuPont, J., see Moreau, F. (345) 294
Durbin, R.P., Michelangeli, F. and Nickel, A.
Active transport and ATP in frog gastric mucosa (367) 177
Durham, J.P., Baserga, R. and Butcher, F.R.
Effect of isoproterenol and its analogs upon adenosine 3′,5′-monophosphate levels in mouse parotid gland in vivo (372) 196
Durosay, M., see De la Llosa, P. (342) 97
Duruisseau, E., see Verbruggen, R. (365) 108
Dutton, P.L. and Wilson, D.F.
Redox potentiometry in mitochondrial and photosynthetic bioenergetics (346) 165
Dutton, P.L., see Leigh, Jr, J.S. (357) 67
Dutton, P.L., see Wraight, C.A. (333) 401
Duysens, L.N.M., see Den Haan, G.A. (368) 409
Dyatlovitskaya, E.V., see Bergelson, L.D. (360) 361
Dybing, E.
Cycloheximide inhibition of hypoxanthine transport in cultured cells (373) 100

E

Eaglesham, A.R.J. and Ellis, R.J.
Protein synthesis in chloroplasts. II. Light-driven synthesis of membrane proteins by isolated pea chloroplasts (335) 396

Eaker, D., see Arnberg, H. (359) 222

Earp, III, S.
Glucocorticoid regulation of transcription: the role of physiologic concentrations of adrenal glucocorticoids in the diurnal variation of rat liver chromatin template availability (370) 95

Ebel, J., Schaller-Hekeler, B., Knobloch, K.-H., Wellmann, E., Grisebach, H. and Hahlbrock, K.
Coordinate changes in enzyme activities of phenylpropanoid metabolism during the growth of soybean cell suspension cultures (362) 417

Ecarot, B. and Cedergren, R.J.
Methionine transfer RNAs from the blue-green alga, Anacystis nidulans (340) 130

Ecker, J.L. and Hook, J.B.
Analysis of factors influencing the in vitro developmental pattern of p-aminohippurate transport by rabbit kidney (339) 210

Eckhof, A., see Junge, W. (357) 103

Edelman, I., see Barenholz, Y. (358) 262

Edelman, M., see Nass, M.M.K. (374) 283

Edelman, M., see Sagher, D. (349) 32

Edelstein, C., see Scanu, A.M. (351) 341

Edelstein, I., see Saidel, L.J. (367) 75

Edwards, P.A.W.
Test for non-specific diffusion steps in transport across cell membranes, and its application to red cell gluclose transport (345) 373

Edwards, W., Phillips, J.H. and Morris, S.J.
Structural changes in chromaffin granules induced by divalent cations (356) 164

Egan Smith, N., see Buckhold Shank, B. (367) 59

Egberts, D.J.N., see Den Haan, G.A. (368) 409

Ehnholm, C., Greten, H. and Brown, W.V.
Comparative study of post-heparin lipolytic activity and a purified human plasma triacylglycerol lipase (360) 68

Ehrenberg, A., see Israelachvili, J. (339) 164

Ehrström, M., see Israelachvili, J. (339) 164

Eich, F. and Drews, J.
Isolation and characterization of peptide chain initiation factor from Krebs II ascites tumor cells (340) 334

Eichler, D.C. and Glitz, D.G.
Nucleotide-specific antibodies as potential blocking agents in the structural analysis of nucleic acids (335) 303

Einarsson, K., Ericsson, J.L.E., Gustafsson, J.-Å., Sjövall, J. and Zietz, E.
Effects of ethinylestradiol and norethisterone on liver microsomal metabolism of steroids in male and female rats (369) 278

Eisen, A.Z., Nepute, J., Stricklin, G.P., Bauer, E.A. and Jeffrey, J.J.
Solid-phase radioimmunoassay of rat skin collagenase. Comparative studies and in vivo measurement of the enzyme (350) 442

Eisenberg, S., see Stein, O. (360) 205

Eisenstein, R., see Guenther, H.L. (372) 321

Ekholm, J.E., see Hanahan, D.J. (363) 284

Ekren, T., see Shires, T.K. (374) 59

El-Badry, A.M.
Hexosediphosphatase from spinach chloroplasts: purification, crystallization and some properties (333) 366

Eletr, S., Williams, M.A., Watkins, T. and Keith, A.D.
Perturbations of the dynamics of lipid alkyl chains in membrane systems: Effect on the activity of membrane-bound enzymes (339) 190

Elford, B.C. and Solomon, A.K.
Factors influencing sodium transport in dog red cells (373) 253

Elizalde, A., see Erlij, D. (345) 49

Ellar, D.J., see Hunt, R.C. (339) 173

Ellingson, J.S.
Changes in the phospholipid composition in the differentiating cellular slime mold, Dictyostelium discoideum (337) 60

Elliott, C.G. and Knights, B.A.
Uptake and metabolism of cholesterol and cholesteryl oleate by Phytophthora cactorum (360) 78

Elliott, C.G., Knights, B.A. and Freeland, J.A.
Sterols of Neurospora crassa and the pat-

tern of their binding during the growth cycle (360) 339
Elliott, F.G., see Cox, J.A. (371) 392
Elliott, J., Dade, E., Salmon, D.M.W. and Hems, D.A.
Hepatic metabolism in normal and genetically obese mice (343) 307
Ellis, K.J. and Morrison, J.F.
Interaction of europium (III) ion with nucleotides (362) 201
Ellis, R.J., see Eaglesham, A.R.J. (335) 396
Ellory, J.C. and Carleton, S.
$(Na^+ - K^+)$-activated ATPase activity in cattle erythrocytes (363) 397
Ellory, J.C. and Lew, V.L.
K^+-dependent phosphatase in the membranes of low-K^+-type erythrocytes (332) 215
Ellyard, R.K., see Adams, J.B. (370) 160
Elmslie, R.G., see Barns, R.J. (350) 495
Elyakova, L.A. and Favorov, V.V.
Isolation and certain properties of aliginate lyase from the mollusk Littorina sp. (358) 341
Elyakova, L.A., see Kozlovskaya, E.P. (371) 63
Emery, T.
A model for carrier-mediated iron transport (363) 219
Emmanuel, B.
On the origin of rumen protozoan fatty acids (337) 404
Emmerich, B., see Loh, W. (353) 238
Engasser, J.-M. and Horvath, C.
Buffer-facilitated proton transport: pH profile of bound enzymes (358) 178
Engberg, J., see Frederiksen, S. (340) 64
Engel, R., see Cheng, P.J. (341) 85
Enger, M.D., see Saponara, A.G. (349) 61
Enger, M.D., Walters, R.A. and Campbell, E.W.
Effects of ionizing radiation on RNA metabolism in cultured mammalian cells. II. Patterns of precursor incorporation into messenger-related RNAs of exponentially growing and synchronized populations (353) 227
Englard, S., see Avigad, G. (343) 330
Engström, L., see Ljungström, O. (336) 140
Engström, L., see Ljungström, O. (358) 289
Entlicher, G., see Marik, T. (336) 53
Entlicher, G., see Pospisilova, J. (362) 593
Entlicher, G., see Pospisilová, J. (373) 444
Entressangles, B. and Desnuelle, P.
Action of pancreatic lipase on monomeric tripropionin in the presence of water-miscible organic compounds (341) 437
Epand, R.M., see Wheeler, G.E. (372) 15
Epand, R.M., see Wheeler, G.E. (372) 440
Epstein, W.L., see Shimizu, T. (359) 389
Erdmann, E., see Kaniike, K. (352) 275
Erdös, E.G., see Oshima, G. (350) 26
Erdös, E.G., see Oshima, G. (365) 344
Ericson, I.
Determination of the isoelectric point of rat liver mitochondria by cross-partition (356) 100
Ericsson, J.L.E., see Einarsson, K. (369) 278
Eriksson, L.E.G., see Israelachvili, J. (339) 164
Erixon, K. and Renger, G.
Action of tetraphenylboron as a System II electron donor and its effect on the decay of the electrical field across the thylakoid membrane (333) 95
Erlanson, C., Charles, M., Astier, M. and Desnuelle, P.
Primary structure of porcine colipase II. II. The disulfide bridges (359) 198
Erlanson, C., see Charles, M. (359) 186
Erlij, D. and Elizalde, A.
Rapidly reversible inhibition of frog muscle sodium pump caused by cardiotonic steroids with modified lactone rings (345) 49
Ernster, L., see Hoek, J.B. (333) 546
Errera, M., see Rommelaere, J. (340) 388
Escamilla, E., see Ondarza, R.N. (341) 162
Espada, J., Brandan, N.C. and Dorado, M.
Molecular heterogeneity of human erythropoietin (359) 369
Estep, J.A. and Goldner, A.M.
Effect of phlorizin on galactose influx in rabbit intestine (367) 371
Estes, L.W., see Ladoulis, C.T. (356) 27
Estes, L.W., see Misra, D.N. (352) 455
Estevenon, J.P., see Colomb, E. (342) 306
Eterović, V.A. and Bennett, E.L.
Nicotinic cholinergic receptor in brain detected by binding of α-[^{3}H]bungarotoxin (362) 346
Etienne, A.L.
New results on the properties of photosystem II centers blocked by 3-(3,4-dichlorophenyl)-1,1-dimethylurea in their different photoactive states (333) 320
Etienne, A.L.
Effects of carbonyl cyanide m-chlorophenylhydrazone and hydroxylamine on

the photosystem II electron exchange mechanism in 3-(3,4-dichlorophenyl)-1,1-treated algae and chloroplasts (333) 497
Etienne, A.L., Lemasson, C. et Lavorel, J. Quenching de la chlorophylle in vivo par le m-dinitrobenzene (333) 288
Evans, E.H. and Crofts, A.R. Relationship between delayed fluorescence and the carotenoid shift in chromatophores from Rhodopseudomonas capsulata (333) 44
Evans, E.H. and Crofts, A.R. Thermodynamic characterisation of the cytochromes of chromatophores from Rhodopseudomonas capsulata (357) 78
Evans, E.H. and Crofts, A.R. In situ characterisation of photosynthetic electron transport in Rhodopseudomonas capsulata (357) 89
Evans, H., see Maroudas, A. (338) 265
Eventoff, W., Olsen, K.W. and M.L. Hackert Purification of porcine heart lactate dehydrogenase by affinity chromatography (341) 327
Exton, J.H., see Pilkis, S.J. (343) 250
Eyssen, H., see Parmentier, G. (348) 279

F

Fábián, F., see Faragó, A. (370) 459
Fahrney, D., see Moss, D.R. (350) 95
Failor, A., see Li, H.-C. (367) 385
Falk, K.-E., see Csopak, H. (359) 22
Falkenberg, F., see Neumann, S. (334) 328
Fallat, R., see Cohen, A.B. (336) 399
Fallon, H.J., see Lamb, R.G. (348) 166
Fallon, H.J., see Lamb, R.G. (348) 179
Faltin, Z., see Kosower, E.M. (363) 261
Fan, D.-F., Oshima, H., Troen, B.R. and Troen, P.
Studies of the human testis. IV. Testicular 20α-hydroxysteroid dehydrogenase and steroid 17α-hydroxylase (360) 88
Faragó, A., Antoni, F. and Fábián, F.
Histone kinases and cyclic AMP-binding capacity of nuclei of human tonsillar lymphocytes (370) 459
Farb, R.M., see Mego, J.L. (350) 237
Farnbacher, M., see Loh, W. (353) 238
Farr, D.R., Horisberger, M. and Jollès, P.
Extracellular rennin-like enzyme produced by Physarum polycephalum (334) 410
Faucon, J.F., see Lussan, C. (345) 83
Fausto, N., see Greene, R.F. (366) 23
Favorov, V.V., see Elyakova, L.A. (358) 341
Fawcett, D.N.
Non-enzymatic formation of sulfenyl iodide by solubilized thyroid particulate protein with peroxidase activity (338) 297
Feher, G., Isaacson, R.A., McElroy, J.D., Ackerson, L.C. and Okamura, M.Y.
On the question of the primary acceptor in bacterial photosynthesis: Manganese substituting for iron in reaction centers of Rhodopseudomonas spheroides R-26 (368) 135
Feher, G., see McElroy, J.D. (333) 261
Fehrmann, H. and Veeger, C.
Lipoamide dehydrogenase of the phytopathogenic fungi Pythium ultimum and Phytophthora erythroseptica: Differences in conformation and kinetics (350) 292
Feinstein, G., see Frydman, R.B. (350) 358
Felix, R. and Fleisch, H.
Pyrophosphatase and (Ca^{2+} – Mg^{2+})-ATPase activity of purified calf bone alkaline phosphatase (350) 84
Fenton, E.L., see Blosse, P.T. (354) 57
Ferber, E., see Schmidt-Ullrich, R. (332) 175
Ferber, E., see Schmidt-Ullrich, R. (356) 288
Ferguson, S.J., John, P., Lloyd, W.J., Radda, G.K. and Whatley, F.R.
Selective and reversible inhibition of the ATPase of Micrococcus denitrificans by 7-chloro-4-nitrobenzo-2-oxa-1,3-diazole (357) 457
Fernlund, P.
Structure of the red-pigment-concentrating hormone of the shrimp, Pandalus borealis (371) 304
Fernlund, P.
Synthesis of the red-pigment-concentrating hormone of the shrimp, Pandalus borealis (371) 312
Ferreira, N.P., see Steenkamp, D.J. (358) 126
Ferrell, R.E., see Tanis, R.J. (371) 534
Fiala, E.S., Kettering, W.G. and Fiala, S.
Alteration of protein degradation in mitochondria and other rat liver fractions as a result of aminoazodye feeding (338) 43
Fiala, S., see Fiala, E.S. (338) 43
Fiat, A.-M., see Jollés, J. (365) 335
Fiechter, A., see Flury, U. (341) 465
Fiedler, H., see Kohnert, K.D. (338) 68
Fiedler, O.
New method for the demonstration of phase transitions in lipid films (345) 321
Fielding, J. and Speyer, B.E.
Iron transport intermediates in human reticulocytes and the membrane binding site of iron–transferrin (363) 387
Fielding, J., see Speyer, B.E. (332) 192
Fietzek, P.P., Breitkreutz, D. and Kühn, K.
Amino acid sequence of the amino-terminal region of calf skin collagen (365) 305
Figarella, C., see Colomb, E. (342) 306
Finazzi Agrò, A., see Morpurgo, L. (336) 324
Finch, A., Gardner, P.J., Ledward, D.A. and Menashi, S.
Thermal denaturation of collagen fibres swollen in aqueous solutions of urea, hexamethylenetetramine, p-benzoquinone, and tetraalkylammonium salts (365) 400
Finer, E.G., see Phillips, M.C. (356) 199

Finne, J., see Krusius, T. (365) 80
Fiolet, J.W.T., Bakker, E.P. and Van Dam, K.
Fluorescent properties of acridines in the presence of chloroplasts or liposomes. On the quantitative relationship between the fluorescence quenching and the transmembrane proton gradient (368) 432
Fischer, H., see Bhakdi, S. (356) 300
Fischer, H., see Bhakdi, S. (363) 39
Fischer, H., see Bhakdi, S. (373) 295
Fischer, H., see Schmidt-Ullrich, R. (332) 175
Fischer, H., see Wunderlich, F. (373) 34
Fischer, M. and Schwartz, D.
Biosynthesis of maize alcohol dehydrogenase dimers. Evidence for immature oligomeric forms (364) 200
Fischer, U. and Amrhein, N.
Cyclic nucleotide phosphodiesterase of Chlamydomonas reinhardtii (341) 412
Fisher, D., see Howell, J.I. (332) 1
Fisher, T.L., see Anderson, B.M. (350) 135
Fishman, P.H., see Brady, R.O. (355) 121
Fitzpatrick, D.F., see Moore, L. (345) 405
Flatmark, T., see Romslo, I. (347) 160
Flatmark, T., see Silsand, T. (359) 257
Flatmark, T., see Terland, O. (359) 253
Flavell, R.A., see Talen, J.L. (374) 129
Fleisch, H., see Felix, R. (350) 84
Fleischer, B., see Van Golde, L.M.G. (360) 179
Fleischer, S., see Packer, L. (363) 159
Fleischer, S., see Smigel, M. (332) 358
Fleischer, S., see Van Golde, L.M.G. (360) 179
Fleming, B., see Goldsmith, L.A. (351) 113
Fleron, P., see Sestoft, L. (345) 27
Fletcher, R.T., see Chader, G.J. (347) 491
Fliegerova, O., Salvetova, A., Ticha, M. and Kocourek, J.
Studies on phytohemagglutinins. XIX. Subunit structure of the lentil isohemagglutinins (351) 416
Flores, J., Witkum, P., Beckman, B. and Sharp, G.W.G.
Reserve of vasopressin-sensitive adenylate cyclase in toad urinary bladder (362) 501
Florkin, M., see B-Grégoire, S. (351) 87
Flowers, H.M., see Harpaz, N. (341) 213
Flückiger, R., see Zwaal, R.F.A. (373) 416
Flury, U., Heer, B. and Fiechter, A.
Regulatory and physicochemical properties of two isoenzymes of malate dehydrogenase from Schizosaccharomyces pombe (341) 465
Folayan, J.O. and Hutchinson, D.W.
Poly(5-fluorocytidylic acid) (340) 194
Folger, G.C., see Vella, F. (365) 318
Font, J., see Pere, M. (365) 40
Fontana, A., see Veronese, F.M. (334) 31
Forget, A., see Verly, W.G. (349) 204
Forita, F.
Molecular complex of tryptophan with ATP or its analogs (343) 674
Forrest, L., see Shuttleworth, C.A. (365) 454
Forsén, S., see Chiancone, E. (336) 403
Forstner, G.G., see Lukie, B.E. (338) 345
Forte, J.G., see Beesley, R.C. (356) 144
Forte, J.G., see Ray, T.K. (363) 320
Forte, T., Gong, E. and Nichols, A.V.
Interaction by sonication of C-apolipoproteins with lipid: An electron microscopic study (337) 169
Forti, G., see Jennings, R.C. (347) 299
Foster, M. and Harrison, J.H.
Characterization of porcine malate dehydrogenase. II. Amino acid sequence of peptide containing the active center histidine residue (351) 295
Fouchet, C., see Ozon, R. (348) 425
Fouquet, H., Böhme, R., Wick, R., Sauer, H.W. and Braun, R.
Isolation of adenylate-rich RNA from Physarum polycephalum (353) 313
Fowler, C.F.
Evidence for a cytochrome b in green bacteria (357) 327
Fowler, C.F. and Kok, B.
Proton evolution associated with the photooxidation of water in photosynthesis (357) 299
Fowler, C.F. and Kok, B.
Direct observation of a light-induced electric field in chloroplasts (357) 308
Fowler, J.A., see Tudball, N. (338) 83
Fowler, M.W.
Role of the malic enzyme reaction in plant roots. Utilization of [2,3-^{14}C]malate, [4-^{14}C]malate and [1-^{14}C]pyruvate by pea root apices and measurements of enzyme activity (372) 245
Fox, K.R. and Hogben, C.A.M.
Nicotinic acid active transport by in vitro bullfrog small intestine (332) 336
Franchi-Gazzola, R., see Guidotti, G.G. (356) 219
Franconi, C., see Terenzi, M. (351) 230
Frank, J.J., Dorr, R.G. and Levy, C.C.
Characterization of the 5′-terminus of murine leukemia virus RNA (366) 353
Frank, W., see Hülser, D.F. (372) 85

Franklin-Klein, W., see Prins, R.A. (348) 361
Franzblau, C., see Kagan, H.M. (365) 223
Fraser, M.J., see Olson, A.C. (334) 156
Frechin, J.C., see Bieth, J. (364) 97
Fredericq, E., see Colson, P. (340) 244
Frederiksen, S., Pedersen, I.R., Hellung-Larsen, P. and Engberg, J.
Metabolic studies of small molecular weight nuclear RNA components in BHK-21 cells (340) 67
Freeland, J.A., see Elliott, C.G. (360) 339
Freeman, K.B., see Wallace, R.B. (366) 466
Freese, E., see Ichikawa, T. (338) 473
Freist, W., see Cramer, F. (349) 351
Frénoy, J.P. and Bourrillon, R.
Studies on the structure of human α_2-macroglobulin. IV. Analysis of the microheterogeneity by isoelectric focusing (371) 168
Frensdorff, A., see Kosower, E.M. (363) 261
Frey, C.A. and Bryan, W.P.
Blue dextran excluded volume of the human erythrocyte membrane (356) 156
Frey, P.A., see Davis, J.E. (334) 442
Friedenson, B. and Liener, I.E.
Evidence that ficin is a glycoprotein (342) 209
Friedman, D.L.
On the mechanism of DNA replication in isolated nuclei from Hela cells (353) 447
Friedman, M.E. and Teggins, J.E.
Blocking of the tetrachloroplatinate (II) inhibition of malate dehydrogenase by sulfur-containing amino acids (341) 277
Friedman, M.E. and Teggins, J.E.
Reactivities of isomers of dichlorodiammine--platinum (II) with dehydrogenase enzymes. Evidence for inhibition via cross-linkage (350) 263
Friedman, M.E., see Teggins, J.E. (350) 273
Friedmann, N., see Dambach, G. (332) 374
Friedmann, N., see Dambach, G. (367) 366
Friedrichs, D. and Schoner, W.
Regulation of gluconeogenesis by alanine (343) 341
Friend, D.A., see Dubin, D.T. (340) 269
Friesner, R., see Hosein, B. (368) 18
Frisell, W.R. and Randolph, V.M.
N-methyl oxidation in liver mitochondria of triiodothyronine-treated and thyroidectomized rats (347) 145
Frnka, J. and Reiser, R.
Effects of diet cholesterol on the synthesis of rat serum apolipoproteins (360) 322
Frölich, J.C., Wilson, T.W., Smigel, M. and Oates, J.A.
Competitive protein binding assay specific for prostaglandin E (348) 241
Fromherz, P. and Masters, B.
Interfacial pH at electrically charged lipid monolayers investigated by the lipoid pH-indicator method (356) 270
Frydman, R.B. and Feinstein, G.
Studies on porphobilinogen deaminase and uroporphyrinogen III cosynthase from human erythrocytes (350) 358
Fryklund, L., see Arnberg, H. (359) 222
Fuhrmann, G.F., Wehrli, E. and Boehm, C.
Preparation and identification of yeast plasma membrane vesicles (363) 295
Fujii, M., see Nakamura, T. (362) 110
Fujimaki, M., see Yamashita, M. (358) 105
Fujime, S., see Maeda, T. (336) 445
Fujisawa, T., see Koike, K. (361) 144
Fujita, M., see Kwai, K. (369) 222
Fujita, T., see Katayama, K. (336) 165
Fujita, T., see Katayama, K. (336) 178
Fujita, T., see Katayama, K. (336) 191
Fukada, E., see Maruyama, K. (371) 20
Fukada, E., see Maruyama, M. (371) 30
Fukagawa, Y., Mason, K.T. and Katz, E.
Further studies on the origin of sarcosine synthesized by Streptomyces antibioticus and Streptomyces chrysomallus (338) 198
Fukuba, R.
Stereochemistry of hydrogen transfer between pyridine nucleotide and some intermediates of cholesterol catabolism catalyzed by liver alcohol - and aldehyde dehydrogenase (341) 48
Fukuda, K.-I., see Imoto, T. (336) 264
Fukui, S., see Ikeda, S.-I. (372) 400
Fukui, T., see Ikehara, M. (338) 512
Fukushima, H., see Nozawa, Y. (367) 134
Fukushima, K.H.
Studies on the egg-membrane lysin of Tegula pfeifferi: The reaction mechanism of the egg-membrane lysin (352) 179
Fukuyama, K., see Shimizu, T. (359) 389
Fuller, T., see Kitos, P.A. (353) 362
Fung, B.M.
Non-freezable water and spin-lattice relaxation time in muscle containing a growing tumor (362) 209
Fung, B.M. and McGaughy, T.W.
State of water in muscle as studied by pulsed NMR (343) 663

Furgaç, N., see Cramer, F. (349) 351
Furie, B., see Furie, B.C. (365) 121
Furie, B.C., Furie, B., Gottlieb, A.J. and Williams, W.J.
Activation of bovine Factor X by the venom coagulant protein of Vipera russelli: Complex formation of the activation fragments (365) 121
Furihata, R., see Sato, S. (332) 166
Furlan, R., see Dabbeni-Sala, F. (347) 77
Furuya, S. and Yugari, Y.
Daily rhythmic change of L-histidine and glucose absorptions in rat small intestine in vivo (343) 558
Futterman, A. and Futterman, S.
Stability of 11-cis-retinal and reactivity toward nucleophiles (337) 390
Futterman, S., see Futterman, A. (337) 390
Fyfe, J.A., see Spector, T. (370) 585

G

Gadasi, H., Oplatka, A., Lamed, R., Hochberg, A. and Low, W.
Possible uncoupling of the mechanochemical process in the actomyosin system by covalent crosslinking of F-actin (333) 161

Gadian, D.G., Radda, G.K. and Richards, R.E.
Nuclear magnetic resonance studies on substrate binding to phosphoglucomutase (358) 57

Gaffney, P.J., see Pepper, D.S. (365) 203

Gagliano, R., see Grazi, E. (341) 248

Gagnon, C., see Gavard, D. (374) 207

Gagnon, C., Lalonde, G. and de Lamirande, G.
Specificity of the natural rat liver ribonuclease inhibitor towards nuclease activities of subcellular fractions (353) 323

Gagnon, D.J. and Heisler, S.
Accumulation of cyclic AMP in neurohypophyses in response to angiotensin (338) 394

Gaillard, L., see Cohen-Solat, M. (351) 306

Galbraith, P., see Vella, F. (365) 318

Galla, H. and Sackmann, E.
Lateral diffusion in the hydrophobic region of membranes: Use of pyrene excimers as optical probes (339) 103

Galli, C., Agradi, E. and Paoletti, R.
(n-6) Pentaene: (n-3) hexaene fatty acid ratio as an index of linolenic acid deficiency (369) 142

Gallo, R.C. and Wu, A.M.
Interaction between murine type-C virus RNA-directed DNA polymerases and rifamycin derivatives (340) 419

Gallo, R.C., see Lewis, B.J. (349) 148

Galmiche, J.M., see Girault, G. (333) 314

Gamper, H. and Moses, V.
Enzyme organization in the proline biosynthetic pathway of Escherichia coli (354) 75

Gan, E.V., Haberman, H.F. and Menon, I.A.
Oxidation of NADH by melanin and melanoproteins (370) 62

Gandhi, A.P., see Kadam, S.S. (350) 162

Ganguly, P., see Hung, G.W.C. (371) 511

Garbin, G., see Abatangelo, G. (365) 115

Garbin, G., see Abatangelo, G. (371) 526

Gardell, S., see Antonopoulus, C.A. (338) 108

Gardner, K.H. and Blackwell, J.
Hydrogen bonding in native cellulose (343) 232

Gardner, P.J., see Finch, A. (365) 400

Garel, M.C., see Cohen-Solat, M. (351) 306

Garlick, P.J., see Turner, L.V. (349) 109

Garnett, G.F., see Carlotti, R.J. (341) 357

Garrick, M.D., see Bricker, J. (351) 437

Gary Bobo, C.M., see Lange, Y. (339) 347

Gary-Bobo, C.M., see Rigaud, J.L. (373) 211

Gassen, H.G., see Kohlschein, J. (374) 407

Gassen, H.G., see Vormbrock, R. (340) 348

Gatt, S., see Barenholz, Y. (358) 262

Gaudette, L.A., see Cass, C.E. (345) 1

Gautheron, D.C., see Maïsterrena, B. (367) 115

Gavard, D., De Lamirande, G. and Karasaki, S.
Highly purified plasma membranes from rat hepatocytes following rate-isopycnic zonal centrifugation (332) 145

Gavard, D., Gagnon, C. and De Lamirande, G.
Ribonuclease and phosphodiesterase activities in rat hepatocyte plasma membranes (374) 207

Gazzola, G.C., see Guidotti, G.G. (356) 219

Geacintov, N.E., Van Nostrand, F. and Becker, J.F.
Polarized light spectroscopy of photosynthetic membranes in magneto-oriented whole cells and chloroplasts. Fluorescence and dichroism (347) 443

Gebicki, J.M., see Bielski, B.H.J. (364) 233

Gecse, A., see Oshima, G. (350) 26

Gelehrter, T.D., see Vassef, A. (353) 115

Geller, M., see Kulakowska, I. (361) 119

Gellerfors, P., see Nelson, B.D. (357) 358

Gellerman, J.L., see Beach, D.H. (369) 16

Gellf, G. and Boudrant, J.
Enzymes immobilized on a magnetic support. Preliminary study of a fluidized bed enzyme reactor (334) 467

Gelman, R.A. and Blackwell, J.
Collagen-mucopolysaccharide interactions at acid pH (342) 254

Genge, S., Pilger, D. and Hiller, R.G.
Relationship between chlorophyll b and pigment–protein complex II. (347) 22

Gennings, J.N., Gower, D.B. and Bannister, L.H.

Studies on the metabolism of the odoriferous ketones, 5α-androst-16-en-3-one and 4, 16-androstadien-3-one by the nasal epithelium of the mature and immature sow (369) 294
Gentleman, S. and Mansour, T.E.
Edenylate cyclase in a sea anemone. Implication for chemoreception (343) 469
Gentner, P.R., see Probst, H. (340) 361
Gentner, P.R., see Probst, H. (366) 11
Gerber, A.C., Carson, J.H. and Hadorn, B.
Partial purification and characterization of a chymotrypsin-like enzyme from human neutrophil leucocytes (364) 103
Gerbrandy, S.J.
Glycogen phosphorylases of potatoes: Purification and thermodynamic properties of the adsorption on glycogen (370) 410
Gerdes, R.G. and Rosenberg, H.
Relationship between the phosphate-binding protein and a regulator gene product from Escherichia coli (351) 77
Gerez de Burgos, N.M., Burgos, C. and Blanco, A.
Effect of temperature upon inhibition by substrate of lactate dehydrogenase isoenzymes from a poikilotherm (341) 505
Gergely, P., Bot, G. and Kovács, E.F.
Partial phosphorylation of muscle phosphorylase. II. Formation of a hybrid phosphorylase in vivo (370) 78
Gergely, P., see Bot, G. (370) 70
Germain, G., see Suck, D. (361) 257
Gerritsen, W.J., see De Kruijff, B. (339) 30
Gerritsen, W.J., see De Kruijff, B. (339) 44
Gershey, E.L. and Kaplan, I.
Method for the preparation of desialylated human chorionic gonadotropin and its subunits (342) 322
Gershfeld, N.L., see Razin, S. (352) 385
Gershfeld, N.L., Wormser, M. and Razin, S.
Cholesterol in mycoplasma membranes. I. Kinetics and equilibrium studies of cholesterol uptake by the cell membrane of Acholeplasma laidlawii (352) 371
Gershon, E., see Honegger, P. (352) 127
Geurts van Kessel, W.S.M., see London, Y. (332) 69
Ghetie, S., see Mezincesco, M.D. (350) 54
Gholson, R.K., see Chen, N.C. (343) 167
Ghosh, N.K., Cox, R.P. and Winzler, R.J.
Characterization of monosaccharides in human placental alkaline phosphatase by gas–liquid chromatography (343) 638
Ghosh, R.K. and Thangamani, A.
Purification and properties of an extracellular acid ribonuclease from Penicillium janthinenellum (361) 321
Ghosh, S., Basu, M.K. and Schweppe, J.S.
Interaction of 1-anilino-8-naphthalene sulphonate with human serum low-density lipoprotein (337) 395
Giannella, R.A., see Charney, A.N. (367) 265
Gibaud, A., see Cohen-Solat, M. (351) 306
Gibson, F., see Cox, G.B. (346) 1
Gilbert, J.M.
Differences in the translation of rat forebrain messenger RNA dependent on the source of protein synthesis factors (340) 140
Gilboe, D.P. and Nuttall, F.Q.
Influence of ATP on glycogen synthetase-D-phosphatase activity in liver (338) 57
Gilhuus-Moe, C.Chr., see Rickwood, D. (342) 367
Gill, D., see Rimai, L. (361) 155
Gill, J.E., Mazrimas, J.A. and Bishop, Jr, C.C.
Physical studies on synthetic DNAs containing 5-methylcytosine (335) 330
Gill, III, T.J., see Ladoulis, C.T. (356) 27
Gill, T.J., see Misra, D.N. (352) 455
Gilman, A.G., see Maguire, M.E. (358) 154
Gingras, G., see Schwenker, U. (351) 246
Girault, G. and Galmiche, J.M.
Restoration by silicotungstic acid of DCMU-inhibited potoreactions in spinach chloroplasts (333) 314
Girod, J.C., see Johnson, Jr, W.C. (353) 193
Gitzelmann, R. and Hansen, R.G.
Galactose biogenesis and disposal in galactosemics (372) 374
Giudicelli, H., Pastre, N. and Boyer, J.
Lipolytic activity of adipose tissue. III. The triacylglycerol lipase activity of human adipose tissue: A reevaluation (348) 221
Giudicelli, H., Combes-Pastre, N. and Boyer, J.
Lipolytic activity of adipose tissue. IV. The diacylglycerol lipase activity of human adipose tissue (369) 25
Giudicelli, H., see Verine, A. (369) 125
Gladner, J.A., see Murtaugh, P.A. (359) 415
Glaser, G. and Mager, J.
Biochemical studies on the mechanism of action of liver poisons. III. Depletion of liver glutathione in ethionine poisoning (372) 237

Glaubiger, D., Kohn, K.W. and Charney, E.
Reaction of anthramycin with DNA. III. Properties of the complex (361) 303
Glaubiger, D., see Kohn, K.W. (361) 288
Glazer, R.I.
Inhibition by N-hydroxy-2-acetylaminofluorene of incorporation of [5-^{3}H]orotic acid into RNA of two classes of nuclei from normal and regenerating liver (361) 361
Glickman, B.W.
Role of DNA polymerase I in pyrimidine dimer excision and repair replication in Escherichia coli K12 following ultraviolet irradiation (335) 115
Glickman, R.M. and Kirsch, K.
Apoproteins of various size classes of human chylous fluid lipoproteins (371) 255
Glitz, D.G., see Eichler, D.C. (335) 303
Glonek, T., Henderson, T.O., Kruski, A.W. and Scanu, A.M.
Phosphorus-31 nuclear magnetic resonance: Application to the study of human serum high density lipoproteins (348) 155
Glueckauf, E. and Patterson, L.
Adsorption of some proteins on hydroxylapatite and other absorbents used for chromatographic separations (351) 57
Goddard, J.M., see Cummings, D.J. (374) 1
Godin, C., see Hanna, N. (374) 342
Godoy, G.A., see Soldo, A.T. (362) 521
Goerke, J.
Lung surfactant (344) 241
Gold, G. and Widnell, C.C.
Reversal of age-related changes in microsomal enzyme activities following the administration of triamcinolone, triiodothyronine and phenobarbital (334) 75
Goldenberg, G.J., see Israels, L.G. (372) 32
Goldman, A.S., see Katsumata, M. (359) 112
Goldman, D.E., see Chacko, G.K. (373) 308
Goldman, R. and Naider, F.
Permeation and stereospecificity of hydrolysis of peptide esters within intact lysosomes in vitro (338) 224
Goldner, A.M., see Estep, J.A. (367) 371
Goldsmith, L.A., Baden, H.P., Roth, S.I., Colman, R., Lee, L. and Fleming, B.
Vertebral epidermal transamidases (351) 113
Goldstein, J., see Waldman, A.A. (343) 324
Golob, R., Chetsanga, C.J. and Doty, P.
Onset of collagen synthesis in sea urchin embryos (349) 135
Gong, E., see Forte, T. (337) 169
Gonnerman, W.A., see Harris, E.D. (341) 332
Gonzáles, C., Palacios, R. and Schimke, R.T.
Specificity of the binding of antibodies to polysomes in hen oviduct (366) 424
Gooch, V.D. and Packer, L.
Oscillatory systems in mtiochondria (346) 245
Goodall, A.H., see Howell, J.I. (332) 1
Goodall, M.C., see Romine, W.O. (367) 316
Goodall, M.C., see Sachs, G. (332) 233
Goodgame, D.M.L., see De Meester, P. (340) 113
Goodgame, D.M.L., see De Meester, P. (353) 395
Gorazdowska, M., see Taylor, A. (342) 133
Gordesky, S.E., see Kirkpatrick, F.H. (345) 154
Gordon, J.A. and Marquardt, M.D.
Factors affecting hemagglutination by concanavalin A and soybean agglutinin (332) 136
Gorin, E. and Rosenblum, S.
Effect of triamcinolone treatment, starvation and diabetes on rat liver protein kinase activity (343) 510
Gorkova, N.P., see Bergelson, L.D. (360) 361
Gorter, G., see Akkerman, J.W.N. (370) 102
Gorter, G., see Akkerman, J.W.N. (370) 113
Got, R., see Berthillier, G. (362) 390
Goto, H., see Ogasawara, N. (364) 353
Goto, H., see Sasaki, R. (366) 435
Goto, H., see Sasaki, Y. (366) 443
Goto, H., see Watanabe, T. (358) 240
Gotoh, S., see Kwan, C.N. (349) 428
Gots, R.E., see Charney, A.N. (367) 265
Gottlieb, A.J., see Furie, B.C. (365) 121
Gotto, Jr, A.M., see Hoff, H.F. (351) 407
Gottschalk, G., see Hillmer, P. (334) 12
Gould, J.M. and Izawa, S.
Studies on the energy coupling sites of photophosphorylation. IV'. The relation of proton fluxes to the electron transport and ATP formation associated with Photosystem II (333) 509
Gourley, D.R.H., see Kimura, H. (341) 157
Govindjee, see Vandermeulen, D.L. (368) 61
Gower, D.B., see Brophy, P.J. (360) 252
Gower, D.B., see Gennings, J.N. (369) 294
Gräber, P. and Witt, H.T.
On the electrical potential across the thylakoid membrane induced by continuous light in Chlorella cells (333) 389
Graf, L., see Notton, B.A. (364) 45

Graf, T., see Bolognesi, D.P. (355) 220
Graham, A.B. and Wood, G.C.
On the activation of microsomal UDPglucuronyltransferase by phospholipase A (370) 431
Grandino, A. and Paiva, A.C.M.
Isolation of an angiotensin-converting enzyme without kininase activity from hog and guinea pig plasma (364) 113
Grant, C.W.M., Hong-Wei Wu, S. and McConnell, H.M.
Lateral phase separation in binary lipid mixtures: Correlation between spin label and freeze-fracture electron microscopic studies (363) 151
Grant, R., see Dunn, M.J. (352) 117
Grant Gall, D., Butler, D.G., Tepperman, F. and Hamilton, J.R.
Na^+ transport in isolated intestinal epithelial cells. The effect of actively transported sugars on Na^+ efflux (339) 291
Gräslund, A., see Israelachvili, J. (339) 164
Gratzer, W.B., see Pinder, J.C. (349) 47
Gratzl, M., see Deutschmann, G. (371) 470
Gravely, M.E., see Sharma, R.S. (359) 233
Gray, A.L., see Hallett, F.R. (343) 648
Gray, C.J., Livingstone, C.M., Jones, C.M. and Barker, S.A.
New and convenient method for enzyme insolubilisation using diazotized m-diaminobenzene (341) 457
Gray, Jr, H.B., see Ostrander, D.A. (349) 296
Gray, H.B., see Webb, J. (351) 224
Gray, M.W.
Dinucleotide sequences containing both base and sugar modifications in the ribosomal RNA of Crithidia fasciculata (374) 253
Grazi, E., Barbieri, G. and Gagliano, R.
Dihydroxyacetone sulfate as substrate analogue for α-glycerol phosphate dehydrogenase (341) 248
Grazi, E. and Trombetta, G.
Fructose-bisphosphate aldolase from rabbit muscle. A thermodynamic study on the formation of the enzyme–dihydroxyacetone phosphate complex (364) 120
Grebner, E.E. and Parikh, I.
Affinity adsorbent for N-acetyl-β-D-hexosaminidase A (350) 437
Green, D.E.
Electromechanochemical model for energy coupling in mitochondria (346) 27
Green, J.R., Dunn, M.J., Spooner, R.L. and Maddy, A.H.
Immunological heterogeneity of the proteins extracted from Bos taurus erythrocyte membranes by EDTA (373) 51
Green, R.W., see Bolognesi, D.P. (355) 220
Greenaway, P.J. and Levine, D.
Identification of a soluble protein methylase in chicken embryo nuclei (350) 374
Greenberg, J.H. and Jamieson, G.A.
Effects of various lectins on platelet aggregation and release (345) 231
Greene, H.L., see Stifel, F.B. (354) 194
Greene, R.F. and Fausto, N.
Studies of poly(A) sequences associated with regenerating liver RNA (366) 23
Greenfield, S., see Majumdar, A.P.N. (335) 260
Green Matthews, R., Arscott, L.D. and Williams, Jr, C.H.
Isolation, characterization, and partial sequencing of cystine and thiol peptides of pig heart lipoamide dehydrogenase (370) 26
Green Matthews, R. and Williams, Jr, C.H.
Identification of the thiol residues involved in modifications of pig heart lipoamide dehydrogenase by cupric ion and by iodoacetamide (370) 39
Greenwald, R.A. and Schwartz, C.E.
Complex formation between lysozyme and cartilage proteoglycans (359) 66
Gregory, R.P.F.
Inhibition of oxygen production and the uncoupling of electron transport in photosynthesis in chloroplasts by substituted thiophens (368) 228
Greim, H., see Czygan, P. (354) 168
Greten, H., see Ehnholm, C. (360) 68
Griffin, D.H., see Timberlake, W.E. (349) 39
Griffin, D.H., see Timberlake, W.E. (353) 248
Griffin, H.D., see Weglicki, W.B. (337) 145
Griffith, A.L., see Catsimpoolas, N. (351) 196
Griffith, W.P., see Collin, R. (354) 152
Griffiths, E.
Rapid degradation of ribosomal RNA in Pasteurella septica induced by specific antiserum (340) 400
Griffiths, E.
Metabolically controlled killing of Pasteurella septica by antibody and complement (362) 598
Griffiths, J.R., Price, N.C. and Radda, G.K.
Conformational changes in phosphorylase a, studied by a spin-label probe (358) 275

Grisebach, H., see Ebel, J. (362) 417
Grishaver, M.S., see Porter, P.N. (364) 128
Groot, G.S.P., see Sanders, J.P.M. (374) 136
Groot, P.H.E., Van Loon, C.M.I. and Hülsmann, W.C.
Identification of the palmitoyl-CoA synthetase present in the innermembrane-matrix fraction of rat liver mitochondria (337) 1
Gross, E.L. and Hess, S.C.
Correlation between calcium ion binding to chloroplast membranes and divalent cation-induced structural changes and changes in chlorophyl a fluorescence (339) 334
Gross, K.W., see Kaufman, S.J. (353) 133
Gross, M.
Control of globin synthesis by hemin regulation by hemin of the formation and inactivation of a translational repressor of globin synthesis in rabbit reticulocyte lysates (340) 484
Gross, M.
Control of globin synthesis by hemin. An intermediate form of the translational repressor in rabbit reticulocyte lysates (366) 319
Grosse, R., Malur, J., Meiske, W. and Repke, K.R.H.
Statistical behaviour and suitability of protein-derived circular dichroic-basis spectra for determination of globular protein conformation (359) 33
Grossowicz, N., see Ariel, M. (352) 122
Grosveld, F.G., see Mol, J.N.M. (374) 115
Grover, A.K. and Hammes, G.G.
Affinity chromatography of β-hydroxybutyrate dehydrogenase on NAD and hydrophobic chain derivatives of Sepharose (356) 309
Grozdova, I.D., see Nagradova, N.K. (342) 105
Gruber, M., see Huisman, W. (370) 297
Gruber, M., see Raué, H.A. (366) 279
Grula, E.A., see Rice, T.W. (342) 125
Grunze, M. and Deuticke, B.
Changes of membrane permeability due to extensive cholesterol depletion in mammalian erythrocytes (356) 125
Gschwendt, M. and Kittstein, W.
Specific binding of estradiol to the liver chromatin of estrogenized roosters (361) 84
Guenther, H.E., see Guenther, H.L. (372) 321
Guenther, H.L., Sorgente, N., Guenther, H.E., Eisenstein, R. and Kuettner, K.E.
Lysozyme in preosseous cartilage. VI. Purification, characterization and localization of mammalian cartilage lysozyme (372) 321
Guérin, J., Alais, C., Jollès, J. and Jollès, P.
κ-casein from bovine colostrum (351) 325
Guerrieri, F., see Papa, S. (357) 181
Guertler, B., see Beckman, B. (332) 350
Guha, S.K. and Mukherjee, K.L.
Urea biosynthesis in normal human fetuses (372) 285
Guidoni, A., see Charles, M. (359) 186
Guidotti, G.G., Franchi-Gazzola, G.C. and Ronchi, P.
Regulation of amino acid transport in chick embryo heart cells. IV. Site and mechanism of insulin action (356) 219
Guiraud, P., see Paoli, A. (370) 487
Gul, S. and Smith, A.D.
Haemolysis of intact human erythrocytes by purified cobra venom phospholipase A_2 in the presence of albumin and Ca^{2+} (367) 271
Guo, L.S.S. and Alexander, J.C.
Effect of geometric isomers of Δ^9-octadecenoic acid on liver lipid biosynthesis by essential fatty acid deficient rats (369) 411
Gurpide, E., see Tseng, J.K. (353) 399
Guschlbauer, W., see Blandin, M. (361) 249
Guskova, L.I., see Sverdlov, E.D. (340) 153
Gustafsson, J.A. and Ingelman-Sundberg, M.
Age-dependent induction and repression of rat liver microsomal hydroxylase systems by estradiol (354) 172
Gustafsson, J.-A., see Einarsson, K. (369) 278
Gutiérrez, J., see Ondarza, R.N. (341) 162
Guy, O., see Colomb, E. (342) 306
Gylfe, E.
Glucose oxidation and contants of free amino acids in pancreatic β-Cells stimulated by a non-metabolizable leucine analogue (343) 584

H

Haaker, H., de Kok, A. and Veeger, C.
Regulation of dinitrogen fixation in intact Azotobacter vinelandii (357) 344

Habeeb, A.F.S.A., Atassi, M.Z. and Lee, C.-L.
Peptides with strong immunochemical inhibitory activity from bovine serum albumin. Application of a novel approach (342) 389

Habener, J.F., see Kemper, B. (349) 235

Haber, A., see Bielski, B.H.J. (350) 113

Haberman, H.F., see Gan, E.V. (370) 62

Haberman, S., see Beitner, R. (334) 237

Hachimori, A., Matsunaga, A., Shimizu, M., Samejima, T. and Nosoh, Y.
Purification and properties of glutamine synthetase from Bacillus stearothermophilus (350) 461

Hackert, M.L., see Eventoff, W. (341) 327

Hadorn, B., see Gerber, A.C. (364) 103

Hadorn, B., see Schmitz, J. (343) 435

Haest, C.W.M., Verkleij, A.J., De Gier, J., Scheek, R., Ververgaert, P.H.J. and Van Deenen, L.L.M.
The effect of lipid phase transitions on the architecture of bacterial membranes (356) 17

Hagen, U. and Coquerelle, T.
Correlation between sedimentation coefficient and molecular weight of denatured DNA (374) 271

Hagenberg, L., see Kohlschein, J. (374) 407

Hagihara, B., see Ikeda, M. (336) 15

Hagler, L., see Stifel, F.B. (354) 194

Hahlbrock, K., see Ebel, J. (362) 417

Hahlbrock, K., see Schröder, J. (366) 454

Hahn, H.J., see Kohnert, K.D. (338) 68

Hahn, M. and Baumeister, W.
High resolution negative staining of ferritin molecules on vermiculite single crystal supports (371) 267

Hähnel, R. and Ratajczak, T.
The protection, stabilization and reactivation of estradiol receptors in human myometrial cytosol (338) 104

Haidle, C.W., see Kuo, M.T. (335) 109

Hakala, M.T., Suolinna, E.R., Kenny, L.N. and Tritsch, G.L.
Asparagine metabolism in mouse sarcoma cells. I. Transport, metabolism and pools of dicarboxylic amino acids and their amides (338) 1

Haksar, A., Maudsley, D.V., Kimmel, G.L. and Peron, F.G.
Adrenocorticotropin stimulation of cyclic adenosine 3′:5′-monophosphate formation in isolated rat adrenal cells. The role of membrane sialic acid (362) 356

Hales, C.N., see Luzio, J.P. (362) 29

Hales, C.N., see Stein, J.M. (337) 41

Halestrap, A.P., Brand, M.D. and Denton, R.M.
Inhibition of mitochondrial pyruvate transport by phenylpyruvate and α-ketoisocaproate (367) 102

Hall, C., see Lim, L. (361) 241

Hall, J.D., see Harmon, H.J. (344) 119

Hallett, F.R. and Gray, A.L.
Quasi-elastic light scattering studies of hyaluronic acid solutions (343) 648

Halsey, Y.D. and Parson, W.W.
Identification of ubiquinone as the secondary electron-acceptor in the photosynthetic apparatus of Chromatium vinosum (347) 404

Halver, J.E., see Murtaugh, P.A. (359) 415

Hamilton, E.A., see Moss, B.A. (371) 379

Hamilton, J.R., see Grant Gall, D. (339) 291

Hamilton, W.D., see Ke, B. (368) 401

Hammermeister, D. and Barnett, G.
The interaction of poly (L-lysine) and Ca^{2+} with stearic acid monolayers (332) 125

Hammes, G.G., see Grover, A.K. (356) 309

Han, K.-K., see Tetaert, D. (351) 317

Hanahan, D.J., Ekholm, J.E. and Luthra, M.G.
Is lipid lost during preparation of erythrocyte membranes? (363) 284

Hanawalt, P.C., see Masker, W.E. (340) 229

Hanawalt, P.C., see Simon, T.J. (349) 271

Hankin, H., see Maragoudakis, M.E. (343) 590

Hanna, N. and Godin, C.
Free and membrane-bound ribosomes. III. Analysis by two-dimensional gel electrophoresis of proteins from liver ribosomal subunits of rats with different dietary intakes of phenylalanine (374) 342

Hanners, J.L., see Saponara, A.G. (349) 61

Hänninen, O., see Norling, A. (350) 183

Hansen, O., see Clausen, T. (345) 387

Hansen, R.G., see Gitzelmann, R. (372) 374
Hansen, R.E., see Ke, B. (368) 401
Hansen, R.G., see Turnquist, R.L. (364) 59
Hanson, R.S., see Johnson, D.E. (350) 336
Hanumantha Rao, R. and Strickland, K.P.
On the solubility, stability and partial purification of CDP-diacyl-sn-glycerol: Inositol transferase from rat brain (348) 306
Hara, H., see Ikeda, S.-I. (372) 400
Hara, A., see Taketomi, T. (369) 315
Harada, M., see Nakano, G. (341) 366
Harada, T., see Amemura, A. (334) 398
Harada, T., see Miyoshi, T. (358) 231
Harari, E., see Rachmilewitz, E.A. (371) 402
Harbitz, I. and Øyen, T.B.
Study of a haploid yeast strain with an unusually high rDNA content. I. Comparison of hybridization levels after purification of the DNA by different methods (366) 374
Hardcastle, P.T.
The effect of ATP on the transport of hexoses and amino acids in everted sacs of rat small intestine (332) 114
Harding, B.W., see Bell, J.J. (348) 285
Harding, D.L., see Sharma, R.S. (359) 233
Hardman, M.J. and Blackwell, L.F.
The effect of premixing on the oxidation of ethanol by liver alcohol dehydrogenase (350) 247
Hardy, G.P.M.A., see Tiesjema, R.H. (357) 24
Harkness, D.R., see Lian, C.Y. (341) 27
Harmon, H.J. and Crane, F.L.
Inhibition of cytochrome c oxidase by hydrophobic metal chelators (368) 125
Harmon, H.J., Hall, J.D. and Crane, F.L.
Structure of mitochondrial cristae membranes (344) 119
Harpaz, N., Flowers, H.M. and Sharon, N.
Purification of coffee bean α-galactosidase by affinity chromatography (341) 213
Harrington, G.W., see Beach, D.H. (369) 16
Harris, E.D., Gonnerman, W.A., Savage, J.E., and O'Dell, B.L.
Connective tissue amine oxidase. II. Purification and partial characterization of lysyl oxidase from chick aorta (341) 332
Harris, E.J., see Wimhurst, J.M. (372) 72
Harris, T.M., see Boyd, M.R. (337) 184
Harrison, J.H., see Foster, M. (351) 295
Harshman, S., see Cassidy, P. (332) 413
Hartman, K.A. and Clayton, N.W.
Structural relationships between native and unfolded ribosomes (335) 201
Hartshorne, D.J., see Daniel, J.L. (347) 151
Hartzell, C.R. and Beinert, H.
Components of cytochrome c oxidase detectable by EPR spectroscopy (368) 318
Harwood, J.L., Riley, S.E. and Robinson, D.S.
The action of protamine on clearing factor lipase and on plasma triglyceride metabolism (337) 225
Haschen, R.J., see Reichelt, D. (341) 15
Hasegawa, S., see Shimura, K. (338) 577
Hashimoto, T., see Sakurai, T. (360) 275
Haskovec, C., see Pospisilová, J. (373) 444
Hassinen, I.E., see Ohisalo, J.J. (362) 48
Hasty, J.H., see Jendrasiak, G.L. (337) 79
Hasty, J.H., see Jendrasiak, G.L. (348) 45
Hatanaka, M.
Transport of sugars in tumor cell membranes (355) 77
Hatano, H., see Aoshima, H. (341) 497
Hattersley, N.G., see Boyd, G.S. (337) 132
Hatton, M.W.C. and Regoeczi, E.
Some observations on the affinity chromatography of rabbit plasminogen (359) 55
Hatzfeld, A.
Aldolase C in rat fetal liver (350) 314
Haug, A., see Holzapfel, C. (333) 52
Haugaard, E.S. and Haugaard, N.
The action of insulin on glycogen synthesis in rat diaphragm muscle from intracellular and extracellular glucose (338) 309
Haugaard, N., see Haugaard, E.S. (338) 309
Hauschka, S.D., see Angello, J.C. (367) 148
Hauser, G., see Stoffyn, A. (360) 174
Hauser, H., see Atkinson, D. (339) 10
Hauska, G., Reimer, S. and Trebst, A.
Native and artificial energy-conserving sites in cyclic photophosphorylation systems (357) 1
Haustein, D., see Marchalonis, J.J. (351) 99
Havekes, L., Bückmann, F.,
Havekes, L., Bückmann, F. and Visser, J.
Immobilized glutamate dehydrogenase: some catalytic and structural aspects (334) 272
Haveman, J., see Van Gorkom, H.J. (347) 417
Haven, G.T., see Krzemien, J.R. (369) 70
Haverberg, L.N., Munro, H.N. and Young, V.R.
Isolation and quantitation of N^{τ}-methylhistidine in actin and myosin of rat skeletal muscle: Use of pyridine elution of protein hydrolysates on ion exchange resins (371) 226
Hawes, S.M., see Chapman, D.R. (363) 54
Hawthorne, J.N., see Nijjar, M.S. (367) 190

Hayashi, A., Suzuki, T. and Stamatoyannopoulos, G.
Electrophoretic and functional abnormalities of haemoglobin Tacoma β30 (B 12) Arg→Ser (351) 453
Hayashi, E., see Maeda, T. (360) 146
Hayashi, E., Maeda, T. and Tomita, T.
The effect of myo-inositol deficiency on lipid metabolism in rats. I. The alteration of lipid metabolism in myoinositol-deficient rats (360) 134
Hayashi, K. and Katagiri, A.
Studies on the interaction between gangliosides, protein and divalent cations (337) 107
Hayashi, K., Matsutera, E. and Ohba, Y.
A theoretical consideration of the abnormal behavior of histones on sodium dodecylsulfate gel electrophoresis (342) 185
Hayashi, K., see Nakamura, W. (358) 251
Hayashi, M., Kobayashi, T. and Yoshii, G.
Effect of γ-irradiation on deoxyribonucleoprotein as a template for RNA synthesis (366) 288
Hazen, Jr, E.E., see Cotton, F.A. (359) 7
Hecker, E., see Balmain, A. (362) 457
Heer, B., see Flury, U. (341) 465
Hegner, D., see Schnepel, G.H. (367) 67
Heidrich, H.-G., see Henning, R. (345) 326
Heinegard, D., see Antonopoulus, C.A. (338) 108
Heinz, E., see Pietrzyk, C. (352) 397
Heisler, S., see Gagnon, D.J. (338) 394
Heizmann, P.
La synthèse des RNA ribosomiques au cours de l'éclairement d'euglènes étiolées (353) 301
Hele, P., see Busby, Jr, W.F. (335) 246
Helinski, D.R., see Kupersztoch-Portnoy, Y.M. (374) 316
Hell, A., see Rickwood, D. (342) 367
Hell, A., see Rickwood, D. (353) 353
Hellenbrand, K., see Krupka, R.M. (370) 208
Heller, M., Mozes, N., Peri, I. (Abramovitz) and Maes, E.
Phospholipase D from peanut seeds. IV. Final purification and some properties of the enzyme (369) 397
Hellermann, G.R., see Billen, D. (361) 166
Hellman, B., Idahl, L.A., Lernmark, A. and Täljedal, I.-B.
The pancreatic β-cell recognition of insulin secretagogues. XIII. Effects of sulphydryl reagents on cyclic AMP (372) 127
Hellung-Larsen, P., see Frederiksen, S. (340) 64
Hemmaplardh, D. and Morgan, E.H.
The mechanism of iron exchange between synthetic iron chelators and rabbit reticulocytes (373) 84
Hemminki, K.
Incorporation of radioactive leucine and fucose in brain plasma membrane proteins fractionated by polyacrylamide gel electrophoresis (359) 83
Hemminki, K.
Calcium binding to brain plasma membranes (363) 202
Hemninki, K.
Polyadenylic acid in RNA extracted by thermal phenol fractionation from chick embryo brain (340) 262
Hems, D.A., see Elliott, J. (343) 307
Henderson, J.F., see Bagnara, A.S. (350) 171
Henderson, J.F., see Bagnara, A.S. (374) 259
Henderson, T.O., see Glonek, T. (348) 155
Hendler, R.W. and Burgess, A.H.
Fractionation of the electron-transport chain of Escherichia coli (357) 215
Hendrick, D., Schwarz, W., Pitzel, S. and Tiedmann, H.
Messenger ribonucleoprotein directed globin synthesis in an embryonic brain cell-free system (340) 278
Hendry, A.T. and Possmayer, F.
Pulmonary phospholipid biosynthesis: Properties of a stable microsomal glycerophosphate acyltransferase preparation from rabbit lung (369) 156
Henkens, R.W., see Callaghan Rose, M. (372) 426
Henning, R. and Heidrich, H.-G.
Membrane lipids of rat liver lysosomes prepared by free-flow electrophoresis (345) 326
Henning, R. and Plattner, H.
Isolation of rat liver lysosomes by loading with colloidal gold (354) 114
Henry, Y. and Mazza, G.
EPR studies of nitric oxide complexes of turnip and horseradish peroxidases (371) 14
Hensby, C.N.
Reduction of prostaglandin E_2 to prostaglandin $F_{2\alpha}$ by an enzyme in sheep blood (348) 145
Herak, J.N., see Krilov, D. (366) 396

Herbage, D., Lucas, J.-M. and Huc, A.
Collagen and proteoglycan interactions in bovine articular cartilage (336) 108
Herber, R., see Maudinas, D. (348) 357
Herbrink, P. and Bloemendal, H.
Studies on β-Crystallin. I. Isolation and partial characterization of the principal polypeptide chain (336) 370
Heremans, J.F., see Bluard-Deconinck, J.M. (365) 311
Herman, R.H., see Stifel, F.B. (354) 194
Hermelin, B., see Paul-Gardais, A. (354) 11
Hernell, O. and Olivecrona, T.
Human milk lipases. II. Bile salt-stimulated lipase (369) 234
Herrera, A.E.R. and Lehmann, H.
Residue 122 of sperm whale and horse myoglobin (336) 318
Herrera, J. and Nicholas, D.J.D.
Inactivation of nitrate reductase by NADH in Nitrobacter agilis (368) 54
Hersey, S.J.
Interactions between oxidative metabolism and acid secretion in gastric mucosa (344) 157
Hersh, R.T., see Kitos, P.A. (353) 362
Hershberger, C.L., see Stolarsky, L. (335) 30
Hershberger, D., see Sternberg, M. (342) 195
Herz, L.R., see Chader, G.J. (347) 491
Herzfeld, F. and Rath, N.
Subunit structure of DNA-dependent RNA polymerase of Anacystis nidulans (374) 431
Hess, S.C., see Gross, E.L. (339) 334
Hewitt, E.J., see Notton, B.A. (364) 45
Hewitt, J., Pillion, D. and Leibach, F.H.
Inhibition of amino acid accumulation in slices of rat kidney cortex by diamide (363) 267
Hewitt, N.A., see Kagan, H.M. (365) 223
Heyns, W. and de Moor, P.
3(17)β-hydroxysteroid dehydrogenase in rat erythrocytes: Conversion of 5α-dihydrotestosterone into 5α-androstane-3β, 17β-diol and purification of the enzyme by affinity chromatography (358) 1
Hickey, R., see Cheng, P.J. (341) 85
Hierowski, M. and Brodersen, R.
Covalent binding of bilirubin to agarose and use of the product for affinity chromatography of serum albumin (354) 121
Hietanen, E., see Vainio, H. (362) 92
Hijazi, N.H., see Maguire, R.J. (341) 1
Hilderson, H.J., Lagrou, A. and Dierick, W.
The nuclear lipids of bovine hypertrophic thyroid (337) 385
Hill, G.C., see Kronick, P. (368) 173
Hill, J.M., see Johanson, R.A. (364) 327
Hill, J.M., see Johanson, R.A. (364) 341
Hill, M. and Hillova, J.
RNA and DNA forms of the genetic material of C-type viruses and the integrated state of the DNA form in the cellular chromosome (355) 7
Hill, M.W.
The effect of anaesthetic-like molecules on the phase transition in smectic mesophases of dipalmitoyllecithin. I. The normal alcohol up to C=9 and three inhalation anaesthetics (356) 117
Hiller, R.G., see Genge, S. (347) 22
Hillman, R.E. and Otto, E.F.
Isoleucine transport by cultured human fibroblasts. II. Selection of a cell line with reduced isoleucine uptake (367) 81
Hillmer, P. and Gottschalk, G.
Solubilization and partial characterization of particulate dehydrogenases from Clostridium kluyveri (334) 12
Hillova, J., see Hill, M. (355) 7
Hind, G., see Dolan, E. (357) 380
Hinderaker, P., see Shires, T.K. (374) 59
Hipps, P.P. and Nelson, D.R.
Esterases from the midgut and gastric caecum of the american cockroach, Periplaneta americana (L): isolation and characterization (341) 421
Hirabayashi, T., and Perry, S.V.
An immunochemical study of the calcium binding protein (troponin-C) and the inhibitory protein (troponin-I) of the troponin complex and their interaction (351) 273
Hirai, H., see Taniguchi, N. (354) 161
Hirai, K., see Roller, B.A. (366) 402
Hirasawa, T., see Sawada, S. (350) 354
Hirayama, K., see Tsuruo, T. (366) 270
Hiromi, K., see Aoshima, H. (341) 497
Hitt, W.E., see Kao, K.-Y.T. (371) 501
Hittelman, K.J., Bertin, R. and Butcher, R.W.
Cyclic AMP metabolism in brown adipocytes of hamsters exposed to different temperatures (338) 398
Hjelmquist, G., see Ljungström, O. (358) 289
Hjertén, S., see Liljas, L. (352) 327
Hladky, S.B.
The energy barriers to ion transport by

nonactin across thin lipid membranes (352) 71
Ho, C.H. and Pande, S.V.
On the specificity of the inhibition of adenine nucleotide translocase by long chain ACYL-Coenzyme A esters (369) 86
Hochberg, A., see Gadase, H. (333) 161
Hoek, J.B., Ernster, L., De Haan, E.J. and Tager, J.M.
The nicotinamide nucleotide specificity of glutamate dehydrogenase in intact rat-liver mitochondria (333) 546
Hoek, J.B., Rydstrom, J. and Hojeberg, B.
Comparative studies on nicotinamide nucleotide transhydrogenase from different sources (333) 237
Hoenders, H.J., see van Kamp, G.J. (342) 89
Hoff, H.F., Jackson, R.L., Mao, S.J.T. and Gotto, Jr, A.M.
Localization of low density lipoproteins in atherosclerotic lesions from human normolipenics employing a purified fluorescent labeled antibody (351) 407
Hoffman, J.L. and McConnell, K.P.
The presence of 4-selenouridine in Escherichia coli tRNA (366) 109
Hoffman, P., see Hsu, D.-T. (338) 254
Hoffman, P., see Mashburn, Jr, T.A. (362) 366
Hoffman, P.L., see Walter, R. (336) 294
Hoffman, W.L. and Ilan, J.
Purification on hydroxyapatite of liver ribosomes and polysomes from unfasted mice (366) 199
Hofstaetter, T., see Probst, H. (366) 11
Hofstätter, T., see Probst, H. (340) 361
Hofsten, B.V., see Myrin, P.A. (350) 13
Hofstetter, H., Monstein, H.-J. and Weissmann, C.
The readthrough protein A_1 is essential for the formation of viable Qβ particles (374) 238
Hogan, B.L.M., see McIlhinney, A. (372) 358
Hogan, B.L.M., see McIlhinney, A. (372) 366
Hogben, C.A.M., see Fox, K.R. (332) 336
Hojeberg, B., see Hoek, J.B. (333) 237
Hollan, S.R., see Brimhall, B. (336) 344
Hollard, D., see Kahn, A. (343) 431
Holman, G.D., see Naftalin, R.J. (373) 453
Holman, L., see Kizer, D.E. (350) 193
Holmer, E., see Svenson, A. (342) 54
Holmes, E.W., Pehlke, D.M. and Kelley, W.N.
Human IMP dehydrogenase: Kinetic and regulatory properties (364) 209
Holub, B.J.
The Mn^{2+}-activated incorporation of inositol into molecular species of phosphatidylinositol in rat liver microsomes (369) 111
Holz, Jr, G.G., see Beach, D.H. (369) 16
Holzapfel, C. and Haug, A.
Time course of microsecond-delayed light emission from Scenedesmus obliquus (333) 52
Holzapfel, C.W., see Steenkamp, D.J. (358) 126
Holzhacker, S., see Oliveira, M.M. (332) 221
Holzwarth, G., see Hosein, B. (368) 18
Hombrados, I., see Tetaert, D. (351) 317
Hommes, F.A., see Berger, R. (333) 535
Honegger, P. and Gershon, E.
Further evidence for the multiplicity of carriers for free glucalogues in hamster small intestine (352) 127
Hong-Wei Wu, S., see Grant, C.W.M. (363) 151
Hon-Nami, K., see Takemori, S. (342) 137
Hook, J.B., see Ecker, J.L. (339) 210
Hooper, A.B., Terry, K.R. and Kemp, K.D.
Glutamate dehydrogenase of Tetrahymena (358) 14
Hooper, S.N., see Cox, R.E. (360) 166
Hopfer, U., see Murer, H. (345) 170
Hopfer, U., see Sigrist-Nelson, K. (367) 247
Hopkinson, J., Prichard, P.M. and Bresnick, E.
Translational control at the level of initiation of protein synthesis: The effect of 3-methylcholanthrene administration on the activity of rat liver IF-M_2 A, IF-M_2 B & IF-M_3 (374) 375
Hoppel, C.L., see Cox, R.A. (362) 403
Horak, H. and Barton, P.G.
Effects of methylene-adenosine-5′-diphosphate on blood platelet aggregation (373) 471
Horáková, K., Navarová, J. and Paterson, A.R.P.
Delayed cytotoxic effect of 6-mercaptopurine. Characterization of the unbalanced growth in HeLa cells produced by 6-mercaptopurine (366) 333
Horan, C., see Steiner, R.F. (336) 407
Hørder, M.
Inorganic pyrophosphate-phosphohydrolytic activity associated with human placental alkaline orthophosphatase. Nature of the substrate and role of magnesium (341) 41
Hørder, M.
Competition of inorganic pyrophosphate and a phosphomonoester as substrates for human placental alkaline orthophosphatase (350) 400

Hørder, M.
Complex formation of inorganic pyrophosphate with magnesium. The influence of ionic strength, supporting medium and temperature (358) 319
Hořejší, V. and Kocourek, J.
Studies on phytohemagglutinins. XVII. Some properties of the anti-H specific phytohemagglutinin of the furze seeds (Ulex europaeus L.) (336) 329
Hořejší, V. and Kocourek, J.
Studies on phytohemagglutinins. XVIII. Affinity electrophoresis of phytohemagglutinins (336) 338
Hori, K., see Cormier, M.J. (346) 137
Hori, K., see Shimura, K. (338) 577
Hori, M., see Uehara, Y. (374) 82
Horisberger, M., see Farr, D.R. (334) 410
Hörmann, H., see Ströder, W. (351) 396
Horowitz, M.I., see Slomiany, B.L. (348) 388
Horska, K., see Pivec, L. (340) 199
Horton, A.W. and Schuff, A.R.
Ionic transport through model membranes. III. Contrasting effects of testosterone and 5-α-dihydrotestosterone. Dependence on temperature and bound water (373) 76
Horton, P., see Cramer, W.A. (368) 361
Horton, P. and Cramer, W.A.
The accessibility of the chloroplast cytochromes f and b-559 to ferricyanide (368) 348
Horvath, C.
Pellicular immobilized enzymes (358) 164
Horvath, C., see Engasser, J.-M. (358) 178
Hosein, B., Friesner, R. and Holzwarth, G.
Ferredoxin circular dichroism at 3600 cm^{-1} (368) 18
Hoshino, J., Robert, B. and Kröger, H.
Induction in vivo of rat liver L-serine: Pyruvate aminotransferase by N^6, O^2-dibutyryl cyclic AMP and its inhibition by cortisone (338) 418
Hoshino, M.
Preparation and characterization of a dissociated 14-S form from 30-S dynein of Tetrahymena cilia (351) 142
Hosoda, S., see Nakamura, W. (358) 251
Hoss, W., see Abood, L.G. (332) 85
Hotani, H., see Kondoh, H. (336) 117
Hougie, C., see Baugh, R. (371) 360
Housley, T.J., Tanzer, M.L. and Bensusan, H.B.
Release of reducible crosslinks of collagen by total enzymic hydrolysis (365) 405
Houssier, C., see Colson, P. (340) 244
Houssier, C., see Ramstein, J. (335) 54
Houston, C.W., Latimer, S.B. and Mitchell, E.D.
Purification and properties of β-mannosidase from malted barley (370) 276
Houston, L.L. and Millay, R.H.
Effect of sulfhydryl reagents on the activity of histidinolphosphatase from Salmonella typhimurium and bakers' yeast (370) 216
Howell, D.S., see Kuettner, K.E. (372) 335
Howell, J.I., Fisher, D., Goodall, A.H., Verrinder, M. and Lucy, J.A.
Interactions of membrane phospholipids with fusogenic lipids (332) 1
Hozumi, T. and Tawada, K.
Kinetics of steady state ATPase activity and rigor complex formation of acto–heavy meromyosin (347) 469
Hsi, E.S.P., and Bolton, J.R.
Flash photolysis-electron spin resonance study of the effect of o-phenanthroline and temperature on the decay time of the ESR signal B1 in reaction-center preparations and chromatophores of mutant and wild strains of Rhodopseudomonas spheroides and Rhodospirillum rubrum (347) 126
Hsieh, W.T., see Carlotti, R.J. (341) 357
Hsu, D.-S., see Mashburn, Jr, T.A. (362) 366
Hsu, D.-T., Hoffman, P. and Mashburn, Jr, T.A.
Fractionation of chondroitin sulfate and determination of molecular weight by polyacrylamide gel electrophoresis (338) 254
Hsu, R.Y., see Nevaldine, B.H. (336) 283
Huang, A., see Huang, L. (352) 361
Huang, C.-C., see Tsai, C.-M. (332) 47
Huang, C.C. and Aminoff, D.
Non-specific protein binding by adsorbants designed for the specific affinity chromatography of sialidase in crude bacterial extracts (371) 462
Huang, C.-C., Tsai, C.-M. and Canellakis, E.S.
Iodination of cell membranes. II. Characterization of HeLa cell membrane surface proteins (332) 59
Huang, J.J., see Mukai, K. (336) 427
Huang, L. and Huag, A.
Regulation of membrane lipid fluidity in Acholeplasma laidlawii: Effect of carotenoid pigment content (352) 361
Huang, L.C.
Cyclic AMP regulation of protein kinase(s) in rabbit skeletal muscle: Nucleoside triphosphate and divalent cation specificity (358) 281

Hubert, C., Baliga, B.S., Villee, C.A. and Munro, H.N.
Protein synthesis in a cell-free system prepared from human placenta. II. pH 5 enzyme inefficiency due to defects in tRNA charging with resulting loss of elongation factor 1 (374) 359
Huc, A., see Herbage, D. (336) 108
Hudson, A.J., see Jato-Rodriguez, J.J. (348) 1
Hudson, R.A., see Johnston, D. (369) 269
Huet, M., see Huet, Ch. (365) 28
Huet, C., Lonchampt, M., Huet, M. and Bernadac, A.
Temperature effects on the concanavalin A molecule and on concanavalin A binding (365) 28
Huisman, T.H.J., see Sharma, R.S. (359) 233
Huisman, T.J.H., see Vella, F. (365) 318
Huisman, W., Lanting, L., Doddema, H.J., Bouma, J.M.W. and Gruber, M.
Role of individual cathepsins in lysosomal protein digestion as tested by specific inhibitors (370) 297
Hulla, F.W.
Absence of subunits in high-molecular weight proteins (spectrin) of red cell membranes (345) 430
Hülser, D.F., Ristow, H.-J., Webb, D.J., Pachowsky, H. and Frank, W.
Fibroblastoid and epithelioid cells in culture: Differences in sensitivity to ouabain and phospholipid composition (372) 85
Hülsmann, W.C., see Groot, P.H.E. (337) 1
Hülsmann, W.C., see Jansen, H. (369) 387
Hülsmann, W.C., see Lamers, J.M.J. (343) 215
Hülsmann, W.C., see Lamers, J.M.J. (343) 427
Hülsmann, W.C., see Van Berkel, Th.J.C. (370) 450
Hülsmann, W.C. and Kurpershoek-Davidov, R.
Fatty acids and metabolism in the in vitro hemoglobin-free perfused rat liver (354) 39
Humayn, M.Z. and Jacob, T.M.
Immunologic studies on nucleic acids and their components. II. Reversible inhibition of antinucleoside antibodies in aqueous pyridine and its application in antibody purification (349) 84
Humphries, P., McConnell, D.J. and Connolly, P.
Interaction of Escherichia coli DNA-dependent RNA polymerase and endonuclease R.Hind fragments of T7 DNA (366) 70
Hung, G.W.C., Sonnichsen, W.J., James, H.L. and Ganguly, P.
Activation of platelet fibrin-stabilizing factor by thrombin (371) 511
Hung, P.P., see Wang, S. (340) 52
Hunt, R.C. and Ellar, D.J.
Isolation of the plasma membrane of a trypanosomatid flagellate: General characterization and lipid composition (339) 173
Huper, G., see Bolognesi, D.P. (355) 220
Hurley, D.M., see Lee, K.Y. (337) 214
Hutchinson, D.W., see Folayan, J.O. (340) 194
Hutterer, F., see Czygan, P. (354) 168
Huttner, W.B., see Krone, W. (372) 55
Hwang, K.M., Murphree, S.A., Shansky, C.W. and Sartorelli, A.C.
Sequential biochemical events related to DNA replication in the regenerating rat liver (366) 143

I

Ichikawa, T. and Freese, E.
Alkaline phosphatase production of Bacillus subtilis (338) 473

Idahl, L.A., see Hellman, B. (372) 127

Ihler, G.M., see Thorpe, S.R. (366) 235

Ii, I. and Sakai, H.
Glutathione reductase in the sea urchin egg. I. Purification and general properties (350) 141

Ii, I. and Sakai, H.
Glutathione reductase in the sea urchin egg. II. Cleavage-associating fluctuation of the activity and its possible regulatory mechanism (350) 151

Iida, H., see Nozawa, Y. (367) 134

Iizuka, T., see Ikeda, M. (336) 15

Iizuka, T. and Morishima, I.
220 MHZ proton NMR studies of hemoproteins: High spin–low spin equilibrium in ferric myoglobin and hemoglobin derivatives (371) 1

Iizuka, T., Yamamoto, H., Kotani, M. and Yonetani, T.
Low temperature photodissociation of hemoproteins: oxygenated cobalt-myoglobin and hemoglobin (351) 182

Iizuka, T., Yamamoto, H., Kotani, M. and Yonetani, T.
Low temperature photodissociation of hemoproteins: Carbon monoxide complex of myoglobin and hemoglobin (371) 126

Ikeda, M., Iizuka, T., Takao, H. and Hagihara, B.
Studies on heme environment of oxidized cytochrome b_5 (336) 15

Ikeda, S.-I., Hara, H. and Fukui, S.
Preparation and characterization of several new immobilized derivatives of pyridoxal 5′-phosphate (372) 400

Ikegami, A., see Yoshida, S. (367) 39

Ikehara, M. and Fukui, T.
Studies of nucleosides and nucleotides. LVIII .Deamination of adenosine analogs with calf intestine adenosine deaminase (338) 512

Ilan, J., see Hoffman, W.L. (366) 199

Illingworth, D.R., Portman, O.W. and Whipple, L.E.
Metabolic interrelationships between the lipids of very low, low and high density lipoproteins in the squirrel monkey (369) 304

Illingworth, D.R., see Portman, O.W. (348) 136

Ilyashenko, B.N., see Sabelnikov, A.G. (374) 304

Ilyin, Yu.V., see Varshavsky, A.J. (340) 207

Imada, I., see Kanzaki, T. (348) 162

Imai, M. and Inoue, K.
The mechanism of the action of prymnesium toxin on membranes (352) 344

Imamura, M., see Seki, H. (372) 100

Imoto, T., Fukuda, K.-I. and Yagishita, K.
A study of the N⇌D transition in lysozyme. I. Detection of the transition by product analyses of protease digests (336) 264

Inada, Y., see Abe, T. (358) 113

Inbar, L. and Miller, I.R.
Enzymatic activity at interfaces. I. Enzymatic activity of trypsin at the air–water interface (364) 146

Incefy, G.S., Rifkind, A.B. and Kappas, A.
Inhibition of δ-aminolevulinate synthetase induction by α-amanitin in avian liver cell cultures (361) 331

Ingebretsen, O.Chr. and Sanner, T.
Properties of the nicotinamide adenine dinucleotide-specific isocitrate dehydrogenase from Blastocladiella emersonii (358) 25

Ingelman-Sundberg, M., see Gustafsson, J.Å. (354) 172

Ingraham, L.L., see Porter, D.J.T. (334) 97

Ingraham, L.L., see Proffitt, R.T. (362) 534

Ingram, L.O. and Blackwell, M.M.
Macromolecular requirements for the physical initiation of cell division in a filamentous mutant of Agmenellum quadruplicatum (335) 295

Innanen, V.T. and Nicholls, D.M.
Studies on peptidyl transferase in free ribosomes derived from rat liver (361) 221

Inoue, H., see Mizutani, A. (338) 183

Inoue, I., Ishida, N. and Kobatake, Y.
Studies of excitable membrane formed on the surface of protoplasmic droplets isolated from Nitella. V. Effect of chemical modification of membrane proteins with SH reagents on excitability (367) 24

Inoue, K.
Permeability properties of liposomes prepared from dipalmitoyllecithin dimyristoyllecithin, egg lecithin, rat liver lecithin and beef brain sphingomyelin (339) 390
Inoue, K. and Kitagawa, T.
Effect of exogeneus lysolecithin on liposomal membranes. Its relation to membrane fluidity (363) 361
Inoue, K., see Imai, M. (352) 344
Inouye, M., see Silberstein, S. (366) 149
Iouye, Y., see Sawada, S. (350) 354
Ip, M.M., Chee, P.T
Ip, M.M., Chee, P.Y. and Swick, R.W.
Turnover of hepatic mitochondrial ornithine aminotransferase and cytochrome oxidase using (^{14}C) carbonate as tracer (354) 29
Irie, T., see Kobayashi, T. (366) 168
Irving, I., see Louis, C.F. (365) 193
Isaacson, R.A., see Feher, G. (368) 135
Isham, K.R. and Stulberg, M.P.
Modified nucleosides in undermethylated phenylalanine tRNA from Escherichia coli (340) 177
Ishibashi, T., Kijimoto, S. and Makita, A.
Biosynthesis of globoside and Forssman hapten from trihexosylceramide and properties of β-N-acetylgalactosaminyltransferase of guinea pig kidney (337) 92
Ishida, N., see Inoue, I. (367) 24
Ishiguro, I., Naito, J., Shinohara, R., Ishikura, A. and Terai, T.
Isolation and properties of protein component as activator for anthranilamide hydroxylation in rat liver (365) 148
Ishihara, H. and Shimura, K.
Biosynthesis of bacitracin. III. Partial purification of a bacitracin-synthesizing enzyme system from Bacillus licheniformis (338) 588
Ishihara, K., see Sobue, M. (343) 269
Ishii, S.-I., see Kanazawa, M. (342) 155
Ishikawa, K., Sato, T., Sato, S. and Ogata, K.
Ribonucleoprotein complexes containing nascent DNA-like RNA in the crude chromatin fraction of rat liver (353) 420
Ishikawa, T., see Uno, I. (334) 354
Ishikura, A., see Ishiguro, I. (365) 148
Ishiwata, S., see Maeda, T. (336) 445
Ismailov, A.D., see Yaguzhinsky, L.S. (368) 22
Isobe, M., see Sugiura, M. (341) 195
Israelachvili, J., Sjösten, J., Eriksson, L.E.G., Ehrström, M., Gräslund, A. and Ehrenberg, A.
Theoretical analysis of the molecular motion of spin labels in membranes. ESR spectra of labeled Bacillus subtilis membranes (339) 164
Israels, L.G., see Yoda, B. (372) 478
Israels, L.G., Schacter, B.A., Yoda, B. and Goldenberg, G.J.
δ-Aminolevulinic acid transport and synthesis, porphyrin synthesis and heme catabolism in chick embryo liver and heart cells (372) 32
Itaya, K., see Saitoh, Y. (343) 492
Ito, A., see Sugiura, M. (350) 61
Ito, T. and Ohnishi, S.
Calcium-induced lateral phase separations in phosphatidic acid–phosphatidylcholine membranes (352) 29
Ito, Y., see Nozawa, Y. (367) 32
Ito, Y., Zile, M., DeLuca, H.F. and Ahrens, H.M.
Metabolism of retinoic acid vitamin A-deficient rats (369) 338
Itoh, S. and Murata, N.
Temperature dependence of delayed light emission in spinach chloroplasts (333) 525
Ittel, M.E., see Niedergang, C. (358) 91
Iwai, S., see Kawashima, N. (371) 417
Iwaki, M., see Shimura, K. (338) 577
Iwanaga, S., see Nakamura, S. (336) 86
Iwanij, V., Chua, N.H. and Siekevitz, P.
The purification and some properties of ribolosebisphosphate carboxylase and of its subunits from the green alga Chlamydomonas reinhardtii (358) 329
Izawa, S., see Gould, J.M. (333) 509
Izawa, S. and Ort, D.R.
Photooxidation of ferrocyanide and iodide ions and associated phosphorylation in NH_2OH-treated chloroplasts (357) 127
Izutsu, K.T., Siegel, I.A. and Brisson, D.L.
The effect of ionic strength on a Mg^{2+}-ATPase and its relevance to the determination of $(Na^+ + K^+)$-ATPase (373) 361

J

Jackson, D.S., Ayad, S. and Mechanic, G.
Effect of heat on some collagen crosslinks (336) 100

Jackson, D.S. and Mechanic, G.
Crosslink patterns of collagens synthesised by cultures of 3T6 and 3T3 fibroblasts and by fibroblasts of various granulation tissues (336) 228

Jackson, R.L., see Hoff, H.F. (351) 407

Jacob, J., see Poltz, J. (360) 348

Jacob, S.T., Rose, K.M. and Morris, H.P.
Expression of purified mitochondrial poly(A) polymerase of hepatomas by an endogenous primer from liver (361) 312

Jacob, T.M., see Humayun, M.Z. (349) 84

Jacobs, M., see Urry, D.W. (371)

Jacobsen, J. and Wang, J.C.
On the possibility of intercalation of aromatic amino acid residues into double-stranded DNA helix (335) 49

Jacobsohn, E., see Reichelt, D. (341) 15

Jacobson, K.B., see Uziel, M. (366) 182

Jacobson, M.K. and Bernofsky, C.
Mitochondrial acetaldehyde dehydrogenase from Saccharomyces cerevisiae (350) 277

Jain, M.K., see Sullivan, K.H. (352) 287

Jakob, A. and Diem, S.
Activation of glycogenolysis in perfused rat livers by glucagon and metabolic inhibitors (362) 469

Jakob, K.M., see Sagher, D. (349) 32

James, H.L., see Hung, G.W.C. (371) 511

Jamhawi, O., see Müller, P.K. (365) 158

Jamieson, G.A., see Greenberg, J.H. (345) 231

Jankowski, K., see Manor, P.C. (340) 472

Jankowski, K., see Rabczenko, A. (353) 1

Jankowski, W., Mankowski, T. and Chojnacki, T.
Formation of polyprenol monophosphate glucose in Shigella flexneri (337) 153

Jannsen, S., see Schmidt, R. (362) 13

Jansen, H. and Hülsmann, W.C.
Liver and extrahepatic contributions to postheparin serum lipase activity of the rat (369) 387

Jansen, H.W. and Bornstein, P.
Effects of antimicrotubular agents on glycosaminoglycan synthesis and secretion by embryonic chick cartilage and chondrocytes (362) 150

Jansen, P.L.M.
The enzyme-catalyzed formation of bilirubin diglucuronide by a solubilized preparation from cat liver microsomes (338) 170

Janski, A.M., see Oleson, A.E. (366) 89

Jantzen, H.
Polyadenylsäure-enthaltende RNA und Genaktivätsmuster während der Entwicklung von Acanthamoeba castellanii (Polyadenylic acid-containing RNA and gene expression during the development of Acanthamoeba castellanii) (374) 38

Järnefelt, J., see Krusius, T. (365) 80

Jarritt, P.H., see Charlwood, P.A. (342) 145

Jato-Rodriguez, J.J., Hudson, A.J. and Strickland, K.P.
Triglyceride metabolism in skeletal muscle from normal and dystrophic mice (348) 1

Jawad Al-Therib, M., see Seiler, N. (354) 206

Jayle, M.-F., see Savu, L. (359) 273

Jeffrey, J.J., see Eisen, A.Z. (350) 442

Jeffrey, J.J., see Koob, T.J. (354) 61

Jendrasiak, G.L. and Hasty, J.H.
The hydration of phospholipids (337) 79

Jendrasiak, G.L. and Hasty, J.H.
The electrical conductivity of hydrated phospholipids (348) 45

Jenke, H.-S., see Probst, H. (340) 361

Jenke, H.-S., see Probst, H. (366) 11

Jennings, R.C. and Forti, G.
The influence of magnesium on the chlorophyll fluoresence yield of isolated chloroplasts (347) 299

Jerfy, A. and Roy, A.B.
The sulphatase of ox liver. XVIII. An essential histidyl residue in sulphatase A (371) 76

Ji, T.H., see Slutzky, G.M. (373) 337

Jiménez, F., Avila, J., Vinuela, E. and Salas, M.
Initiation of the transcription of ϕ29 DNA by B. Subtilis RNA polymerase (349) 320

Jimenez, M.I., Carballo, B., Ayuso-Parrilla, M.S. and Parrilla, R.
Procedure for the rapid isolation of serum albumin using a combination of polyethyleneglycol and ethanol (372) 436

Joblin, K.N., see Cardin, D.J. (371) 44

Jocelyn, P.C. and Kamminga, A.
The non-protein thiol of rat liver mitochondria (343) 356
Joffre, J., see Charles, M. (359) 186
Johanson, R.A., see Burke, W.F. (351) 333
Johanson, R.A., Hill, J.M. and McFadden, B.A.
Isocitrate lyase from Neurospora crassa. I. Purification, kinetic mechanism, and interaction with inhibitors (364) 327
Johanson, R.A., Hill, J.M. and McFadden, B.A.
Isocitrate lyase from Neurospora crassa. II. Composition, quaternary structure, C-terminus, and active site modification (364) 341
Johansson, A.C. and Mosbach, K.
Acrylic copolymers as matrices for the immobilization of enzymes. I. Covalent binding or entrapping of various enzymes to bead-formed acrylic copolymers (370) 339
Johansson, A.C. and Mosbach, K.
Acrylic copolymers as matrices for the immobilization of enzymes. II. The effect of a hydrophobic microenvironment on enzyme reactions studied with alcohol dehydrogenase immobilized to different acrylic copolymers (370) 348
John, P., see Ferguson, S.J. (357) 457
Johnson, A.W., see Cardin, D.J. (371) 44
Johnson, C.B., see Attridge, T.H. (343) 440
Johnson, D.E. and Hanson, R.S.
Bacterial citrate synthases: Purification, molecular weight and kinetic mechanism (350) 336
Johnson, G.L. and Brown, J.L.
Partial purification and characterization of two peptidases from Neurospora crassa (370) 530
Johnson, J.L., see Kessler, D.L. (334) 86
Johnson, L.S.
Nonidentical tropomyosin subunits in rat skeletal muscle (371) 219
Johnson, R.A., see Pilkis, S.J. (341) 388
Johnson, R.A., see Pilkis, S.J. (343) 250
Johnson, R.M.
Relaxation spectra of rabbit muscle lactate dehydrogenase and tetraiodofluorescein (359) 288
Johnson, Jr, W.C. and Girod, J.C.
A novel denaturation of DNA (353) 193
Johnson, W.T., see Colilla, W. (364) 78
Johnston, D. and Hudson, R.A.
Phospholipids on the cone-rich chicken retina and its photoreceptor outer segment membranes (369) 269
Johnston, I.R., see Wichremasinghe, R.G. (361) 37
Johnston, P.V., see Barr, L. (345) 336
Johnstone, R.M.
Role of ATP on the initial rate of amino acid uptake in Ehrlich ascites cells (356) 319
Johnstone, R.M., see Cheneval, J.P. (345) 17
Joliot, A.
Effect of low temperature (−30°C to −60°C) on the reoxidation of the Photosystem II primary electron acceptor in the presence and absence of 3(3,4-dichlorophenyl)-1,1-dimethylurea (357) 439
Joliot, P. and Delosme, R.
Flash-induced 519 nm absorption change in green algae (357) 267
Joliot, P., see Dubertret, G. (357) 399
Jollés, J., Fiat, A.-M., Schoentgen, F., Alais, C. and Jollés, P.
The amino acid sequence of sheep κ_A-casein. II. Sequence studies concerning the κ_A-caseinoglycopeptide and establishment of the complete primary structure of the protein (365) 335
Jollès, J., see Guérin, J. (351) 325
Jollès, P., see Bernier, I. (356) 82
Jollès, P., see Berthou, J. (336) 222
Jollès, P., see Farr, D.R. (334) 410
Jollès, P., see Guérin, J. (351) 325
Jollés, P., see Jollés, J. (365) 335
Jolley, G.M. and Ormerod, M.G.
The incomplete separation of complementary strands of high molecular weight DNA in alkali (353) 200
Jonák, J., see Sedláček, J. (349) 78
Jones, B.L., see Colbow, K. (345) 91
Jones, C.M., see Gray, C.J. (341) 457
Jones, D.H. and Matus, A.I.
Isolation of synaptic plasma membrane from brain by combined flotation-sedimentation density gradient centrifugation (356) 276
Jones, J.B., Sneddon, D.W. and Lewis, A.J.
Inhibition of α-chymotrypsin by hydroxymethyl analogues of D- and L-N-acetylphenylalanine and N-acetyl-tryptophan of potential affinity labelling value (341) 284
Jones, O.T.G. and Plewis, K.M.
Reconstitution of light-dependent electron transport in membranes from a bacteriochlorophyll-less mutant of Rhodopseudomonas spheroides (357) 204
Jones, O.T.G., see Saunders, V.A. (333) 439
Jones, O.W., see Porter, P.N. (364) 128
Jones, R.C., see Luzio, J.P. (362) 29

Jones, R.T., see Brimhall, B. (336) 344
Jones, T.G., see Vella, F. (336) 25
Jones, T.J., see De Meester, P. (353) 395
Jørgensen, P.L.
Purification and characterization of ($Na^+ + K^+$)-ATPase. III. Purification from the outer medulla of mammalian kidney after selective removal of membrane components by sodium dodecylsulfate (356) 36
Jørgensen, P.L.
Purification and characterization of ($Na^+ + K^+$)-ATPase. IV. Estimation of the purity and of the molecular weight and polypeptide content per enzyme unit preparations from the outer medulla of rabbit kidney (356) 53
Jörnvall, H., see Andersson, L. (364) 1
Jörnvall, H., see Björklind, A. (370) 524
Joseph, D., see Rozenszajn, L.A. (364) 38
Jost, R., Miron, T. and Wilchek, M.
The mode of adsorption of proteins to aliphatic and aromatic amines coupled to cyanogen bromide-activated agarose (362) 75
Joubert, F.J., see Carlsson, F.H.H. (336) 453
Joys, T.M., Martin, J.F., Wilson, H.L. and Rankis, V.
Differences in the primary structure of the phase-I flagellins of two strains of Salmonella typhimurim (351) 301
Julian, J.A., see Chatkoff, M.L. (343) 480
Junge, W. and Ausländer, W.
The electric generator in photosynthesis of green plants. 1. Vectorial and protolytic properties of the electron transport chain (333) 59
Junge, W., see Ausländer, W. (357) 285
Junge, W. and Eckhof, A.
Photoselection studies on the orientation of chlorophyll-a_1 in the functional membrane of photosynthesis (357) 103
Jungi, B., see Kramer, R. (373) 404
Jungkind, D.L. and Wood, R.C.
Factors involved in the synthesis of cyclopropane fatty acids by Streptococcus faecalis (337) 286
Jungkind, D.L. and Wood, R.C.
Physiological differences between cyclopropane fatty acid-deficient mutants and the parent strain of Streptococcus faecalis (337) 298
Jurtshuk, P. and McManus, L.
Non-pyridine nucelotide dependent L-(+)-glutamate oxidoreductase in Azotobacter vinelandii (368) 158
Jutisz, M., see De la Llosa, P. (342) 97

K

Kadam, S.S., Gandhi, A.P., Sawhney, S.K. and Naik, M.S.
Inhibitor of nitrate reductase in the roots of rice seedlings and its effect on the enzyme activity in the presence of NADH (350) 162

Kagan, H.M., Hewitt, N.A., Salcedo, L.L. and Franzblau, C.
Catalytic activity of aortic lysyl oxidase in an insoluble enzyme-substrate complex (365) 223

Kagawa, H., Kuwajima, T. and Asai, H.
Direct fluorimetric measurement on hydrolysis of β-naphthyl triphosphate, a fluorescent ATP analog by heavy meromyosin (338) 496

Kageura, E. and Toki, S.
Guinea pig liver 3-hydroxyhexobarbital dehydrogenase as a 17 β-hydroxysteroid dehydrogenase (341) 172

Kahn, A., Boivin, P., Leger, J., Cottreau, D. and Hollard, D.
Stabilization and activation of a human glucose 6-phosphate dehydrogenase variant with enzyme deficiency by specific antibody (343) 431

Kahn, A. and Dreyfus, J.-C.
Purification of glucose-6-phosphate dehydrogenase from red blood cells and from human leukocytes (334) 257

Kahn, A. and Nielsen, O.F.
Photoconvertible protochlorophyll(ide)-635/650 in vivo: a single species or two species in dynamic equilibrium? (333) 409

Kaibara, M., see Maruyama, K. (371) 20

Kaibara, M., see Maruyama, M. (371) 30

Kaiho, M., see Nakamura, T. (362) 110

Kaji, E., see Shimura, K. (338) 577

Kajita, A., see Araki, T. (351) 427

Kakinuma, K.
Effects of fatty acids on the oxidative metabolism of leukocytes (348) 76

Kalinsky, H., see Maragoudakis, M.E. (343) 590

Kalkman, M.L., see Van der Vusse, G.J. (348) 404

Kalnitsky, G., see Spadari, S. (359) 267

Kamada, M., see Terada, H. (342) 41

Kamen, R.I., Monstein, H.J. and Weissmann, C.
Host factor requirement of Qβ RNA replicase (366) 292

Kamisaka, K., Listowsky, I., Betheil, J.J. and Arias, I.M.
Competitive binding of bilirubin, sulfobromophthalein, indocyanine green and other organic anions to human and bovine serum albumin (365) 169

Kamminga, A., see Jocelyn, P.C. (343) 356

Kamo, N., Miyake, M., Kurihara, K. and Kobatake, Y.
Physicochemical studies of taste reception. I. Model membrane stimulating taste receptor potential in response to stimuli of salts, acids and distilled water (367) 1

Kamo, N., Miyake, M., Kurihara, K. and Kabatake, Y.
Physicochemical studies of taste reception. II. Possible mechanism of generation of taste receptor potential induced by salt stimuli (367) 11

Kampf, S.C., see Krone, W. (372) 55

Kamuzora, H., see Colombo, B. (351) 1

Kanamori, N., Cozzarelli, N.R. and Okazaki, R.
Extracellular nucleases of Bacillus subtilis. II. The nucleases as 5′-end-group reagents (335) 173

Kanamori, N., Sakabe, K. and Okazaki, R.
Extracellular nucleases of Bacillus subtilis. I. Purification and properties (335) 155

Kanaoka, Y., see Sekine, T. (354) 139

Kanayama, K., see Suhara, K. (336) 309

Kanazawa, M. and Ishii, S.-I.
3-Diazoquinoline tetrafluoroborate as a reagent for specific modification of lysyl residues: unique structure of the reaction product (342) 155

Kanda, M., see Shimura, K. (338) 577

Kaneshiro, E.S., Scott, S. and Conner, R.L.
Divalent cations and inorganic phosphate metabolism in starved Tetrahymena (338) 554

Kang, A.H., see Katzman, R.L. (336) 367

Kaniike, K., Erdmann, E. and Schoner, W.
Study on the differential modifications of $(Na^+ + K^+)$-ATPase and its partial reactions by dimethylsulfoxide (352) 275

Kanoaka, Y., see Ohyashiki, T. (351) 214

Kanoaka, Y., see Sekine, T. (351) 205

Kanter, R.K., see Kleinzeller, A. (373) 397

Kantesaria, P., see Tung, F. (335) 318
Kanzaki, T., Sugiyama, Y., Kitano, K., Ashida, Y. and Imada, I.
Quinones of Brevibacterium (348) 162
Kao, K.-Y.T. and Hitt, W.E.
The intermolecular cross-links in rat uterine collagen (371) 501
Kaplan, L., see Gershey, E.L. (342) 322
Kapoor, V., see Newman, E.B. (338) 529
Kapp, L.N., Brown, S.L. and Klevecz, R.R.
Detecting small quantities of DNA on cesium chloride gradients (361) 140
Kappas, A., see Incefy, G.S. (361) 331
Karasaki, S., see Gavard, D. (332) 145
Karibian, D. and Couchoud, P.
Dihydro-orotate oxidase of Escherichia coli K12: Purification, properties and relation to the cytoplasmic membrane (364) 218
Karkas, J.D.
A new method of assay for polynucleotide ligase (340) 452
Kärkkäinen, J., see Krusius, T. (365) 80
Karlan, D., see Abelson, H.T. (349) 389
Karlmar, K.-E., see Björkhem, I. (337) 129
Karlsson, E., see Arnberg, H. (359) 222
Karlsson, K.-A., Samuelsson, B.E., Scherstén, T., Steen, G.O. and Wahlqvist, L.
The sphingolipid composition of human renal carcinoma (337) 349
Karlsson, K.-A., Samuelsson, B.E. and Steen, G.O.
The lipid composition of the salt (rectal) gland of spiny dogfish (337) 356
Karlsson, K.-A. and Samuelsson, B.E.
The structure of ceramide aminoethylphosphonate from the sea anemone, Metridium senile (337) 204
Karlsson, K.A., see Breimer, M.E. (348) 232
Kasarda, D.D., De Roza, D.A. and Ohms, J.I.
N-terminal sequence of α_2-gliadin (351) 290
Kason, C.M., see Nakai, S. (351) 21
Katagiri, A., see Hayashi, K. (337) 107
Katagiri, M., see Suhara, K. (336) 309
Katagiri, M., see Takemori, S. (342) 137
Katagiri, T. and Morkin, E.
Studies on the substructure of myosin in cardiac hypertrophy. Characterization of light chains (342) 262
Katayama, K. and Fujita, T.
Studies on biotransformation of elastase. III. Effects of elastase-binding proteins in serum on disappearance of ^{131}I-labeled elastase from blood (336) 165
Katayama, K. and Fujita, T.
Studies on biotransformation of elastase. IV. Tissue distribution of ^{131}I-labeled elastase and intracellular distribution in liver after intravenous administration in rats (336) 178
Katayama, K. and Fujita, T.
Studies on biotransformation of elastase. V. Degradation of injected ^{131}I-labeled elastase by subcellular particles of rat liver (336) 191
Kates, M., see Chen, J.S. (352) 202
Kates, M., see Saito, K. (369) 245
Kato, J., see Oshima, G. (365) 344
Kato, K., Kobayashi, M. and Sato, S.
Multiple molecular forms of phosphoprotein phosphatase: II. Dissociation and activation of phosphorylase phosphatase from rabbit skeletal muscle (371) 89
Kato, K. and Sato, S.
Multiple molecular forms of phosphoprotein phosphatase from rabbit skeletal muscle (358) 299
Kato, K.A., see Sekine, T. (354) 139
Katoh, N. and Kubo, S.
Immunological evidence for the existence of two kinds of L_2 components in myosin light chins (365) 301
Katoh, S., Arai, Y., Taketani, T. and Yamada, S.
Sepiapterin reductase in blood of various animals and of leukemic rats (370) 378
Katoh, S. and Kimimura, M.
Light-induced changes of C-550 and fluorescence yield in ultraviolet-irradiated chloroplasts at room temperature (333) 71
Katsumata, M. and Goldman, A.S.
Separation of multiple dihydrotestosterone receptors in rat ventral prostate by a novel micromethod of electro-focusing: blocking action of cyproterone acetate and uptake by nuclear chromatin (359) 112
Kattlove, H.E.
Primary platelet aggregation: Energy metabolism and the effect of inhibitors (372) 135
Katz, A.M., see Li, H.-C. (367) 385
Katz, A.M., see Puszkin, S. (347) 102
Katz, E., see Fukagawa, Y. (338) 198
Katz, J., Wals, P.A. and Rognstad, R.
ATP balance and the effect of 2,4-dinitrophenol on fatty acid synthesis (337) 313
Katz, J. and Wals, P.A.
Lipogenesis from lactate in rat adipose tissue (348) 344
Katz, J.J., see Cotton, T.M. (368) 181

Katz, S., Roberson, L.C. and Crissman, Jr, J.K.
Structure-volume relationships for proteins. Dilatometric study of the reaction of bovine hemoglobin with sodium dodecylsulfate, hydrogen and hydroxyl ions (342) 5
Katz, S., see Wampler, E. (365) 414
Katzman, R.L.
Absence of arabinose in bovine brain hyaluronic acid as analysed by gas–liquid chromatography and mass spectrometry (372) 52
Katzman, R.L., Kang, A.H. and Dixit, S.N.
The isolation and characterization of bovine corneal collagen (336) 367
Kaudewitz, F., see Bandlow, W. (333) 446
Kauffman, H.F. and Van Gelder, B.F.
The respiratory chain of Azotobacter vinelandii. III. The effect of cyanide in the presence of substrates (333) 218
Kaufman, S.J. and Gross, K.W.
Quantitation and size determination of poly(A) by hybridization to [^{3}H]poly(dT) (353) 133
Kaur, J., see Tejwani, G.A. (370) 120
Kawaguchi, M., see Tsuruo, T. (366) 270
Kawahara, F., see Takemori, S. (342) 137
Kawamura, N., see Taketomi, T. (369) 315
Kawamura, Y., see Ogasawara, N. (364) 353
Kawashima, N., Tanabe, Y. and Iwai, S.
Similarities and differences in the primary structure of Fraction I proteins in the genus Nicotiana (371) 417
Kawashima, Y., see Shima, S. (341) 56
Kazarinoff, M.N. and McCormick, D.B.
Specificity of pyridoxine (pyridoxamine) 5′-phosphate oxidase for flavin-phosphates (359) 282
Ke, B., Sugahara, K., Shaw, E.R., Hansen, R.E. Hamilton, W.D. and Beinert, H.
Kinetics of appearance and disappearance of light-induced EPR signals of P700$^+$ and iron–sulfur protein(s) at low temperature (368) 401
Ke, B., Sahu, S., Shaw, E. and Beinert, H.
Further characterization of a Photosystem-II particle isolated from spinach chloroplasts by triton treatment: the reaction-center components (347) 36
Keana, J.F.W. and Stämpfli, R.
Effect of several "specific" chemical reagents on the Na^+, K^+ and leakage currents in voltage-clamped single nodes of Ranvier (373) 18
Keedy, D.A., see Chang, E.P. (343) 615
Keenan, T.W.
Composition and synthesis of gangliosides in mammary gland and milk of the bovine (337) 255
Keijzer, J.H., Wolring, G.Z. and de Jong, L.P.A.
Effect of pH, temperature and ionic strength on the aging of phosphonylated cholinesterases (334) 146
Keilová, H. and Tomášek, V.
Effect of papain inhibitor from chicken egg white on cathepsin B_1 (334) 179
Keith, A., see Sands, J.A. (373) 277
Keith, A., see Snipes, W. (339) 311
Keith, A., see Snipes, W. (363) 340
Keith, A.D., see Eletr, S. (339) 190
Keller, P.J., see Watanabe, S. (336) 62
Kelley, W.N., see Holmes, E.W. (364) 209
Kemp, B.E. and Murray, A.W.
Changes in the specific activity of [δ-^{32}P]-ATP during protein kinase assays of crude lymphocyte extracts (370) 325
Kemp, K.D., see Hooper, A.B. (358) 14
Kemper, B. and Habener, J.F.
Nonribosomal incorporation of arginine into a specific protein by a cell-free extract of parathyroid tissue (349) 235
Kempen, H.J.M., de Pont, J.J.H.H.M. and Bonting, S.L.
Rat pancreas adenylate cyclase. II. Inactivation and protection of its hormone receptor sites (370) 573
Kenny, L.N., see Hakala, M.T. (338) 1
Kent, C., Schimmel, S.D. and Vagelos, P.R.
Lipid composition of plasma membranes from developing chick muscle cells in culture (360) 312
Kerr, I., see Neogy, R.K. (374) 96
Kersten, H., see Loh, W. (353) 238
Kessel, D., see Bosmann, H.B. (338) 280
Kessler, B. and Levinstein, R.
Adenosine 3′,5′-cyclic monophosphate in higher plants: assay, distribution and age-dependency (343) 156
Kessler, D.L., Johnson, J.L., Cohen, H.J. and Rajagopalan, K.V.
Visualization of hepatic sulfite oxidase in crude tissue preparations by electron paramagnetic resonance spectroscopy (334) 86
Kessler, D.L. and Rajagopalan, K.V.
Hepatic sulfite oxidase: Effect of anions on interaction with cytochrome c (370) 389
Kessler, D.L. and Rajagopalan, K.V.
Hepatic sulfite oxidase: Identification of the molybdenum center as the site of irre-

versible inactivation by ferricyanide (370) 399
Kettering, W.G., see Fiala, E.S. (338) 43
Khassis, S., see Mayer, M. (338) 447
Khosla, R., see Palmoski, M. (372) 171
Kidby, D.K., see Wheeler, G.E. (372) 15
Kidd, G.H., see Pratt, L.H. (365) 93
Kijimoto, S., see Ishibashi, T. (337) 92
Kim, Y.S., Kim, Y.W. and Sleisenger, M.H.
Studies on the properties of peptide hydrolases in the brush border and soluble fractions of small intestinal mucosa of rat and man (370) 283
Kim, Y.S. and Perdomo, J.M.
Membrane glycoproteins of the rat small intestine. Chemical composition of membrane glycoproteins (342) 111
Kim, Y.W., see Kim, Y.S. (370) 283
Kimimura, M., see Katoh, S. (333) 71
Kimmel, C.B. and Larrabee, K.L.
Cytoplasmic RNA in immunoglobulin-secreting myeloma tumor cells. II. Heterogeneous RNA associated with polyribosomes following fractionation by sucrose gradient centrifugation (335) 374
Kimmel, G.L., see Haksar, A. (362) 356
Kimura, H. and Gourley, D.R.H.
Rat brain hexokinases of two different molecular sizes (341) 157
Kimura, H., Thomas, E. and Murad, F.
Effects of decapitation, ether and pentobarbital on guanosine 3′,5′-phosphate and adenosine 3′,5′-phosphate levels in rat tissues (343) 519
Kimura, H., see Murad, F. (343) 275
Kimura, T., see Mukai, K. (336) 427
Kimura, T., see Taniguchi, T. (364) 284
King, G.S., see Kitos, P.A. (353) 362
Kinne, R., see Murer, H. (345) 170
Kinne-Saffran, E., see Murer, H. (345) 170
Kinoshita, J.H., see Varma, S.D. (338) 632
Kirkpatrick, F.H., Gordesky, S.E. and Marinetti, G.V.
Differential solubilization of proteins, phospholipids, and cholesterol of erythrocyte membranes by detergents (345) 154
Kirsch, K., see Glickman, R.M. (371) 255
Kitabchi, A.E., Phillips, W.L. and Nathans, A.H.
Corticosteroidogenic responsiveness to adrenocorticotropin and dibutyryl-cyclic AMP in isolated adrenal cells of hypophysectomized rats (348) 415
Kitagawa, H., see Mohri, T. (363) 249
Kitagawa, T., see Inoue, K. (363) 361
Kitajima, Y., see Nozawa, Y. (367) 32
Kitano, K., see Kanzaki, T. (348) 162
Kitchen, B.J.
A comparison of the properties of membranes isolated from bovine skim milk and cream (356) 257
Kitchin, S.E. and Watts, D.C.
Comparison of adenylate kinase from liver and muscle of normal mice and those with an hereditary muscular dystrophy (364) 272
Kito, Y., see Azuma, M. (351) 133
Kito, Y., see Suzuki, T. (333) 149
Kitos, P.A., Fuller, T., King, G.S. and Hersh, R.T.
Cations and the binding of polyadenylate to cellulose (353) 362
Kitson, T.M., see Crow, K.E. (350) 121
Kittstein, W., see Gschwendt, M. (361) 84
Kivirikko, K.I., see Ryhänen, L. (343) 121
Kivirikko, K.I., see Ryhänen, L. (343) 129
Kizer, D.E. and Holman, L.
Purification and properties of thymidine kinase from regenerating rat liver (350) 193
Kizer, D.E., see Barela, T.D. (335) 218
Klahr, S., see Schoolwerth, A.C. (372) 274
Klämbt, D., see Dobberstein, B. (374) 187
Kleemann, W. and McConnell, H.M.
Lateral phase separations in Escherichia coli membranes (345) 220
Klein, H.P., see Satyanarayana, T. (341) 396
Kleiner-Bossaller, A. and DeLuca, H.F.
Formation of 1,24,25-trihydroxyvitamin D_3 from 1,25-dihydroxyvitamin D_3 (338) 489
Kleinman, H.K. and Wolf, G.
The biosynthesis of a fucose-containing glycoprotein from intestinal mucosa of normal and vitamin A-deficient rats (354) 17
Kleinman, H.K. and Wolf, G.
Extraction and characterization of a "native" vitamin A-sensitive glycoprotein from rat intestine (359) 90
Kleinzeller, A., Tam, I., Kanter, R.K. and McAvoy, E.M.
The structural requirement for $C_1 - OH$ for the active transport of D-mannose and 2-deoxy-D-hexoses by renal tubular cells (373) 397
Kleinzeller, A., see Chesney, R. (332) 263
Klevecz, R.R., see Kapp, L.N. (361) 140
Klibanov, A.M., see Berezin, I.V. (364) 193
Klose, G. and Stelzner, F.
NMR investigations of the interaction of water with lecithin in benzene solutions (363) 1

Knaff, D.B. and Malkin, R.
The effect of temperature on the primary reaction of chloroplast Photosystem II: Evidence for a temperature-dependent back reaction (347) 395
Knight, B.L.
Adenosine 3′:5′-cyclic phosphate, lipolysis and oxygen consumption in brown adipose tissue from newborn rabbits. Effect of cervical sympathectomy and of noradrenalin and theophylline in vitro, and the partial purification of an adenosine 3′:5-cyclic phosphate-dependent protein kinase (343) 287
Knights, B.A., see Elliott, C.G. (360) 78
Knights, B.A., see Elliott, C.G. (360) 339
Knobloch, K.-H., see Ebel, J. (362) 417
Knowles, C.J., see Weston, J.A. (333) 228
Knowles, C.J., see Weston, J.A. (368) 148
Knüfermann, H., see Bhakdi, S. (345) 448
Knüfermann, H., see Bhakdi, S. (356) 300
Knüfermann, H., see Bhakdi, S. (363) 39
Knüfermann, H., see Bhakdi, S. (373) 295
Knüfermann, H., see Bjerrum, O.J. (373) 44
Knüfermann, H., see Schmidt-Ullrich, R. (332) 175
Kobatake, Y., see Inoue, I. (367) 24
Kobatake, Y., see Kamo, N. (367) 1
Kobatake, Y., see Kamo, N. (367) 11
Kobatake, Y., see Ueda, T. (373) 286
Kobayashi, M. and Matsuda, K.
The dextransucrase isoenzyme from Leuconostoc mesenteroides NRRL B-1299 (370) 441
Kobayashi, M., see Kato, K. (371) 89
Kobayashi, M., see Koike, K. (335) 14
Kobayashi, M., see Koike, K. (361) 144
Kobayashi, S. and Nagasawa, S.
Protease inhibitors in guinea pig serum 1. Isolation of two functionally different trypsin inhibitors from guinea pig serum (342) 372
Kobayashi, T., Irie, T., Yoshida, M., Takeishi, K. and Ukita, T.
Primary structure of yeast glutamic acid tRNA specific to the GAA codon (366) 168
Kobayashi, T., see Hayashi, M. (366) 288
Koch, A.L., see Sullivan, K.H. (352) 287
Koch, R.B. and Desaiah, D.
Inhibition of Escherichia coli Mg^{2+} ATPase. Synergism between a fire ant, Solenopsis richteri (Forel) abdomen factor and a photoreduction product of mirex (367) 259
Kocourek, J., see Fliegerova, O. (351) 416
Kocourek, J., see Hořejší, V. (336) 329
Kocourek, J., see Hořejší, V. (336) 338
Kocourek, J., see Marik, T. (336) 53
Kocourek, J., see Nowaková, N. (359) 320
Kocourek, J., see Pospisilová, J. (362) 593
Kocourek, J., see Pospisilová, J. (373) 444
Kohen, C., see Kohen, E. (362) 575
Kohen, E., Kohen, C., Salmon, J.M., Bengtsson, G. and Thorell, B.
Rapid microspectrofluorometry for biochemical and metabolic studies in single living cells (362) 575
Kohler, L., see Benzonana, G. (368) 247
Kohlschein, J., Hagenberg, L. and Gassen, H.G.
Synthesis and properties of poly(6-methylpurinylic acid), poly(6-methoxypurinylic acid) and poly(6-methylthiopurinulic acid) (374) 407
Kohn, K.W., Glaubiger, D. and Spears, C.L.
The reaction of anthramycin with DNA. II. Studies of kinetics and mechanism (361) 288
Kohn, K.W., see Glaubiger, D. (361) 303
Kohnert, K.D., Hahn, H.J., Zullke, H., Schmidt, S. and Fiedler, H.
Breakdown of exogenous insulin by Langerhans islets of the pancreas in vitro (338) 68
Koike, K. and Kobayashi, M.
Molecule contour length of partially single-stranded circular mitochondrial DNA from new-born rat liver (335) 14
Koike, K., Kobayashi, M. and Fujisawa, T.
Novel properties of two classes of nascent mitochondrial DNA formed in vitro (361) 144
Kok, B., see Fowler, C.F. (357) 299
Kok, B., see Fowler, C.F. (357) 308
Kok, B., see Marsho, T.V. (333) 353
Kok, B., see Radmer, R. (357) 177
Koka, M. and Nakamoto, T.
On the role of the eukaryotic supernatant factor that stimulates phenylalanyl-tRNA binding to the 40-S ribosomal subunit (335) 264
Koketsu, J. and Atassi, M.Z.
Immunochemistry of sperm-whale myoglobin. XIX. Accurate delineation of the single reactive region in sequence 54–85 by immunochemical study of synthetic peptides (342) 21
Kolarov, J., see Šubík, J. (357) 453
Kolaskar, A.S., see Ramachandran, G.N. (359) 298
Kondo, T., see Yoshida, S. (353) 463

Kondoh, H. and Hotani, H.
Flagellin from Escherichia coli K12: polymerization and molecular weight in comparison with Salmonella flagellins (336) 117
Konova, I.V., see Batrakov, S.G. (337) 29
Koob, T.J. and Jeffrey, J.J.
Hormonal regulation of collagen degradation in the uterus: inhibition of collagenase expression by progesterone and cyclic AMP (354) 61
Kopacz-Jodczyk, T., see Tesoriere, G. (338) 641
Korcek, L. and Tabachnick, M.
Further characterization of human thyroxine-binding globulin (371) 323
Kosower, E.M., Kosower, N.S., Faltin, Z., Diver, A., Saltoun, G. and Frensdorff, A.
Membrane mobility agents: A new class of biologically active molecules (363) 261
Kosower, N.S., see Kosower, E.M. (363) 261
Koster, J.F., see Van Berkel, Th.J.C. (334) 361
Koster, J.F., see Van Berkel, Th.J.C. (370) 450
Kostner, G.M.
Studies of the composition and structure of human serum lipoproteins. Isolation and partial characterization of apolipoprotein AIII (336) 383
Kószó, F., Siklósi, C.S. and Simon, N.
Liposome model experiment for the study of assumed membrane damage in porphyria cutanea tarda (363) 182
Kotani, M., see Iizuka, T. (351) 182
Kotani, M., see Iizuka, T. (371) 126
Kothari, R.M., see Wang, S. (340) 52
Kotyk, A. and Michaljaničová, D.
Nature of uptake of D-galactose, D-glucose and α-methyl-D-glucoside by Saccharomyces cerevisiae (332) 104
Kováč, L.
Biochemical mutants: an approach to mitochondrial energy coupling (346) 101
Kováč, L., see Šubík, J. (357) 453
Kovačevič, Z.
Distribution of glutaminase isoenzymes in kidney cells (334) 199
Kovács, E.F., see Bot, G. (370) 70
Kovács, E.F., see Gergely, P. (370) 78
Koyama, H., see Tomida, M. (338) 352
Kozlovskaya, E.P. and Elyakova, L.A.
Purification and properties of trypsin-like enzymes from the starfish Lysastrosoma anthosticta (371) 63
Kozyreff, V. and De Visscher, M.
Protein kinase activity of bovine thyroid microsomes (362) 17
Krag, S.S., Robinson, M.D. and Lennarz, W.J.
Biosynthesis of diglyceride from phosphatidic acid in the membranes of Bacillus subtilis (337) 271
Kragh-Hansen, U. and Moller, J.V.
Protein binding of small molecules. III. Relation between binding of phenol red and Cl^- by human serum albumin (336) 30
Kragh-Hansen, U., Møller, J.V. and Lind, K.E.
Protein binding of small molecules. IV. Relation between binding of phenolsulfophthalein dyes and other ligands with a high affinity for human serum albumin (365) 360
Kragh-Hansen, U., see Lind, K.E. (371) 451
Krajewski, T., see Cierniewski, C. (351) 372
Kral, J., see Smith, U. (337) 278
Kramer, R., Jungi, B. and Zahler, P.
Some characteristics of a phospholipase A_2 from sheep red cell membranes (373) 404
Krátký, Z., see Biely, P. (352) 268
Krause, G.H.
Changes in chlorophyll fluorescence in relation to light-dependent cation transfer across thylakoid membranes (333) 301
Kremzner, L.T., see Sturman, J.A. (372) 162
Krenitsky, T.A., see Spector, T. (370) 585
Kriek, E.
Carcinogenesis by aromatic amines (355) 177
Krilov, D. and Herak, J.N.
ESR evidence for radiation-induced breakage of the sugar-phosphate bonds in nucleotides: Single crystal of deoxycytidine 5′-monophosphate (366) 396
Kristiansen, T.
Studies on blood group substances. III. Biospecific affinity chromatography of blood group substance A on Vicia cracca phytohemagglutinin–agarose (338) 246
Kristiansen, T.
Studies on blood group substances. IV. Digestion of blood group substance A with immobilized elastase, and separation of active and inactive fragments by use of biospecific affinity chromatography (338) 374
Kristiansen, T.
Studies on blood group substances. V. Blood group substance A coupled to agarose as an immunosorbent (362) 567
Krivit, W., see Snyder, Jr, P.D. (350) 432
Kröger, A.
Electron transport phosphorylation coupled to fumarate reduction in anaerobically grown Proteus rettgeri (347) 273

Kröger, H., see Hoshino, J. (338) 418
Kröger, H., see Simon, D. (334) 208
Krone, W., Huttner, W.B., Kampf, S.C., Rittich, B., Seitz, H.J. and Tarnowski, W.
Long-term perfusion of the isolated rat liver: Maintainance of its functional state by use of a fluorocarbon emulsion (372) 55
Kronick, P. and Hill, G.C.
Evidence for the functioning of cytochrome o in kinetoplastida (368) 173
Kroon, A.M., see Datema, R. (335) 386
Krug, F., see Desbuquois, B. (343) 101
Krupka, R.M.
Methane sulfonyl fluoride inactivation of acetylcholinesterase in the presence of substrates and reversible inhibitors (370) 197
Krupka, R.M. and Hellenbrand, K.
Specific versus non-specific interactions of mammalian and insect acetylcholinesterase with substrates and reversible inhibitors (370) 208
Krusius, T., Finne, J., Kärkkäinen, J. and Järnefelt, J.
Neutral and acidic glycopeptides in adult and developing rat brain (365) 80
Kruski, A.W., see Glonek, T. (348) 155
Kruyt, J.K., see Van Berkel, Th.J.C. (370) 140
Kruyt, J.K., see Van Berkel, Th.J.C. (370) 450
Krzemien, J.R. and Haven, G.T.
Demonstration and solubilization of an inhibitor of hepatic cholesterol biosynthesis from rat liver microsomes (369) 70
Kubo, S., see Katoh, N. (365) 301
Kuchel, P.W. and Roberts, D.V.
The behaviour of coupled enzyme systems in the transient and steady-state regions of the reaction (364) 181
Kuettner, K.E., Sorgente, N., Croxen, R.C., Howell, D.S. and Pita, J.C.
Lysozyme in preosseous cartilage. VII. Evidence for physiological role of lysozyme in normal endochondral calcification (372) 335
Kuettner, K.E., see Guenther, H.L. (372) 321
Kuhn, J. and Somerville, R.L.
Uptake and utilization of aromatic D-amino acids in Escherichia coli K12 (332) 298
Kühn, K., see Fietzek, P.P. (365) 305
Kulakowska, I., Geller, M., Lesyng, B. and Wierzchowski, K.L.
Dipole moments of 2,4-diketopyrimidines. II. Uracil, thymine and their derivatives (361) 119
Kulakowska, I. and Rabczenko, A.
Conformation of nucleosides. Dipole moments of pyrimidine nucleosides (361) 131
Kulikowski, T. and Shugar, D.
Preparation and properties of poly(5-ethylcytidylic acid), a poly(5-methylcytidylic acid) analogue (374) 164
Kulonen, E., see Aalto, M. (342) 247
Kumegawa, M., see Nakamura, T. (362) 110
Kuncio, G.S., see Oleinick, N.L. (366) 215
Kung, S.D., Sakano, K. and Wildman, S.G.
Multiple peptide composition of the large and small subunits of Nicotiana tabacum Fraction I protein ascertained by fingerprinting and electrofocusing (365) 138
Kunze, H., Bohn, E. and Vogt, W.
Effects of local anaesthetics on prostaglandin biosynthesis in vitro (360) 260
Kunze, H., Nahas, N. and Wurl, M.
Phospholipases in human seminal plasma (348) 35
Kuo, M.T. and Haidle, C.W.
Characterization of chain breakage in DNA induced by bleomycin (335) 109
Kupersztoch-Portnoy, Y.M. and Helinski, D.R.
Breaks induced in supercoiled colicinogenic factor E1 DNA as a result of the decay of incorporated tritium (374) 316
Kurihara, K., see Kamo, N. (367) 1
Kurihara, K., see Kamo, N. (367) 11
Kurnit, D.M., see Maio, J.J. (349) 305
Kurpershoek-Davidov, R., see Hulsmann, W.C. (354) 39
Kurpershoek-Davidov, R., see Lamers, J.M.J. (343) 427
Kurylo-Borowska, Z. and Sedkowska, J.
Biosynthesis of edeine: Fractionation and characterization of enzymes responsible for biosynthesis of edeine A and B (351) 42
Kusaka, I.
Effect of glucose on the biosynthesis of the membranes of Bacillus (345) 62
Kushmerick, M.J., see Paul, R.J. (347) 483
Kuwajima, T., see Kagawa, H. (338) 496
Kwai, K., Fujita, M. and Nakao, M.
Lipid components of two different regions of an intestinal epithelial cell membrane of mouse (369) 222
Kwan, C.N., Gotoh, S. and Schlessinger, D.
Nucleases in HeLa cell nucleoplasm and nucleoli (349) 428
Kwock, L. and Wallach, D.F.H.
The effect of ionizing radiation on amino acid transport systems in thymocytes (352) 135

L

Labossiere, A., see Vella, F. (336) 25
Lacey, Jr, J.C., see Weber, A.L. (349) 226
Lachance, J.P., see Demassieux, S. (348) 94
La Cour, T., see Cotton, F.A. (359) 7
Ladoulis, C.T., Misra, D.N., Estes, L.W. and Gill, III, T.J.
Lymphocyte plasma membranes. I. Thymic and splenic membranes from inbred rats (356) 27
Laggner, P., see Barratt, M.D. (363) 127
Lagrou, A., see Hilderson, H.J. (337) 385
Laidler, K.J., see Maguire, R.J. (341) 1
Laitio, M., see Terho, T. (338) 135
Lake, S., see Chertok, R.J. (339) 202
Laki, K. and Muszbek, L.
On the interaction of F-actin with fibrin (371) 519
Lalonde, G., see Gagnon, C. (353) 323
Lamb, R.G. and Fallon, H.J.
Glycerolipid formation from sn-glycerol-3-phosphate by rat liver cell fractions. The role of phosphatidate phosphohydrolase (348) 166
Lamb, R.G. and Fallon, H.J.
An enzymatic explanation for dietary induced alterations in hepatic glycerolipid metabolism (348) 179
Lamed, R., see Gadasi, H. (333) 161
Lamers, J.M.J. and Hülsmann, W.C.
The effects of fatty acids on oxidative decarboxylation of pyruvate in rat small intestine (343) 215
Lamers, J.M.J., Kurpershoek-Davidov, R. and Hülsmann, W.C.
Absence of significant rates of gluconeogenesis in intestinal mucosa of starved guinea pigs (343) 427
Lamon, E.W.
The immune response to virally determined tumor associated antigens (355) 149
Lampen, J.O., see Liras, P. (372) 141
Lampen, J.O., see Liras, P. (374) 159
Lance, C., see Moreau, F. (345) 294
Lancini, G.C., see Pirali, G. (366) 310
Land, E.J. and Swallow, A.J.
One-electron reactions in biochemical systems as studied by pulse radiolysis. VI. Stages in the reduction of ferricytochrome c (368) 86
Landon, E.J., see Moore, L. (345) 405
Lang, B., Burger, G. and Bandlow, W.
Activity of reduced ubiquinone:cytochrome c oxidoreductase with various ubiquinol-isoprenologues as substrate and corresponding inhibitory effect of antimycin in yeast (368) 71
Lang, D.R. and Racker, E.
Effects of quercetin and F_1 inhibitor on mitochondrial ATPase and energy linked reactions in submitochondrial particles (333) 180
Lang, G., see Cardin, D.J. (371) 44
Lang, G., Lippard, S.J. and Rosén, S.
Mössbauer spectroscopy studies of beef-heart cytochrome c oxidase (336) 6
Langdon, R.G.
Serum lipoprotein apoproteins as major protein constituents of the human erythrocyte membrane (342) 213
Langdon, R.G.
Lysine-derived cross links in the proteins of the human erythrocyte membrane (342) 229
Lange, Y., Gary Bobo, C.M. and Solomon, A.K.
Nonelectrolyte diffusion through lecithin–water lamellar phases and erythrocyte membranes (339) 347
Langworthy, T.A., see Mayberry-Carson, K.J. (360) 217
Lanir, A. and Navon, G.
Interaction of bovine carbonic anhydrase with acetate ions (341) 65
Lanir, A. and Navon, G.
NMR studies of the two binding sites of acetate ions to manganese (II) carbonic anhydrase (341) 75
Lankhorst, A., see Prinz, R.A. (348) 361
Lanoix, J., see Pain, V.M. (353) 487
Lanting, L., see Huisman, W. (370) 297
Lanyi, J.K.
Irregular bilayer structure in vesicles prepared from Halobacterium cutirubrum lipids (356) 245
Lanzani, G.A., Bollini, R. and Soffientini, A.N.
The heterogeneity of the elongation factor EF1 from wheat embryos (335) 275
Lapanje, S., see Špan, J. (359) 311
Lapetina, E.G., see de Scarnati, O.C. (360) 298

Lapière, Ch.M. and Nusgens, B.
Polymerization of procollagen in vitro (343) 237
Lappert, M.F., see Cardin, D.J. (371) 44
Larrabee, K.L., see Kimmel, C.B. (335) 374
Larraga, V. and Munoz, E.
Molecular organization in bacterial cell membranes. III. Components of a "soluble" fraction obtained by n-butanol extraction of Streptomyces albus membranes (363) 9
Larraga, V., Nieto, M. and Munoz, E.
Molecular organization in bacterial cell membranes. IV. Isolation by preparative electrophoresis in sodium dodecylsulphate and properties of the two major polypeptide groups of a "soluble" fraction from Streptomyces albus membranes (363) 26
Larson, L.J., see McCormick, J.J. (349) 145
Larsson, C. and Albertsson, P.-Å.
Photosynthetic $^{14}CO_2$ fixation by chloroplast populations isolated by a polymer two-phase technique (357) 412
Last, K.S., see Mowbray, J. (349) 114
Latimer, S.B., see Houston, C.W. (370) 276
LaTorre, J. and Perry, R.P.
The relationship between polyadenylated heterogeneous nuclear RNA and messenger RNA: studies with actinomycin D and cordycepin (335) 93
Latorre, R., Alvarez, O. and Verdugo, P.
Temperature characterization of the conductance of the excitability inducing material channel in oxidized cholesterol membranes (367) 361
Lau, Y.K. and Wong, K.P.
A comparative study of nuclear and microsomal UDP-glucuronic acid pyrophosphatase of rat liver (334) 431
Laub-Kupersztejn, R. and Thirion, J.
Existence of two distinct protein synthesis systems in the trypanosomatid Crithidia luciliae (340) 314
Läuger, P., see Bamberg, E. (367) 127
Launay, A.N., Michejda, J.M. and Vignais, P.V.
Malate transport in bovine adrenal cortex mitochondria (347) 60
Laursen, R.A., see Silver, J. (340) 77
Lauter, C.J., see Reichert, W.H. (370) 556
Lauter, C.J., see Trams, E.G. (345) 180
Lavorel, J., see Etienne, A.L. (333) 288
Lazarus, G.S. and Barrett, A.J.
Neutral proteinase of rabbit skin: An enzyme capable of degrading skin protein and inducing an inflammatory response (350) 1
Leaf, R., see Beckman, B. (332) 350
Leblanc, P. and Clauser, H.
ADP and Mg^{2+} requirement for Ca^{2+} accumulation by hog heart mitochondria. Correlation with energy coupling (347) 87
Leblanc, P. and Clauser, H.
Study of the mitochondrial phosphate carrier in the course of calcium phosphate accumulation: A requirement for Mg^{2+} and ADP of its sensitivity to thiol reagents (347) 193
Lecocq, R.E., see Vassart, G. (353) 261
Ledeboer, A.M., see Van Steveninck, J. (352) 64
Ledward, D.A., see Finch, A. (365) 400
Lee, C.-L., see Habeeb, A.F.S.A. (342) 389
Lee, C.Y., see Tobin, T. (345) 102
Lee, G.R., see Williams, D.M. (350) 129
Lee, I.Y., see DerVartanian, D.V. (347) 321
Lee, I.Y. and Slater, E.C.
A new EPR-detectable component in the ubiquinol–cytochrome c reductase segment of the respiratory chain (347) 14
Lee, K.Y., Hurley, D.M. and Simmonds, W.J.
The dependence of lipid absorption in vivo on solubilized concentration (337) 214
Lee, L., see Goldsmith, L.A. (351) 113
Lee, M.H. and Sartorelli, A.C.
Solubilization and partial purification of alkaline phosphatases of sarcoma 180/TG ascites cells (358) 69
Lee, T.-Y. and Schafer, I.A.
Glycosaminoglycan composition of human amniotic fluid (354) 264
Lefkowitz, R.J., see Aprille, J.R. (373) 502
Lefkowitz, R.J., O'Hara, D. and Warshaw, J.B.
Surface interaction of [^{3}H] norepinephrine with cultured chick embryo myocardial cells (332) 317
Lefort-Tran, M., see Clement-Metral, J.D. (333) 560
LeGall, J., see DerVartanian, D.V. (346) 79
Leger, J., see Kahn, A. (343) 431
Legg, M., see Cotton, F.A. (359) 7
Legge, G., see Dounce, A.L. (342) 81
Leghissa, G., see Barnabei, O. (362) 316
Lehle, L. and Tanner, W.
Membrane-bound mannosyl transferase in yeast glycoprotein biosynthesis (350) 225
Lehmann, H., see Colombo, B. (351) 1
Lehmann, H., see Herrera, A.E.R. (336) 318
Lehmann, H., see Romero-Herrera, A.E. (359) 236
Lehmann, H., see Vella, F. (336) 25

Leibach, F.H., see Hewitt, J. (363) 267
Leigh, Jr, J.S. and Dutton, P.L.
Reaction center bacteriochlorophyll triplet states: redox potential dependence and kinetics (357) 67
Leigh, J.S., see Wraight, C.A. (333) 401
Lemasson, C., see Etienne, A.L. (333) 288
Lembach, K.J.
Regulation of growth in vitro. I. Control of ornithine decarboxylase levels in untransformed and transmormed
formed and transformed mouse fibroblasts by serum (354) 88
Lenarčič, S., see Špan, J. (359) 311
Lenard, J. and Compans, W.
The membrane structure of lipid-containing viruses (344) 51
Lenard, J., Wong, C.Y. and Compans, R.W.
Association of the internal membrane protein with the lipid bilayer in influenza virus: A study with the fluorescent probe 12-(9-anthroyl)-stearic acid (332) 341
Leng, M., see Ramstein, J. (335) 54
Lengyel, P., see Vassef, A. (353) 115
Lennarz, W.J., see Krag, S.S. (337) 271
Leon, M.A., see Young, N.M. (365) 418
Leonis, J., see Paul, C. (371) 155
Lerner, J., see Burrill, P.H. (373) 265
Lernmark, A., see Hellman, B. (372) 127
Lester, R.L., see Talwalkar, R.T. (360) 306
Lesyng, B., see Kulakowska, I. (361) 119
Letter, A.A., see Bagnara, A.S. (374) 259
Letts, P.J., Meistrich, M.L., Bruce, W.R. and Schachter, H.
Glycoprotein glycosyltransferase levels during spermatogenesis in mice (343) 192
Letts, P.J., Pinteric, P. and Schachter, H.
Localization of glycoprotein glycosyltransferases in the Gogli apparatus of rat and mouse testis (372) 304
Leveille, G.A., see Romsos, D.R. (360) 1
Levene, C.I., Aleo, J.J., Prynne, C.J. and Bates, C.J.
The activation of protocollagen proline hydroxylase by ascorbic acid in cultured 3T 6 fibroblasts (338) 29
Levi, A., Cimino, M., Mercanti, D. and Calissano, P.
Studies on binding of GTP to the microtubule protein (365) 450
Levin, W., see Lu, A.Y.H. (344) 205
Levine, D., see Greenaway, P.J. (350) 374
Levine, G. and Bassham, J.A.
Photosynthesis inhibition in isolated spinach chloroplasts by inorganic phosphate or inorganic pyrophosphatase in the presence of pyrophosphate and magnesium ions (333) 136
Levine, R.P., see Anderson, J.M. (333) 378
Levine, R.P., see Anderson, J.M. (357) 118
Levine, R.P., see Whitmarsh, J. (368) 199
Levinstein, R., see Kessler, B. (343) 156
Levitan, T.L., see Sverdlov, E.D. (340) 153
Levitt, D.G.
A new theory of transport for cell membrane pores. I. General theory and application to red cell (373) 115
Levitt, D.G. and Subramanian, G.
A new theory of transport for cell membrane pores. II. Exact results and computer simulation (molecular dynamics) (373) 132
Levitzki, A., see Steer, M.L. (334) 389
Levy, C.C., see Frank, J.J. (366) 353
Levy, D., see Paselk, R.A. (359) 215
Levy, H.R., see Nevaldine, B.H. (358) 44
Levy, J., see Malaisse, W.J. (362) 121
Levy, M.R. and Chou, S.C.
Some properties and susceptibility to inhibitors of partially purified acid proteases from Plasmodium berghei and from ghosts of mouse red cells (334) 423
Lew, V.L., see Ellory, J.C. (332) 215
Lewandowski, J., see Zachara, B. (353) 253
Lewin, M., see Soumarmon, A. (339) 403
Lewis, A.J., see Jones, J.B. (341) 284
Lewis, B.J., Abrell, J.W., Smith, R.G. and Gallo, R.C.
DNA Polymerases in human lymphoblastoid cells infected with Simian Sarcoma virus (349) 148
Lewis, E.A., see Rees, A.W. (361) 97
Lewis, M.S., see Murtaugh, P.A. (359) 415
Lewis, P.N. and Bradbury, E.M.
Effect of electrostatic interactions on the prediction of helices in proteins: The histones (336) 153
Lewis, R.W.
Occurrence of fatty acid methyl esters and cholesterol in a molecular complex (360) 270
Lexa, D., Momenteau, M. and Mispelter, J.
Characterization of the reduction steps of iron (111) porphyrins (338) 151
Li, H.-C., Katz, A.M., Repke, D.I. and Failor, A.
Oxalate dependence of calcium uptake kinetics of rabbit skeletal muscle microsomes (fragmented sacroplasmic reticulum) (367) 385

Li, L.H. and Cowie, C.H.
Biochemical effects of ellipticine on leukemia L1210 cells (353) 375
Lian, C.Y. and Harkness, D.R.
The kinetic properties of adenylate deaminase from human erythrocytes (341) 27
Licata, A.A. and Raisz, L.G.
The release of glycoconjugates by rat parathyroid glands in tissue culture. II. Studies on uptake and incorporation of isotopically labelled glucosamine and characterization of secreted material (343) 17
Lichtin, N.N., Shafferman, A. and Stein, G.
Reduction of ferricytochrome c by hydrogen atoms: Evidence for intramolecular transfer of reducing equivalent (357) 386
Lieb, W.R. and Stein, W.D.
Testing and characterizing the simple pore (373) 165
Lieb, W.R. and Stein, W.D.
Testing and characterizing the simple carrier (373) 178
Lieberman, J.E., see Mürer, E.H. (362) 53
Lieberman, J.E., see Mürer, E.H. (362) 266
Liem, H.H.
Hepatic uptake of heme and hemopexin but not albumin (343) 546
Liener, I.E., see Friedenson, B. (342) 209
Liljas, L., Lundahl, P. and Hjertén, S.
Selective solubilization with Tween 20 of proteins from water-extracted human erythrocyte membranes. Analysis by gel electrophoresis in dodecylsulfate and in Tween 20 (352) 327
Lilley, R. McC. and Walker, D.A.
Improved spectrophotometric assay for ribulosebisphosphate carboxylase (358) 226
Lilley, R.McC. and Walker, D.A.
The reduction of 3-phosphoglycerate by reconstituted chloroplasts and by chloroplast extracts (368) 269
Lilly, F. and Steeves, R.
Antigens of murine leukemia viruses (355) 105
Lim, L. and White, J.O.
On the unique dissociability of neonatal rat cerebal free polysomes and changes during development of the brain (366) 358
Limas, C.J.
Stimulation by angiotensin of myocardial prostaglandin synthesis (337) 417
Lin, H.J.
Isolation of a short, cytosine-rich repeating unit from the DNA of Escherichia coli (349) 13
Lin, K., see Amaral, L. (362) 332
Lin, Y.-Y. and Smith, L.L.
Sterol metabolism. XXVIII. Biosynthesis and accumulation of cholest-5-ene-3β, 24-diol (cerebrosterol) in developing rat brain (348) 189
Lind, K.E., see Kragh-Hansen, U. (365) 360
Lind, K.E., Kragh-Hansen, U. and Møller, J.V.
Protein binding of small molecules.
V. Binding of bromphenol blue by chemical modifications of human serum albumin (371) 451
Lindberg, O., see Bukowiecki, L.J. (348) 115
Lindemann, B., see Zeiske, W. (352) 323
Linden, G., Mazeron, P., Michalowski, J.B. and Alais, C.
Phosphatase alcaline du lait de vache.
I. Purification et propriétés moléculaires (Alkaline phsophatase from cow's milk.
I. Purification and molecular properties) (358) 82
Lindenmann, J.
Viruses as immunological adjuvants in cancer (355) 49
Lindl, T. and Cramer, H.
Formation, accumulation and release of adenosine 3′, 5′-monophosphate induced by histamine in the superior cervical ganglion of the rat in vitro (343) 182
Lindskog, S., see Binford, J.S. (341) 345
Ling, V., see See, Y.P. (373) 242
Linn, S., see MacKay, V. (349) 131
Liou, I.F., see Yang, C.C. (365) 1
Lipke, H., see Strout, H.V. (351) 348
Lippard, S.J., see Lang, G. (336) 6
Liras, P. and Lampen, J.O.
Sequence of candicidin action on yeast cells (372) 141
Liras, P. and Lampen, J.O.
Protection by K^+ and Mg^{2+} of growth and macromolecule synthesis in candicidin-treated yeast (374) 159
Listowsky, I., see Kamisaka, K. (365) 169
Litvak, S., see Carré, D.S. (361) 185
Liu, C.-S., see Blackwell, R.Q. (351) 7
Livingstone, C.M., see Gray, C.J. (341) 457
Livne, A., see Alhanaty, E. (339) 146
Livne, A., see Aloni, B. (339) 359
Livne, A., see Aloni, B. (348) 438
Ljungdahl, L.G., see Shoaf, W.T. (334) 448
Ljungström, O. and Engström, L.
Phosphorylation of rat-liver cell sap protein on incubation with [^{32}P]ATP (336) 140
Ljungström, O., Hjelmquist, G. and Engström, L.

Phosphorylation of purified rat liver pyruvate kinase by cyclic 3′,5′AMP-stimulated protein kinase (358) 289
Lloyd, W.J., see Ferguson, S.J. (357) 457
Lockwood, D.H., see Amatruda, J.M. (372) 266
Loh, W., Farnbacher, M., Bohne, L., Emmerich, B. and Kersten, H.
Metabolism of ribosomes during thiamine starvation and restoration in Lactobacillus viridescens (353) 238
Löhr, G.W., see Blume, K.G. (370) 601
Lombardo, A., see Preti, A. (350) 406
Lombardo, A., see Tettamanti, G. (350) 415
Lonchampt, M., see Huet, Ch. (365) 28
London, D.R., see Wettenhall, R.E.H. (349) 214
London, Y., Demel, R.A., Geurts van Kessel, W.S.M., Zahler, P. and van Deenen, L.L.M.
The interaction of the "Folch–Lees" protein with lipids at the air–water interface (332) 69
Long, M.M., see Urry, D.W. (371)
Long, R.A. and Dittmer, J.C.
The effect of phospholipase D on Escherichia coli membrane vesicles: A re-examination (367) 295
Longpré, J., see Bleau, G. (352) 1
Loo, A.S., see Shanmugam, K.T. (338) 545
Loock, B., see Momentau, M. (343) 535
Loonteins, F.G., see Van Wauwe, J.P. (354) 148
Lopes-Cardozo, M. and van den Bergh, S.G.
Ketogenesis in isolated rat liver mitochondria. II. Factors affecting the rate of β-oxidation (357) 43
Lopes-Cardozo, M. and van den Bergh, S.G.
Ketogenesis in isolated rat liver mitochondria. III. Relationship with the rate of β-oxidation (357) 53
Lopes-Cardozo, M. and van den Bergh, S.G.
Ketogenesis in isolated rat liver mitochondria. IV. Oxaloacetate decarboxylation: Consequences for metabolic calculations (357) 193
Lord, R.C., see Chen, M.C. (340) 90
Lorusso, M., see Papa, S. (357) 181
Louis, C.F. and Irving, I.
Protein components of sarcoplasmic reticulum membranes from different animal species (365) 193
Louisot, P., see Morelis, R. (363) 10
Louvard, M.N. and Puigserver, A.
On bovine and porcine anionic trypsinogens (371) 177
Louw, A.I.
Snake venom toxins. The purification and properties of five non-neurotoxic polypeptides from Naja mossambica mossambica venom (336) 470
Louw, A.I.
Snake venom toxins. The amino acid sequences of three cytotoxin homologues from Naja mossambica mossambica venom (336) 481
Lovett, J.S., see Adelman, T.G. (335) 236
Lovett, J.S., see Adelman, T.G. (349) 240
Løvtrup, S., see Mild, K.H. (373) 383
Low, J., see Adams, J.B. (370) 160
Low, J., see Adams, J.B. (370) 189
Low, W., see Gadasi, H. (333) 161
Lowendorf, H.S., Slayman, C.L. and Slayman, C.W.
Phosphate transport in Neurospora. Kinetic characterization of a constitutive, low-affinity transport system (373) 369
Lowenstein, L.M., see O'Bryan, D. (339) 1
Loyter, A., see Sabban, E. (362) 100
Lozier, H. and Butler, L.
Redox titration of the primary electron acceptor of Photosystem I in spinach chloroplasts (333) 460
Lozier, R.H. and Butler, W.L.
Light-induced absorbance changes in chloroplasts mediated by Photosystem I and Photosystem II at low temperature (333) 465
Lu, A.Y.H. and Levin, W.
The resolution and reconstitution of the liver microsomal hydroxylation system (344) 205
Lubcher, R., see Scouten, W.H. (336) 421
Lubsen, N.H. and Davis, B.D.
A ribosome dissociation factor on both native subunits in rabbit reticulocytes (335) 196
Lucas, J.-M., see Herbage, D. (336) 108
Luchter-Wasyl, E. and Ostrowski, W.
Subunit structure of human prostatic acid phosphatase (365) 349
Luck, G., see Zimmer, Ch. (361) 11
Lucy, J.A., see Howell, J.I. (332) 1
Lufkin, E.G., see Stifel, F.B. (354) 194
Lukie, B.E. and Forstner, G.G.
Synthesis of intestinal glycoprotein inhibition of [1-^{14}C]glucosamine incorporation by phenylbutazone in vitro (338) 345
Lukowsky, A., Prehn, S. and Rapoport, T.A.
Biosynthesis of proinsulin in islets of Lan-

gerhans of the carp (Cyprinus carpio) (359) 248
Luly, P., see Tria, E. (343) 297
Luly, P. and Verna, R.
Stimulation of ($Na^+ - K^+$)-ATPase of rat liver plasma membrane by amino acids (367) 109
Lunasin, A., see Steiner, R.F. (336) 407
Lundahl, P., see Bjerrum, O.J. (342) 69
Lundahl, P., see Liljas, L. (352) 327
Lundgren, E. and Roos, G.
Plasma membrane bound and lysosomal isoenzymes of amino acid naphthylamidase (358) 208
Lunney, J. and Ashwell, G.
The effect of phospholipase on the binding of asialoglycoproteins by rat liver plasma membranes (367) 304
Lurie, S. and Bertsch, W.
Thermoluminescence studies on photosynthetic energy conversion. I. Evidence for three types of energy storage by Photoreaction II of higher plants (357) 420
Lurie, S. and Bertsch, W.
Thermoluminescence studies on photosynthetic energy conversion. II. Activation energies for three energy storage states associated with Photoreaction II of higher plants (357) 429
Luscher, E.F., see Massini, P. (372) 109
Lussan, C. and Faucon, J.F.
Effects of ions on vesicles and phospholipid dispersions studied by polarization of fluorescence (345) 83
Luthra, M.G., see Hanahan, D.J. (363) 284
Lüttge, U., see Winter, K. (343) 465
Lutz, H.U., Dahl, J.S. and Bachofen, R.
Synthesis of free ATP from membrane-bound ATP in chromatophores of Rhodospirillum rubrum (347) 359
Luzio, J.P., Jones, R.C., Siddle, K. and Hales, C.N.
Dissociation of the effect of adrenalin on glucose uptake from that on adenosine cyclic 3′, 5′-monophosphate levels and on lipolysis in rat isolated fat cells (362) 29
Lygre, D.G.
The inhibition by saccharin and cyclamate of phosphotransferase and phosphohydrolase activities of glucose 6-phosphatase (341) 291
Lyndal York, J. and Roberts, M.P.
The effect of detergents on the basicity of nitrotyrosine in proteins (371) 582
Lynen, F., see Southwell-Keely, P.T. (337) 22
Lynn, W.S., see Bhattacharyya, S.N. (342) 343
Lyon, I.
Cu^{2+} and permeability of isolated frog skin (352) 349

M

Ma, S.W.Y., Shami, Y., Messer, H.H. and Copp, D.H.
Properties of Ca^{2+}-ATPase from the gill of rainbow trout (Salmo Gairdneri) (345) 243

Mabuchi, I., see Shimada, K. (351) 364

McAvoy, E.M., see Kleinzeller, A. (373) 397

McBride-Warren, P.A., see Rickert, W.S. (371) 368

McClune, G., see Wedler, F.C. (370) 541

McConnell, D.J., see Humphries, P. (366) 70

McConnell, H.M., see Grant, C.W.M. (363) 151

McConnell, H.M., see Kleemann, W. (345) 220

McConnell, K.P., see Hoffman, J.L. (366) 109

McCormick, D.B., see Kazarinoff, M.N. (359) 282

McCormick, J.J., Larson, L.J. and Maher, V.M.
Problems in the extraction of DNA when utilizing pancreatic RNAase and pronase (349) 145

McCormick, J.J., see Rimai, L. (361) 155

McCuen, R.W. and Sirotnak, F.M.
Hyperproduction of dihydrofolate reductase in Diplococcus pneumoniae by mutation in the structural gene. The absence of an effect on other enzymes of folate coenzyme biosynthesis (338) 540

McCulloch, E.A., Mak, T.W., Price, G.B. and Till, J.E.
Organization and communication in populations of normal and leukemic hemopoietic cells (355) 260

McCully, K.S., see Spindel, E. (343) 687

MacDonald, D.W., Arst, Jr, H.N. and Cove, D.J.
Threonine dehydratase structural gene in Aspergillus nidulans (362) 60

McElroy, J.D., Mauzerall, D.C. and Feher, G.
Characterization of primary reactants in bacterial photosynthesis. II. Kinetic studies of the light-induced EPR signal (g=2.0026) and the optical absorbance changes at cryogenic temperatures (333) 261

McElroy, J.D., see Feher, G. (368) 135

McElveen, M.A., see Powell, G.K. (369) 8

Macey, R.I., see Colombe, B.W. (363) 226

McFadden, B.A., see Johanson, R.A. (364) 327

McFadden, B.A., see Johanson, R.A. (364) 341

McFadden, B.A., see Tabita, F.R. (341) 187

McGaughy, T.W., see Fung, B.M. (343) 663

MacGibbon, A.K.H., see Crow, K.E. (350) 121

MacGillivray, A.J., see Rickwood, D. (353) 353

McGinnis, J.F. and de Vellis, J.
Purification and characterization of rat brain glycerol phosphate dehydrogenase (364) 17

Macham, L.P., see Ratledge, C. (372) 39

Machida, M., see Sekine, T. (351) 205

Machida, M., see Sekine, T. (354) 139

McIlhinney, A. and Hogan, B.L.M.
Effect of protease inhibitors on protein degradation in rat hepatoma cells. I. Effect on general protein degradation (372) 358

McIlhinney, A. and Hogan, B.L.M.
Effect of protease inhibitors on protein degradation in rat hepatoma cells. II. Effects on ornithine decarboxylase and tyrosine aminotransferase (372) 366

McIlwain, D.L., see Coles, E. (337) 68

MacKay, V. and Linn, S.
Molecular structure of exonuclease I from Escherichia coli B (349) 131

MacKenzie, S.L., see Sundaram, G.S. (337) 196

Mackinlay, A.G., see Chew, L.F. (359) 73

McLaughlin, C.S., see McNeil, R.G. (374) 176

MacLaughlin, D.T. and Westphal, U.
Steroid protein interactions. XXX. A progesteronebinding protein in the uterine cytosol of the pregnant guinea pig (365) 372

McLean, K.W. and Whiteley, A.H.
Characteristics of DNA from the oyster, Crassostrea gigas (335) 35

Macleod, R.M., see Reagan, C.R. (353) 77

McMahon, D., see Miller, M.J. (366) 35

McManus, L., see Jurtshuk, P. (368) 158

McMenamy, R.H., see Pande, C.S. (342) 60

McMinn, D.M., see Roy, A.K. (354) 213

McMurchie, E.J., see Raison, J.K. (363) 135

McNamara, A.L., see Smith, D.W.E. (349) 366

McNaughton, J., see Bradbury, E.M. (335) 19

McNeil, R.G. and McLaughlin, C.S.
Differential biological activity of three species of methionyl-tRNA in yeast (374) 176

McNutt, W.S. and Robins, H.I.
Temperature-sensitive adenylylation of tRNA in cacodylate and other buffers (366) 411

McSwain, B.D., see Arnon, D.I. (357) 231
Maddy, A.H., see Green, J.R. (373) 51
Maeda, A.
Existence of some substances which react to colicin E2 (374) 426
Maeda, T., Hayashi, E. and Tomita, T.
Effect of myo-inositol deficiency on lipid metabolism in rats. II. The mechanism of triacylglycerol accumulation in the liver of myo-inositol-deficient rats (360) 146
Maeda, T., Ishiwata, S. and Fujime, S.
Light-beating study of the effect of β-actinin on the interaction between F-actin and heavy meromyosin (336) 445
Maeda, T., see Hayashi, E. (360) 134
Maes, E., see Heller, M. (369) 397
Maestracci, D., see Schmitz, J. (343) 435
Magee, W.E., see Robert, A. (348) 269
Mager, J., see Glaser, G. (372) 237
Maguire, J., see Tinberg, H.M. (345) 118
Maguire, M.E. and Gilman, A.G.
Adenylate cyclase assay with adenylyl imidodiphosphate and product detection by competitive protein binding (358) 154
Maguire, R.J., Hijazi, N.H. and Laidler, K.J.
Transient-phase kinetics of α-chymotrypsin and other enzyme systems (341) 1
Maher, V.M., see McCormick, J.J. (349) 145
Maher, V.M., see Rimai, L. (361) 155
Main, P., see Suck, D. (361) 257
Maina, G.
Reserpine as an uncoupling agent (333) 481
Maio, J.J. and Kurnit, D.M.
Transcription of mammalian satellite DNAs by homologous DNA-dependent RNA polymerases (349) 305
Maïsterrena, B., Comte, J. and Gautheron, D.C.
Purification of pig heart mitochondrial membranes. Enzymatic and morphological characterization as compared to microsomes (367) 115
Majumdar, A.P.N. and Greenfield, S.
Evidence of defective protein synthesis in liver in rats with congential hyperbilirubinemia (Gunn) (335) 260
Mak, I., see Mak, S. (340) 117
Mak, S. and Mak, I.
Viral DNA synthesis in cells infected with ultraviolet-irradiated human adenovirus Type 2 (340) 117
Mak, T.W., see McCulloch, E.A. (355) 260
Makita, A., see Ishibashi, T. (337) 92
Makiuchi, M., see Sato, S. (332) 166
Malaisse, W.J., Pipeleers, D.G. and Levy, J.
Stimulus-secretion coupling of glucose-induced insulin release. XVI. A glucose-like and calciumindependent effect of cyclic AMP (362) 121
Malathi, P., see Ramaswamy, K. (345) 39
Malcolm, S., see Rickwood, D. (353) 353
Malins, D.C., see Varanasi, U. (348) 55
Malkin, R., see Knaff, D.B. (347) 395
Malkin, S. and Siderer, Y.
Effect of salt concentration on the fluorescence parameters of isolated chloroplasts (368) 422
Maltempo, M.M., Moss, T.H. and Cusanovich, M.A.
Magnetic studies on the changes in the iron environment in Chromatium ferricytochrome c′ (342) 290
Malur, J., see Grosse, R. (359) 33
Mamet-Bratley, M.D.
Transcription in vitro from DNA template containing apurinic sites (340) 237
Manabe, T., see Aoshima, H. (341) 497
Manchester, K.L., see Wimhurst, J.M. (372) 72
Mandel, A.D., see Satyanarayana, T. (341) 396
Mandel, P., see Aunis, D. (365) 259
Mandel, P., see Neskovic, N.M. (334) 309
Mandel, P., see Niedergang, C. (358) 91
Manganiello, V.C. and Breslow, J.
Effects of prostaglandin E_1 and isoproterenol on cyclic AMP content of human fibroblasts modified by time and cell density in subculture (362) 509
Mankowski, T., see Jankowski, W. (337) 153
Mannik, M., see Stage, D.E. (343) 382
Manor, P.C., Saenger, W., Davies, D.B., Jankowski, K. and Rabczenko, A.
Conformation of nucleosides. The comparison of an X-ray diffraction and proton NMR study of 5′,2-0-cyclo,2′,3′-0-isopropylidene uridine (340) 472
Manor, P.C., see Cramer, F. (349) 351
Mansour, T.E., see Gentleman, S. (343) 469
Manzoli, F.A., Muchmore, J.H., Bonora, B., Capitani, S. and Bartoli, S.
Lipid–DNA interactions. II. Phospholipids, cholesterol, glycerophosphorylcholine, sphinogosine and fatty acids (340) 1
Mao, S.J.T., see Hoff, H.F. (351) 407
Maragoudakis, M.E., Hankin, H. and Kalinsky, H.
Adaptive response of hepatic acetyl CoA carboxylase to dietary alterations in genetically obese mice and their lean controls (343) 590

Marčelja, S.
Chain ordering in liquid crystals. II. Structure of bilayer membranes (367) 165
Marchalonis, J.J., Atwell, J.L. and Haustein, D.
Molecular properties of isolated surface immunoglobulins of human chronic lymphocytic leukemia cells (351) 99
Marchis-Mouren, G., see Pommier, G. (350) 71
Marciani, D.J. and Tolbert, B.M.
Structural damage in δ-irradiated lysozyme (351) 387
Marciani, S., see Dall'Acqua, F. (353) 267
Mårdh, S. and Zetterqvist, Ö.
Phosphorylation and dephosphorylation reactions of bovine brain (Na^+, K^+)-stimulated ATP phosphohydrolase studied by a rapid-mixing technique (350) 473
Marfey, P. and Chessin, H.
Cholesterol. Complexes with metallic salts (337) 136
Marfey, P., see Tung, F. (335) 318
Marik, T., Entlicher, G. and Kocourek, J.
Studies on phytohemagglutinins. XVI. Subunit structure of the pea isophytohemagglutinins (336) 53
Marinetti, G.V., see Kirkpatrick, F.H. (345) 154
Mariuzzi, G.M., see Alberti, R. (342) 1
Marjanen, L.A. and Ryrie, I.J.
Molecular weight determinations of hydrophilic proteins by cationic detergent electrophoresis application to membrane proteins (371) 442
Markey, S.P., see Vulliet, P. (348) 299
Markiewicz, L., see Weinstock, I.M. (374) 197
Marklund, S., Ohlsson, P.-I., Opara, A. and Paul, K.-G.
Substrate profiles of the acidic and slightly basic horseradish peroxidases (350) 304
Markossian, K.A., Aikazyan, V.Ts. and Nalbandyan, R.M.
Two copper-containing proteins from cucumber (Cucumis sativus) (359) 47
Markovetz, A.J., see Britton, L.N. (369) 45
Marks, F. and Raab, I.
Second messenger system of mouse epidermis. IV. Cyclic AMP-phosphodiesterase and cyclic GMP-phosphodiesterase (334) 368
Maroudas, A. and Evans, H.
Sulphate diffusion and incorporation into human articular cartilage (338) 265
Marquardt, M.D., see Gordon, J.A. (332) 136
Marsden, K.H., see O'Sullivan, W.J. (370) 153
Marsh, D.
Interaction spin label study of lateral expansion in depalmitoyllecithin – cholesterol bilayers (363) 373
Marshall, B.J., see Ratledge, C. (372) 39
Marshall, W.E. and Omachi, A.
Measured and calculated NAD^+/NADH ratios in human erythrocytes (354) 1
Marsheck, W.J. and Miyano, M.
Microbiological transformation of prostaglandins. II. Stereospecific reduction of a (±) $\Delta^{8(12)}$-15-dehydroprostaglandin (348) 263
Marsho, T.V. and Kok, B.
Photosynthetic regulation by cations in spinach chloroplasts (333) 353
Marston, S. and Tregear, R.T.
Calcium binding and the activation of fibrillar insect flight muscle (347) 311
Marth, E.H., see Shih, C.-N. (338) 286
Martin, D.F., see Carper, W.R. (334) 287
Martin, G.R., see Narayanan, A.S. (351) 126
Martin, J.E., see Chatkoff, M.L. (343) 480
Martin, J.F., see Joys, T.M. (351) 301
Martín, R., see Burgos, J. (364) 9
Martín, R., see Díez, V. (350) 253
Martinek, K., see Berezin, I.V. (364) 193
Martinez, A.M., see Smith, D.A. (353) 475
Martinez-Medellin, J., see Schulman, H.M. (343) 529
Maruo, B., see Matsuzaki, H. (365) 235
Maruo, B., see Matsuzaki, H. (365) 248
Marushige, K., see Marushige, Y. (340) 498
Marushige, Y. and Marushige, K.
Properties of chromatin isolated from bull spermatozoa (340) 498
Maruyama, K., Kaibara, M. and Fukada, E.
Rheology of F-actin. I. Network of F-actin in solution (371) 20
Maruyama, K., see Abe, S.-I. (342) 160
Maruyama, M., Kaibara, M. and Fukada, E.
Rheology of F-actin. II. Effect of tropomyosin and troponin (371) 30
Marx, G., see Waldman, A.A. (343) 324
Marx-Figini M. and Pion, B.G.
Kinetic investigations on biosynthesis of cellulose by Acetobacter xylinum (338) 382
Marzluf, G.A.
Uptake and efflux of sulfate in Neurospora crassa (339) 374
Marzzoco, A. and Colli, W.
Isolation of nuclei and characterization of nuclear DNA of Acanthamoeba castellanii (374) 292

Mašek, F., see Sedliaková, M. (349) 442
Mashburn, Jr, T.A., Hoffman, P. and Hsu, D.-S.
Effect of cations in equilibrium gradient centrifugation of mucopolysaccharides (362) 366
Mashburn, Jr, T.A., see Hsu, D.-T. (338) 254
Masker, W.E. and Hanawalt, P.C.
Selective inhibition of the semiconservative mode of DNA replication by AraCTP (340) 229
Masker, W.E., see Simon, T.J. (349) 271
Mašková, Ľ., see Sedliaková, M. (349) 442
Mason, K.T., see Fukagawa, Y. (338) 198
Massini, P. and Luscher, E.F.
Some effects of ionophores for divalent cations on blood platelets. Comparison with the effects of thrombin (372) 109
Masson, P.L., see Bluard-Deconinck, J.M. (365) 311
Masters, B., see Fromherz, P. (356) 270
Masters, C.J., see Clarke, F.M. (358) 193
Mastro, A.M., Beer, C.T. and Mueller, G.C.
Iodination of plasma membrane proteins of BHK cells in different growth states (352) 38
Masuda, H. and De Meis, L.
Calcium efflux from sarcoplasmic reticulum vesicles (332) 313
Mathews, M.B. and Osborn, M.
Rate of Polypeptide chain elongation in a cell-free system from Krebs II ascites cells (340) 147
Mathews, R.A. and Wettstein, F.O.
Differences in the subunit exchange between native and runoff single ribosomes (366) 300
Mathis, P. and Vermeglio, A.
Direct evidence for a back-reaction in Photosystem II of spinach chloroplasts following flash-excitation at low temperature (368) 130
Mathis, P., see Vermeglio, A. (368) 9
Matschinsky, F.M., see Pace, C.S. (354) 188
Matsuda, K., see Kobayashi, M. (370) 441
Matsuda, M., see Suda, T. (369) 331
Matsuda, Y.
Studies on chloroplast development in Chlamydomonas reinhardtii. III. Three phases in the greening process of Y-1 cells and the stages of chloroplast ribosomal RNA synthesis (366) 45
Matsunaga, A., see Hachimori, A. (350) 461
Matsunaga, A. and Nosoh, Y.
Conformational change with temperature and thermostability of glutamine synthetase from Bacillus stearothermophilus (365) 208
Matsutera, E., see Hayashi, K. (342) 185
Matsuzaki, H., Yamane, K. and Maruo, B.
Hybrid α-amylases produced by transformants of Bacillus subtilis. II. Immunological and chemical properties of α-amylases produced by the parental strains and the transformants (365) 248
Matsuzaki, H., Yamane, K., Yamaguchi, K., Nagata, Y. and Maruo, B.
Hybrid α-amylases produced by transformants of Bacillus subtilis. I. Purification and characterization of extracellular α-amylases produced by the parental strains and transformants (365) 235
Matthews, H.R., see Bradbury, E.M. (335) 19
Matthews, K.S.
Ultraviolet difference spectra of the lactose repressor protein. II. Trypsin core protein (359) 334
Matuo, Y., see Tosa, T. (334) 1
Matuo, Y., Tosa, T. and Chibata, I.
Purification of coenzyme A by affinity chromatography (338) 520
Matus, A.I., see Jones, D.H. (356) 276
Maudinas, D., Herber, R. and Villoutreix, J.
Occurrence of trans-phytoene in microorganisms grown in the absence of carotenogenesis inhibitors (348) 357
Maudsley, D.V., see Haksar, A. (362) 356
Maume, B.F., see Prost, M. (360) 230
Mauzerall, D.C., see McElroy, J.D. (333) 261
Mavrides, C. and Orr, W.
Multiple forms of plurispecific aromatic. 2-oxoglutarate (oxaloacetate) aminotransferase (transaminase A) in Escherichia coli and selective repression by L-tyrosine (336) 70
Mawe, R.C., see Zipper, H. (356) 207
Maxwell, J.R., see Cox, R.E. (360) 166
Mayberry, W.R., see Mayberry-Carson, K.J. (360) 217
Mayberry-Carson, K.J., Langworthy, T.A., Mayberry, W.R. and Smith, P.F.
New class of lipopolysaccharide from Thermoplasma acidophilum (360) 217
Mayer, L.A., see Shearer, R.W. (335) 437
Mayer, M., Ochieng, N., Khassis, S. and Shafrir, E.
Effect of aminonucleoside on the activity of pancreatic proteases (338) 447
Mayhew, E., see Papahadjopoulos, D. (363) 404
Mazeron, P., see Linden, G. (358) 82

Mazrimas, J.A., see Gill, J.E. (335) 330
Mazza, G., see Henry, Y. (371) 14
Mead, R., see Dewan, R.K. (342) 313
Mechanic, G., see Jackson, D.S. (336) 100
Mechanic, G., see Jackson, D.S. (336) 228
Mego, J.L. and Farb, R.M.
Alcohol dehydrogenases of Euglena gracilis, strain Z (350) 237
Mehard, C.W., see Packer, L. (363) 159
Meijer, A.J. and van Dam, K.
Metabolic significance of anion transport in mitochondria (346) 213
Meijer, A.J. and Williamson, J.R.
Transfer of reducing equivalents across the mitochondrial membrane. 1. Hydrogen transfer mechanisms involved in the reduction of pyruvate to lactate in isolated liver cells (333) 1
Meiske, W., see Grosse, R. (359) 33
Meissner, G., see Packer, L. (363) 159
Meistrich, M.L., see Letts, P.J. (343) 192
Melnick, R.L., see Tinberg, H.M. (345) 118
Meltzer, V.N., see Smith, D.W.E. (349) 366
Mely, B. and Claverie, P.
Theoretical contribution to the mechanism of hydrolysis of the nucleosides (353) 28
Menard, D., see Preiser, H. (363) 279
Menard, J., see Devaux, C. (359) 421
Menashi, S., see Finch, A. (365) 400
Mendelson, N.H., see Reeve, J.N. (352) 298
Mendicino, J. and Abou-Issa, H.
Conversion of UDP-D-glucuronic acid to UDP-D-apiose and UDP-D-xylose by an enzyme isolated from Lemna minor (364) 159
Mennecier, F. and Dreyfus, J.-C.
Molecular aging of fructose-biphosphate aldolase in tissues of rabbit and man (364) 320
Menninger, J.R., Deery, S., Draper, D. and Walker, C.
Metabolic role of peptidyl-tRNA hydrolase. II. Peptidyl-tRNA hydrolase activity on washed rat liver ribosomes (335) 185
Menon, I.A., see Gan, E.V. (370) 62
Mercanti, D., see Levi, A. (365) 450
Mercuri, O., Peluffo, R.O. and De Tomas, M.E.
Effects on different diets on the Δ^9-desaturase activity of normal and diabetic rats (369) 264
Mersmann, G., von Figura, K. and Buddecke, E.
Physical properties and biological activities of two forms of α-N-acetylglucosaminidase from bovine spleen (364) 88
Messer, H.H., see Ma, S.W.Y. (345) 243
Messer, H.H., see Shami, Y. (339) 323
Mester, S., see Newmark, P. (343) 627
Metzger, J.F., see Spero, L. (336) 79
Metzger, J.F., see Warren, J.R. (359) 351
Metzger, J.F., see Warren, J.R. (365) 434
Metzger, R.P., see Bryant, M.L. (343) 226
Mével-Ninio, M. and Yamamoto, T.
Conversion of active transport vesicles of Escherichia coli into oxidative phosphorylation vesicles (357) 63
Mezincesco, M.D. et Ghetie, S.
La fonction métabolique de la butyrylcholinestérase (350) 54
Michaelis, E.K., Michaelis, M.L. and Boyarsky, L.L.
High-affinity glutamic acid binding to brain synaptic membranes (367) 338
Michaelis, M.L., see Michaelis, E.K. (367) 338
Michaljaničová, D., see Kotyk, A. (332) 104
Michalowski, J.B., see Linden, G. (358) 82
Michejda, J.M., see Launay, A.N. (347) 60
Michel, A. and Dirkx, J.
Fluorescence studies of nucleotides binding on diphtheria toxin (365) 15
Michel, I.M., see Weinryb, I. (334) 218
Michelangeli, F., see Durbin, R.P. (367) 177
Middelbeek, E.J., see Van der Neut-Kok, E.C.M. (332) 97
Midgley, J.E.M.
Imbalance in ribosomal protein and ribonucleic acid synthesis in amino acid starved rel^+ and rel^- mutants of Escherichia coli (335) 349
Mieszala, J.R., see Penney, D.G. (334) 24
Mikkelsen, R.B. and Wallach, D.F.H.
High affinity calcium binding sites on erythrocyte membrane proteins. Use of lanthanides as fluorescent probes (363) 211
Mild, K.H. and Løvtrup, S.
Diffusion and permeation of water in the frog egg. I. The effect of temperature (373) 383
Milin, B.S., see Roy, A.K. (354) 213
Millar, D.B.
Quaternary structure of lactate dehydrogenase. II. The mechanisms, kinetics and thermodynamics of dissociation, denaturation and hybridization in ethylene glycol (359) 152
Millay, R.H., see Houston, L.L. (370) 216
Miller, B., see Newman, E.B. (338) 529
Miller, C.
Nonelectrolyte distribution in mouse dia-

phragm muscle. I. The pattern of nonelectrolyte distribution and reversal of the insulin effect (339) 71
Miller, C.
Nonelectrolyte distribution in mouse diaphragm muscle. II. Cell volume, D-xylose distribution, and the effect of insulin in hypertonic solutions (339) 85
Miller, I.R., see Bach, D. (339) 367
Miller, I.R., see Inbar, L. (364) 146
Miller, M.J. and McMahon, D.
Synthesis and maturation of choroplast and cytoplasmic ribosomal RNA in Chlamydomonas reinhardtii (366) 35
Miller, N., see Nicholls, P. (356) 184
Miller, O.V., see Robert, A. (348) 269
Miller, R.E.
Glutamate synthase from Escherichia coli – an iron–sulfur flavoprotein. Separation and analysis of nonidentical subunits (364) 243
Miller, R.L., see Spector, T. (370) 585
Miller, T.L. and Buhler, D.R.
Effect of hexachlorophene on monovalent cation transport in human erythrocytes. A mechanism for hexachlorophene-induced hemolysis (352) 86
Miller, W.L., Brenner, D.J. and Doctor, B.P.
Enrichment of tRNA cistrons from E. coli using antibody affinity chromatography (366) 188
Miller-Faures, A., see Rommelaere, J. (340) 388
Minton, G.A., see Wilson, R.H. (333) 22
Miras-Portugal, M.-T., see Aunis, D. (365) 259
Miron, T., see Jost, R. (362) 75
Mirsky, R., Barlow, V. and Berman, P.
Antibodies to purified membrane-bound ATPase from Bacillus megaterium KM and their reaction with protoplasts and cytoplasmic membranes (345) 55
Mishra, N.K. and di Mayorca, G.
In vitro malignant transformation of cells by chemical carcinogens (355) 205
Mispelter, J., see Lexa, D. (338) 151
Misra, D.N., Gill, T.J. and Estes, L.W.
Lymphocyte plasma membranes. II. Cytochemical localization of 5′-nucleotidase in rat lymphocyte (352) 455
Misra, D.N., see Ladoulis, C.T. (356) 27
Mitchelen, J.J., see Shapiro, D.J. (370) 369
Mitchell, A.R.
Properties of the homogeneous main band DNA from the human genome (374) 12
Mitchell, E.D., see Houston, C.W. (370) 276
Mitchell, L.W., see Urry, D.W. (371)
Mitra, S., see Das Gupta, R. (374) 145
Mitsui, T., see Yamaguchi, T. (372) 450
Mitsunaga, M., see Shima, S. (341) 56
Miyagi, T. and Tsuiki, S.
Comparison of the properties of glucosaminephosphate isomerase (glutamine-forming) from rat liver and a hepatoma (358) 144
Miyake, M., see Kamo, N. (367) 1
Miyake, M., see Kamo, N. (367) 11
Miyamoto, E., see Narumi, S. (350) 215
Miyano, M., see Marsheck, W.J. (348) 263
Miyatake, T. and Suzuki, K.
Glycosphingolipid β-galactosidases in rat brain: Properties and the standard assay procedures of the enzymes in whole homogenate (337) 333
Miyazaki, T., see Yamada, H. (343) 371
Miyazaki, T., see Yamada, H. (362) 167
Miyazawa, S., see Sakurai, T. (360) 275
Miyazawa, T., see Nakamura, K. (332) 329
Miyoshi, T., Sato, H. and Harada, T.
Purification and characterization of 2-alkyne-1-ol dehydrogenase induced by 2-butyne-1,4-diol in Fusarum merismoides B11 (358) 231
Mizuno, T. and Mizushima, S.
Characterization of stuck-ribosomes induced by neomycin in vivo and in vitro (353) 69
Mizushima, S., see Mizuno, T. (353) 69
Mizushima, S., see Nakamura, K. (332) 329
Mizushima, S., see Tokuda, H. (340) 183
Mizushima, S., see Tokuda, H. (374) 417
Mizutani, A., Inoue H. and Takeda, Y.
Changes in polyamine metabolism during wound healing in rat skin (338) 183
Mochan, B.S., Mochan, E. and de la Haba, G.
Nature of 5-bromodeoxyuridine inhibition of muscle enzyme development in vitro (335) 408
Mochan, E., see Mochan, B.S. (335) 408
Mohri, T., Kitagawa, H. and Riggs, T.R.
Action of insulin on amino acid uptake by the immature rat uterus in vitro (363) 249
Moiseeva, T.F., see Sabelnikov, A.G. (374) 304
Mokady, S. and Tal, M.
Isolation and partial characterization of retinol binding protein from chicken plasma (336) 361
Mol, J.N.M., Borst, P., Grosveld, F.G. and Spencer, J.H.
Size of the repeating unit of the repetitive mitochondrial DNA from a "Low-density" petite mutant of yeast (374) 115

Molgaard, H.V., see Bradbury, E.M. (335) 19
Møller, J.V., see Kragh-Hansen, U. (336) 30
Møller, J.V., see Kragh-Hansen, U. (365) 360
Møller, J.V., see Lind, K.E. (371) 451
Molodtsov, N.V. and Vafina, M.G.
Glycosidase with unusual specifications. IV. A hydrolase that splits p-nitrophenyl-2-deoxy-2-glycylamido-β-D-glucopyranoside. Properties of the purified enzyme (364) 296
Momentau, M. and Loock, B.
Physical chemistry of hemes and hemopeptides. III. Synthesis and physicochemical properties of cytochrome c-related heme–pentapeptide soluble in organic solvents (343) 535
Momenteau, M., see Lexa, D. (338) 151
Monaco, F., see D'Armiento, M. (372) 176
Monastyrskaya, G.S., see Sverdlov, E.D. (340) 153
Monckton, R.P. and Noara, H.
Rat liver double-stranded RNA from nuclei and whole cells. Isolation, purification and characterization (335) 139
Mondovi, B., see Morpurgo, L. (336) 324
Mongeon, R.L., see Case, S.T. (349) 1
Monsigny, M., see Roche, A.-C. (371) 242
Monstein, H.-J., see Hofstetter, H. (374) 238
Monstein, H.J., see Kamen, R.I. (366) 292
Montoya, A., see Nester, E.W. (361) 59
Moore, L., Fitzpatrick, D.F., Chen, T.S. and Landon, E.J.
Calcium pump activity of the renal plasma membrane and renal microsomes (345) 405
Moore, P.B., see Schenkman, M.I. (353) 503
Moori, K., see Amemura, A. (334) 398
Morawietz, R., see Vormbrock, R. (340) 348
Moreau, F., DuPont, J. and Lance, C.
Phospholipid and fatty acid composition of outer and inner membranes of plant mitochondria (345) 294
Morelis, R., Broquet, P. and Louisot, P.
Glycoprotein biosynthesis in liver mitochondria. II. Mitochondrial localization of mannosyltransferase (373) 10
Morgan, E.H. and Baker, E.
Interaction between transferrin and rabbit reticulocyte ghosts (363) 240
Morgan, E.H., see Hemmaplardh, D. (373) 84
Morgan, N.H., see Morgan, R.S. (371) 238
Morgan, R.G.H., see Brand, S.J. (369) 1
Morgan, R.S., Ward, W.T. and Morgan, N.H.
Tryptophan content and fluorescence of cysts of Entamoeba invadens (371) 238
Mori, M., Suzuki, K. and Tamaoki, B.
Testosterone metabolism in rooster comb (337) 118
Morishima, I.
Cyclic nucleotide phosphodiesterase in silkworm. Purification and properties (370) 227
Morishima, I., see Iizuka, T. (371) 1
Morkin, E., see Katagiri, T. (342) 262
Morley, C.G.D.
Regulation of cell growth. II. Some characteristics of a fetal calf serum factor (FF_2) stimulating ornithine decarboxylase in mouse liver (362) 480
Moroi, M. and Yamasaki, M.
Mechanism of interaction of bovine trypsin with human α_1-antitrypsin (359) 130
Morpurgo, L., Rotilio, G., Finazzi Agrò, A. and Mondovi, B.
Anion binding to Rhus vernicifera laccase (336) 324
Morr, C.V., see Dewan, R.K. (342) 313
Morris, H.P., see Carlotti, R.J. (341) 357
Morris, H.P., see Jacob, S.T. (361) 312
Morris, H.P., see Randerath, E. (366) 159
Morris, S.J., see Edwards, W. (356) 164
Morrison, J.F., see Ellis, K.J. (362) 201
Morrison, M., see Singer, J.A. (343) 598
Mortenson, L.E., see Chen, J.-S. (371) 283
Mortimore, G.E., see Neely, A.C. (338) 458
Mosbach, E.H., see Cohen, B.I. (369) 79
Mosbach, K. and Danielsson, B.
Enzyme thermistor (364) 140
Mosbach, K., see Andersson, L. (364) 1
Mosbach, K., see Davies, P. (370) 329
Mosbach, K., see Johansson, A.C. (370) 339
Mosbach, K., see Johansson, A.C. (370) 348
Moser, S., see Zwaal, R.F.A. (373) 416
Moses, V., see Gamper, H. (354) 75
Moskowitz, M., see Voyles, B.A. (351) 178
Moss, B.A.
Electrophoresis of avian erythroid histones (359) 205
Moss, B.A. and Hamilton, E.A.
Chicken definitive erythrocyte haemoglobins (371) 379
Moss, D.E., see Moss, D.R. (350) 95
Moss, D.R., Moss, D.E. and Fahrney, D.
Puromycin as an inhibitor of acetylcholinesterase (350) 95
Moss, T.H. and Vänngård, T.
Magnetic susceptibility of lacquer tree laccase (371) 39
Moss, T.H., see Maltempo, M.M. (342) 290
Motoyama, E.K., see Rooney, S.A. (360) 56

Moulki, H. and Bonaly, R.
Etude des parois de levures du genre Rhodotorula. IV. Variation de la teneur en chitine (338) 120
Moustacchi, E., see Waters, R. (353) 407
Moustacchi, E., see Waters, R. (366) 241
Mowbray, J. and Last, K.S.
Evidence against the incorporation into protein of amino acids directly from the membrane transport system in rat heart (349) 114
Moya, I.
Durée de vie et rendement de fluorescence de la chlorophylle in vivo. Leur relation dans différents modelès d'unités photosynthétiques (368) 214
Mozes, N., see Heller, M. (369) 397
Muchmore, J.H., see Manzoli, F.A. (340) 1
Mueller, G.C., see Mastro, A.M. (352) 38
Muijsers, A.O., Van Buuren, K.J.H. and Van Gelder, B.F.
Biochemical and biophysical studies on cytochrome c oxidase. XV. Reaction with fluoride (333) 430
Mukai, K., Huang, J.J. and Kimura, T.
Studies on adrenal steroid hydroxylases. Chemical and enzymatic properties of selenium derivatives of adrenal iron–sulfur protein (336) 427
Mukherjee, K.L., see Guha, S.K. (372) 285
Müller, P.K. and Jamhawi, O.
Biosynthesis of a precursor of cartilage collagen by embryonic chicken sterna in the presence of α, α′-dipyridyl (365) 158
Müller, W.E.G., Totsuka, A. and Zahn, R.K.
Association of an estradiol receptor with the DNA-dependent RNA polymerase I from immature quail oviduct (366) 224
Müllertz, S., see Christensen, U. (334) 187
Municio, A.M., Odriozola, J.M., Pérez-Albarsanz, M.A. and Ramos, J.A.
In vitro and in vivo fate of saturated and unsaturated fatty acids during development of insects (360) 289
Munoz, D., see Niedergang, C. (358) 91
Muñoz, E., see Larraga, V. (363) 9
Muñoz, E., see Larraga, V. (363) 26
Munro, H.N., see Haverberg, L.N. (371) 226
Munro, H.N., see Hubert, C. (374) 359
Munsche, D. and Wollgiehn, R.
Altersabhängige Labilität der ribosomalen RNA aus chloroplasten von Nicotiana rustica (340) 437
Murad, F. and Kimura, H.
Cyclic nucleotide levels in incubations of guinea pig trachea (343) 275
Murad, F., see Kimura, H. (343) 519
Murakami, S., see Taketomi, T. (369) 315
Murakami, Y. and Nishimura, J.S.
Porcine heart succinic thiokinase. Reactivity of sulfhydryl groups, cross-linking and immunochemical properties of the enzyme (336) 252
Murata, N., see Itoh, S. (333) 525
Muratsugu, M., see Ueda, T. (373) 286
Mürer, E.H., Day, H.J. and Lieberman, J.E.
Release from washed platelets induced by Sr^{2+} and Ca^{2+}. Indications for two different mechanisms of action (362) 53
Mürer, E.H., Day, H.J. and Lieberman, J.E.
Metabolic aspects of the secretion of stored compounds from blood platelets. III. Effect of NaF on washed platelets (362) 266
Murer, H., Hopfer, U., Kinne-Saffran, E. and Kinne, R.
Glucose transport in isolated brush border and lateral–basal plasma membrane vesicles from intestinal epithelial cells (345) 170
Murofushi, H.
Protein kinase in the sea urchin egg cortices. Its purification and characterization and some properties of an endogenous protein kinase in the cortices (364) 260
Murofushi, H.
Protein kinases in Tetrahymena cilia. II. Partial purification and characterization of adenosine 3′, 5′-monophosphate-dependent and guanosine 3′,5′-monophosphate-dependent protein kinases (370) 130
Murphree, S.A., see Hwang, K.M. (366) 143
Murray, A.W., see Kemp, B.E. (370) 325
Murray, B.K., Benyesh-Melnick, M. and Biswal, N.
Early and late viral-specific polyribosomal RNA in Herpes virus-1 and -2-infected rabbit kidney cells (361) 209
Murrell, W.G., see Baillie, E. (372) 23
Murtaugh, P.A., Halver, J.E., Lewis, M.S. and Gladner, J.A.
Cross-linking reactions of lamprey fibrinogen and fibrin (359) 415
Murthy, V.V. and Woods, J.S.
Solubilization and partial purification of mitochondrial δ-aminolevulinate synthase from fetal rat liver (350) 240
Murty, C.N. and Sidransky, H.
Studies on the metabolism of ribosomal RNA and proteins of free and membrane-bound polyribosomes of rat liver (335) 226

Musch, K., Ojakian, M.A. and Williams, M.A. Comparison of α-linolenate and oleate in lowering activity of lipogenic enzymes in rat liver. Evidence for a greater effect of dietary linolenate independent of food and carbohydrate intake (337) 343
Musílek, V., see Šubík, J. (343) 363
Muszbek, L., see Laki, K. (371) 519
Myers, C.D., see Bunting, J.W. (341) 222
Myers, J., see Wang, R.T. (347) 134
Myrin, P.A. and Hofsten, B.V. Purification and metal-ion activation of an aminopeptidase (aminopeptidase II) from Bacillus steatothermophilus (350) 13

N

Nader, H.B., see Dietrich, C.P. (343) 34
Naftalin, R.J. and Holman, G.D.
Role of Na as a determinant of the asymmetric permeability of rabbit ileal brush-border to D-galactose (373) 453
Naftalin, R.J., Seeman, P., Simmons, N.L. and Symons, M.C.R.
Sugar-dependent increase in red cell stability (352) 146
Naftalin, R.J. and Symons, M.C.R.
Mechanism of sugar-dependent stabilisation of gelatin gels (352) 173
Nagasawa, S., see Kobayashi, S. (342) 372
Nagata, Y., see Matsuzaki, H. (365) 235
Nagatani, H.H. and Brill, W.J.
Nitrogenase V. The effect of Mo, W and V on the synthesis of nitrogenase components in Azotobacter vinelandii (362) 160
Nagatsu, T., see Nakano, G. (341) 366
Nagradova, N.K. and Grozdova, I.D.
Comparative immunochemical studies on Glyceraldehydephosphate dehydrogenase isolated from rabbit and rat skeletal muscle (342) 105
Nagy, M., Reichert, U. and Ribet, A.M.
Regulation of purine metabolism in Schizosaccharomyces pombe. IV. Variations in the stability and kinetic parameters of amidophoribosyltransferase depending on growth phase and growth conditions (370) 85
Nahas, N., see Kunze, H. (348) 35
Naider, F., see Goldman, R. (338) 224
Naik, M.S., see Kadam, S.S. (350) 162
Naito, J., see Ishiguro, I. (365) 148
Nakai, S. and Kason, C.M.
Fluorescence study of the interactions between K- and α_{s1} - casein and between lysozyme and ovalbumin (351) 21
Nakamoto, T., see Koka, M. (335) 264
Nakamura, H., see Yoshinaga, K. (340) 109
Nakamura, K., Ostrovsky, D.N., Miyazawa, T. and Mizushima, S.
Infrared spectra of outer and cytoplasmic membranes of Escherichia coli (332) 329
Nakamura, S., Iwanaga, S. and Suzuki, T.
Structural changes of subunit polypeptides of bovine fibrinogen during proteolysis (336) 86
Nakamura, T., Fujii, M., Kaiho, M. and Kumegawa, M.
Sex difference in glucose-6-phosphate dehydrogenase activity in the submandibular gland of mice (362) 110
Nakamura, W., Hosoda, S. and Hayashi, K.
Purification and properties of rat liver glutathione peroxidase (358) 251
Nakanishi, Y., see Sobue, M. (343) 269
Nakano, G., Harada, M. and Nagatsu, T.
Purification and properties of an amine oxidase in bovine dental pulp and its comparison with serum amine oxidase (341) 366
Nakano, M., see Noguchi, T. (368) 446
Nakao, M., see Kwai, K. (369) 222
Nakao, T., see Shima, S. (341) 56
Nalbandyan, R.M., see Markossian, K.A. (359) 47
Nambudiri, A.M.D., Vance, C.P. and Towers, G.H.N.
Styrylpyrone biosynthesis in Polyporus hispidus. II. Enzymic hydroxylation of p-coumaric acid and bis-noryangonin (343) 148
Nambudiri, A.M.D., see Vance, C.P. (343) 138
Nanba, I., see Taniguchi, N. (354) 130
Nanet, H., see Noir, B.A. (372) 230
Nantel, G., see Audet, A. (348) 334
Naora, H., see Monckton, R.P. (335) 139
Naora, H., see Whitelam, J.M. (349) 178
Narasinga Rao, M.S., see Pandit, M.W. (371) 211
Narayanan, A.S., Page, R.C. and Martin, G.R.
Preparation of tropoelastin from embryonic chick aorta (351) 126
Narumi, S. and Miyamoto, E.
Activation and phosphorylation of carbonic anhydrase by adenosine 3′,5′-monophosphate-dependent protein kinases (350) 215
Nass, M.M.K., Schori, L., Ben-Shaul, Y. and Edelman, M.
Size and configuration of mitochondrial DNA in Euglena gracilis (374) 283
Nath, J. and Rebhun, L.I.
Studies on cyclic AMP phosphodiesterase in sea urchin eggs (370) 498
Nathans, A.H., see Kitabchi, A.E. (348) 415

Nathenson, S.G. and Cullen, S.E.
Biochemical properties and immunochemical–genetic relationships of mouse H-2 alloantigens (344) 1
Navarová, J., see Horáková, K. (366) 333
Navon, G., see Lanir, A. (341) 65
Navon, G., see Lanir, A. (341) 75
Navon, G., see Shinar, H. (334) 471
Neece, S.H., see Shoaf, W.T. (334) 448
Neely, A.C., Nelson, P.B. and Mortimore, G.E.
Osmotic alterations of the lysosomal system during rat liver perfusion. Reversible suppression by insulin and amino acids (338) 458
Neet, K.E., see Reitzer, L.J. (341) 201
Neher, E.
Asymmetric membranes resulting from fusion of two black lipid bilayers (373) 327
Neidle, S. and Rogers, D.
Structure of 1-(16-hydroxy-phenoxy-methyl)-3,4-dihydroisoquinoline hydrochloride monohydrate, a topical anti-viral agent (338) 601
Nelson, B.D. and Gellerfors, P.
Redox properties of the cytochromes of purified Complex III (357) 358
Nelson, D.R., see Hipps, P.P. (341) 421
Nelson, P.B., see Neely, A.C. (338) 458
Nelson, T.E., see White, R.C. (365) 274
Neogy, R.K., Chowdhury, K. and Kerr, I.
Nitrocellulose filter retention method for studying drug–nucleic acid interactions (374) 96
Nepute, J., see Eisen, A.Z. (350) 442
Nervi, F.O. and Dietschy, J.M.
Failure of adrenalcorticosteroids to influence the major mechanisms of hepatic chelesterogenesis (369) 351
Neskovic, N.M., Sarlieve, L.L. and Mandel, P.
Purification and properties of UDPgalactose: Ceramide galactosyltransferase from rat brain microsomes (334) 309
Nester, E.W., Dale, B., Montoya, A. and Vold, B.
Cross pathway regulation of tyrosine and histidine synthesis in Bacillus subtilis. Biochemical, genetic and transfer RNA studies (361) 59
Neubort, S. and Bases, R.
RNA–DNA covalent complexes in HeLa cells (340) 31
Neumann, S., Falkenberg, F. and Pfleiderer, G.
Purification and immunological characterization of the human hexokinase isoenzymes I and III (ATP-D-hexose 6-phosphotransferase EC 2.7.1.1) (334) 328
Neumann, S. and Pfleiderer, G.
Immunological specificity of the isoenzymes I and III of human hexokinase (ATP-D-hexose 6-phosphotransferase EC 2.7.1.1): Estimation of isoenzyme pattern by quantitative immunotechniques (334) 343
Neuzil, E., see Tetaert, D. (351) 317
Nevaldine, B.H., Bassel, A.R. and Hsu, R.Y.
Mechanism of pigeon liver malic enzyme subunit structure (336) 283
Nevaldine, B.H. and Levy, H.R.
Effects of ^2H_2O on mammary glucose-6-phosphate dehydrogenase (358) 44
Neves, A.G.A., see Almeida, A.P. (371) 140
Newburgh, R.W., see Tsuzuki, J. (354) 101
Newman, E.B., Miller, B. and Kapoor, V.
Biosynthesis of single-carbon units in E.coli K12 (338) 529
Newmark, P. and Mester, S.
Effect of pH on vitamin B_{12}-binding by transcobalamins (343) 627
Nezamis, J.E., see Robert, A. (348) 269
Nicholas, D.J.D., see Herrera, J. (368) 54
Nicholls, D.M., see Innanen, V.T. (361) 221
Nicholls, P.
Cytochrome c binding to enzymes and membranes (346) 261
Nicholls, P. and Miller, N.
Chloride diffusion from liposomes (356) 184
Nicholls, P. and Petersen, L.Chr.
Haem–haem interactions in cytochrome aa_3 during the anaerobic–aerobic transition (357) 462
Nicholls, P., West, J. and Bangham, A.D.
Chlorophyll b-containing liposomes. Effect of thermal transitions on catalytic and spectral properties (363) 190
Nichols, A.V., see Forte, T. (337) 169
Nickel, A., see Durbin, R.P. (367) 177
Nicoloso, M., see Amalric, F. (335) 69
Nicolson, G.L., see Pinto da Silva, P. (363) 311
Nicolson, J., see Barber, J. (357)
Niedergang, C., Okazaki, H., Ittel, M.E., Munoz, D., Petek, F. and Mandel, P.
Ribonucleases of beef brain nuclei. Purification and characterization of an alkaline RNAase (358) 91
Nielsen, O.F., see Kahn, A. (333) 409
Nierlich, D.P., see Davis, A.R. (374) 23
Nieto, M., see Larraga, V. (363) 26

Nieuwenhuis, F.J.R.M., Van der Drift, J.A.M., Voet, A.B. and Van Dam, K.
Evidence for a naturally occurring ATPase in Escherichia coli (368) 461
Nijhuis, H. and Payens, T.A.J.
Electrophoresis of interacting proteins. II. A simple method of simulation (336) 213
Nijjar, M.S. and Hawthorne, J.N.
Plasma membrane fraction from bovine adrenal medulla. Preparation, marker enzyme studies and phospholipid composition (367) 190
Nilsson, A., see Sundler, R. (337) 248
Ninjoor, V., Taylor, S.L. and Tappel, A.L.
Purification and characterization of rat liver lysosomal cathepsin B2 (370) 308
Ninno, R.E., de Törrengo, M.A.P., Castuma, J.C. and Brenner, R.R.
Specificity of 5- and 6- fatty acid desaturases in rat and fish (360) 124
Nishikaze, O., see Sakamoto, W. (343) 409
Nishikimi, M., see Yagi, K. (341) 256
Nishimura, J.S., see Murakami, Y. (336) 252
Nishimura, M., see Arata, H. (357) 365
Nishimura, M., see Takamiya, K.-I. (368) 339
Nishino, T.
Purification of hepatic xanthine dehydrogenase from chicken fed a high protein diet (341) 93
Nitsche, H.
Neoxanthin and fucoxanthinol in Fucus vesiculosus (338) 572
Nitta, K., see Takase, K. (371) 352
Noguchi, T. and Nakano, M.
Effect of Fe^{2+} on microsomal phospholipid peroxidation and related light emission (368) 446
Noir, B.A. and Nanet, H.
Study of the ethyl anthranilate azo derivatives of bilirubin sulphate. Confirmation of the existence of bilirubin sulphate conjugates in bile (372) 230
Nojima, S., see Doi, O. (369) 64
Nolan, L.D., see Davis, J.E. (334) 442
Nolan, R.D. and Tailleur, P.
Changes in number of N-ethylmaleimide-reacting sulfhydryl groups resulting from ribosomal subunit interactions (374) 52
Noodén, L.D., see Rizzo, P.J. (349) 402
Noodén, L.D., see Rizzo, P.J. (349) 415
Nordlie, R.C., see Colilla, W. (364) 78
Nordstrom, J.L., see Shapiro, D.J. (370) 369
Norén, O., see Sjöström, H. (359) 177
Norling, A. and Hänninen, O.
Activation energy of glucuronide biosynthesis (350) 183
Norne, J.E., see Chiancone, E. (336) 403
Nosoh, Y., see Hachimori, A. (350) 461
Nosoh, Y., see Matsunaga, A. (365) 208
Notton, B.A., Graf, L., Hewitt, E.J. and Povey, R.C.
Role of molybdenum in the synthesis of nitrate reductase in cauliflower (Brassica oleracea L. var. botrytis L.) and spinach (Spinacea oleracea L.) (364) 45
Nowaková, N. and Kocourek, J.
Studies on phytohemagglutinins. XX. Isolation and characterization of hemagglutinins from scarlet runner seeds (Phaseolus coccineus L.) (359) 320
Nozawa, Y., Iida, H., Fukushima, H., Ohki, K. and Ohnishi, S.
Studies on Tetrahymena membranes. Temperature-induced alterations in fatty acid composition of various membrane fractions in Tetrahymena pyriformis and its effect on membrane fluidity as inferred by spin-label study (367) 134
Nozawa, Y., Kitajima, Y., Sekiya, T. and Ito, Y.
Ultrastructural alterations induced by Amphotericin B in the plasma membrane of Epidermophyton floccosum as revealed by freeze-etch electron microscopy (367) 32
Nozu, K. and Tamaoki, B.-I.
Intranuclear and intermicrosomal distributions of 3-OXO-5α-Steroid:NADP+Δ^4-oxidoreductase in rat ventral prostate (348) 321
Nunez, E., see Savu, L. (359) 273
Nunn, W.D., see Cronan, Jr, J.E. (348) 63
Nuret, P., see Cochet-Meilhac, M. (353) 185
Nusgens, B., see Lapière, Ch.M. (342) 237
Nuttall, F.Q., see Gilboe, D.P. (338) 57
Nyessen, J.G., see Van Berkel, J.C. (334) 361

O

Oaks, A.
The regulation of nitrate reductase in suspension of soybean cells (372) 122
Oates, J.A., see Frölich, J.C. (348) 241
Oates, M.D.G., see Schrager, J. (372) 183
O'Bryan, D. and Lowenstein, L.M.
Effect of aging on renal membrane-bound enzyme activities (339) 1
Ochieng, N., see Mayer, M. (338) 447
Ockman, N.
Interaction of amphotericin B with monolayers of egg lecithin and cholesterol: Polarized absorption spectra (345) 263
Ockman, N.
Reflection spectra from monolayers of amphotericin B and amphotericin B - cholesterol spread on water (373) 481
O'Dell, B.L., see Harris, E.D. (341) 332
Odriozola, J.M., see Municio, A.M. (360) 289
Oerlemans, A., see de Kruijff, B. (339) 30
Oerlemans, A., see de Kruijff, B. (339) 44
Ogasawara, N., Goto, H., Watanabe, T., Kawamura, Y. and Yoshino, M.
AMP deaminase from rat brain: Purification and characterization of multiple forms (364) 353
Ogasawara, N., see Watanabe, T. (358) 240
Ogata, K., see Ishikawa, K. (353) 420
Ogston, D., see Crawford, G.P.M. (354) 107
O'Hara, D., see Lefkowitz, R.J. (332) 317
Ohba, Y., see Hayashi, K. (342) 185
Ohino, R., see Oshino, N. (368) 298
Ohisalo, J.J., Hassinen, I.E. and Pispa, J.P.
On the induction of tyrosine aminotransferase in rat liver by α-methyl-p-tyrosine (362) 48
Ohishi, N., see Yagi, K. (341) 256
Ohki, K., see Nozawa, Y. (367) 134
Ohlsson, J.T. and Wilson, I.B.
The inhibition of alkaline phosphatase by periodate and permanganate (350) 48
Ohlsson, P.-I., see Marklund, S. (350) 304
Ohms, J.I., see Kasarda, D.D. (351) 290
Ohnishi, S., see Ito, T. (352) 29
Ohnishi, S., see Nozawa, Y. (367) 134
Ohnishi, T., see Urry, D.W. (371)
Ohno, K., see Abe, M. (369) 361
Ohsaka, A., see Takahashi, T. (351) 155
Ohyashiki, T., see Sekine, T. (351) 205
Ohyashiki, T., Sekine, T., and Kanoaka, Y.
Studies on Ca ion-induced conformation changes in the actin–tropomyosin–troposin system by fluorimetry II. Effect of tropomyosin, troponin and Ca ion on conformation of anilinonaphthylmaleimidelabeled F-actin (351) 214
Ojakian, M.A., see Musch, K. (337) 343
Okamura, M.Y., see Feher, G. (368) 135
Okazaki, H., see Niedergang, C. (358) 91
Okazaki, K., see Yamagata, T. (372) 469
Okazaki, R., see Kanamori, N. (335) 155
Okazaki, R., see Kanamori, N. (335) 173
Okazaki, T., see Araki, T. (351) 427
O'Keefe, E. and Cuatrecasas, P.
Insulin receptors in murine mammary cells: Comparison in pregnant and nonpregnant animals (343) 64
Okker, R.J.H.
The fate of parental DNA of bacteriophage T2 in crosses with bacteriophage T4 (353) 36
Oleinick, N.L., Rustad, R.C. and Kuncio, G.S.
Studies on the radiation-induced dissociation and reassociation of polysomes in Tetrahymena pyriformis (366) 215
Oleson, A.E., Janski, A.M. and Clark, E.T.
Extracellular nuclease from suspension cultures of tobacco (366) 89
Olins, D.E., Sheehan, D.M. (353) 438
Oliver
Olivecrona, T., see Hernell, O. (369) 234
Oliveira, M.M. and Holzhacker, S.
Isolation and characterization of smooth muscle cell membranes (332) 221
Oliveira-Castro, G.M. and Barcinski, M.A.
Calcium-induced uncoupling in communicating human lymphocytes (352) 338
Olson, A.C. and Fraser, M.J.
A 5′-nucleotidase from Neurospora crassa (334) 156
Olsen, K.W., see Eventoff, W. (341) 327
Omachi, A., see Marshall, W.E. (354) 1
Ondarza, R.N., Escamilla, E., Gutiérrez, J. and de la Chica, G.
CoAS–Sglutathione and GSSG reductases from rat liver. Two disulfide oxidoreductase activities in one protein entity (341) 162

Ono, T., see Tomida, M. (338) 352
Opara, A., see Marklund, S. (350) 304
Oplatka, A., see Gadasi, H. (333) 161
Oravec, M. and Sourkes, T.L.
Stimulation of ribosomal and DNA-like RNA synthesis by α-methyltryptophan (366) 56
Ormerod, M.G., see Danpure, H.J. (349) 173
Ormerod, M.G., see Jolley, G.M. (353) 200
Orr, W., see Mavrides, C. (336) 70
Ort, D.R., see Izawa, S. (357) 127
Osbahr, A.J. and Colman, R.W.
Structure-activity relationships of the peptides released from canine fibrinogen by thrombin (336) 273
Osborn, M., see Mathews, M.B. (340) 147
Oshima, G., Geese, A. and Erdös, E.G.
Angiotensin I converting enzyme of the kidney cortex (350) 26
Oshima, G., Kato, J. and Erdös, E.G.
Subunits of human plasma carboxypeptidase N (Kininase I; anaphylatoxin inactivator) (365) 344
Oshima, H., see Fan, D.-F. (360) 88
Oshino, N., see Sugano, T. (347) 340
Oshino, N., Sugano, T., Ohino, R. and Chance, B.
Mitochondrial function under hypoxic conditions: The steady states of cytochrome a + a_3 and their relation to mitochondrial energy states (368) 298
Osinski, P.A., see Bluard-Deconinck, J.M. (365) 311
Ostman, J., see Arner, P. (369) 209
Ostrander, D.A., Gray, Jr, H.B. and Robberson, D.L.
Catenanes of closed circular intracellular PM2 phage DNA (349) 296
Ostrovsky, D.N., see Nakamura, K. (332) 329
Ostrowski, W., see Luchter-Wasyl, E. (365) 349
Ostroy, S.E. and Pak, W.L.
Protein and electroretinogram changes in the alleles of the norp A^{P12} Drosophila phototransduction mutant (368) 259
O'Sullivan, W.J., Smith, E., Chapman, B.E. and Marsden, K.H.
Studies on manganese–substrate complexes of arginine kinase from Panulirus longipes (370) 153
Otto, E.F., see Hillman, R.E. (367) 81
Ouyang, C. and Yang, F.-Y.
Purification and properties of the thrombin-like enzyme from Trimeresurus gramineus venom (351) 354
Owen, M.C., see Carrell, R.W. (365) 2
Owen, M.C., see Carrell, R.W. (365) 323
Owens, K., see Weglicki, W.B. (337) 145
Øye, I., see Christoffersen, T. (372) 291
Øyen, T.B., see Harbitz, I. (366) 374
Ozon, R., Fouchet, C. and Perin, F.
Transformation of testosterone into 17β-hydroxy-5β-androstan-3-one by Rana esculenta skeletal muscle (348) 425

P

Pace, C.S. and Matschinsky, F.M.
Cytochalasin B: its action on glucose-induced electrical and metabolic responses in rat pancreatic islets (354) 188

Pace, R.C., see Reagan, C.R. (353) 77

Pachowsky, H., see Hülser, D.F. (372) 85

Packer, K.J., see Belton, P.S. (354) 305

Packer, L., see Gooch, V.D. (346) 245

Packer, L., Mehard, C.W., Meissner, G., Zahler, W.L. and Fleischer, S.
Structural role of lipids in mitochondrial and sarcoplasmic reticulum membranes. Freeze-fracture electron microscopy studies (363) 159

Packer, L., see Takaoki, T. (352) 260

Packer, L., see Tinberg, H.M. (345) 118

Padieu, P., see Prost, M. (360) 230

Page, R.C., see Narayanan, A.S. (351) 126

Pain, V.M., see Clemens, M.J. (361) 345

Pain, V.M., Lanoix, J., Bergeron, J.J.M. and Clemens, M.J.
Effect of diabetes on the ultrastructure of the hepatocyte and on the distribution and activity of the ribosomes in the free and membrane-bound populations (353) 487

Paiva, A.C.M., see Grandino, A. (364) 113

Pak, W.L., see Ostroy, S.E. (368) 259

Palacios, R., see Gonzáles, C. (366) 424

Palmieri, F., Passarella, S., Stipani, I. and Quagliariello, E.
Mechanism of inhibition of the inorganic phosphate carrier and the dicarboxylate carrier of mitochondria by thiol reagents (333) 195

Palmoski, M., Khosla, R. and Brandt, K.
Small proteoglycans of cartilage. Conformation of their presence by non-disruptive extraction (372) 171

Pande, C.S. and McMenamy, R.H.
Binding of indole compounds with modified albumins. Characterization of the indole binding site (342) 60

Pande, S.V., see Ho, C.H. (369) 86

Pandit, M.W. and Narasinga Rao, M.S.
Self-association of papain (371) 211

Panini, S.R. and Ramakrishna Kurup, C.K.
Cooperativity in the inhibition of oxidative phosphorylation by chlorophenoxyisobutyrate (368) 29

Pannekoek, H. and Pouwels, P.H.
Influence of ρ factor on the transcription in vitro of DNA from phage ϕ80imm$^{\lambda}$ at high ionic strength (366) 264

Panosyan, A.G., see Batrakov, S.G. (337) 29

Paoletti, R., see Galli, C. (369) 142

Paoli, A., Guiraud, P. and Brunel, C.
O-Phosphoserine phosphatase from bovine brain and kidney. High molecular weight forms occurring during the purification (370) 487

Papa, S., Guerrieri, F. and Lorusso, M.
Mechanism of respiration-driver proton translocation in the inner mitochondrial membrane. Analysis of proton translocation associated to oxido-reductions of the oxygen terminal respiratory carriers (357) 181

Papahadjopoulos, D., Poste, G. and Mayhew, E.
Cellular uptake of cyclic AMP captured within phospholipid vesicles and effect on cell growth behaviour (363) 404

Papahadjopoulos, D., Poste, G., Schaeffer, B.E. and Vail, W.J.
Membrane fusion and molecular segregation in phospholipid vesicles (352) 10

Parikh, I., see Grebner, E.E. (350) 437

Park, C.R., see Pilkis, S.J. (343) 250

Parkes, A.B. and Bradley, D.M.
Isolation and fractionation of porcine peripheral lymphocytes (362) 527

Parks, L.W., see Bailey, R.B. (334) 127

Parks, L.W., see Thompson, E.D. (334) 116

Parmentier, G. and Eyssen, H.
Mechanism of biohydrogenation of cholesterol to coprostanol by Eubacterium ACTCC 21,408 (348) 279

Parrilla, R., see Jimenez, M.I. (372) 436

Parry, D.G. and Taylor, K.W.
Biosynthesis of insulin in rabbit islets of Langerhans (353) 340

Parry, D.G. and Taylor, K.W.
Metabolites and the incorporation of L-leucine into rabbit insulin, in vitro (353) 344

Parson, W.W., see Halsey, Y.D. (347) 404

Parsons, D.S., see Volman-Mitchell, H. (334) 316

Parvez, H. and Parvez, S.
Effect of foetal decapitation on the antenatal

development of the enzymes monoamine oxidase and catechol-o-methyl transferase in rabbit foetuses (338) 21
Parvez, S., see Parvez, H. (338) 21
Paselk, R.A. and Levy, D.
Preparation of several trifluoroacetyl-insulin derivatives (359) 215
Passarella, S., see Palmieri, F. (333) 195
Passero, M.A., see Bhattacharyya, S.N. (342) 343
Passow, H., see Schwoch, G. (339) 126
Pastre, N., see Giudicelli, H. (348) 221
Patel, B.C., see Redwood, W.R. (363) 70
Paterson, A.R.P., see Cass, C.E. (345) 1
Paterson, A.R.P., see Horáková, K. (366) 333
Patni, N.J., Billmire, E. and Aaronson, S.
Isolation of the Ochromonas plasma membrane and identification of several membrane enzymes (373) 347
Patriarca, P., Basford, R.E., Cramer, R., Dri, P. and Possi, F.
Studies on the NADPH oxidizing activity in polymorphonuclear leucocytes. Mode of association with the granule membrane, the relationship to myeloperoxidase and the interference of hemoglobin with NADPH oxidase determination (362) 221
Patterson, L., see Glueckauf, E. (351) 57
Paul, C., Vandecasserie, C., Schnek, A.G. and Leonis, J.
N-terminal amino acid sequences of the α and β chains of the two chicken hemoglobin components (371) 155
Paul, J., see Rickwood, D. (353) 353
Paul, K.-G., see Marklund, S. (350) 304
Paul, R.J. and Kushmerick, M.J.
Apparent P/O ratio and chemical energy balance in frog sartorius muscle in vitro (347) 483
Paul, R.J., see Peterson, J.W. (357) 167
Paul-Gardais, A., Picard, J. and Hermelin, B.
Turnover of sulfate in glycopeptides from egg shell membranes and hen oviduct sulfated glycoproteins (354) 11
Payan, D.G., see Trudell, J.R. (373) 141
Payan, D.G., see Trudell, J.R. (373) 436
Payens, T.A.J. and Nijhuis, H.
Electrophoresis of interacting proteins. I. Complex formation of α_{s1}- and β-casein (336) 201
Payens, T.A.J., see Nijhuis, H. (336) 213
Payes, B.
Enzymatic repair of X-ray-damaged DNA. I. Labeling of the precursor of a malonaldehyde-like material in X-irradiated DNA and the enzymatic excision of labeled lesions (366) 251
Payne, P.I., see Woledge, J. (349) 339
Pearlstein, E. and Waterfield, M.D.
Metabolic studies on ^{125}I-labeled baby hamster kidney cell plasma membranes (362) 1
Pearson, R.T., Duff, I.D., Derbyshire, W. and Blanshard, J.M.V.
NMR investigation of rigor in porcine muscle (362) 188
Pechen, A.M., Bonini, I.C. and Bazán, N.G.
Distributional changes of ^{32}P-labeled acid-soluble phosphates and phospholipids among subcellular fractions during early vertebrate embryonic development (372) 388
Pedersen, I.R., see Frederiksen, S. (340) 64
Pederson, R. and Schulz, I.
Effect of isoproterenol on enzyme secretion from the isolated perfused cat pancreas (338) 440
Pehlke, D.M., see Holmes, E.W. (364) 209
Pelutto, R.O., see Mercuri, O. (369) 264
Penman, S., see Abelson, H.T. (349) 389
Penney, D.G.
Lactate dehydrogenase subunit and activity changes in hypertrophied heart of the hypoxically exposed rat (358) 21
Penney, D.G., Bugaisky, L.B. and Mieszala, J.R.
Lactate dehydrogenase and pyruvate kinase in rat heart during sideropenic anemia (334) 24
Penzer, G.R. and Robertson, K.D.
Interactions of 1,N^6-ethenoadenosine monophosphate with amino acids and nucleotides studied by fluorescence (336) 1
Pepper, D.S., Gaffney, P.J. and Blume, H.D.
Distribution of carbohydrate in the plasmin resistant core fragments (D, E) of human fibrinogen (365) 203
Perahia, D., Pullman, B. and Saran, A.
Molecular orbital calculations on the conformation of nucleic acids and their constituents. IX. The geometry of the phosphate group: key to the conformation of polynucleotides (340) 299
Perahia, D., Pullman, B. and Saran, A.
Molecular orbital calculations on the conformation of nucleic acids and their constituents. XI. The backbone structure of (3′-5′) and (2′-5′)-linked diribose monophosphates with different sugar puckers (353) 16

Perahia, D., see Saran, A. (349) 189
Perdomo, J.M., see Kim, Y.S. (342) 111
Pere, M., Font, J. et Bourrillon, R.
Poids moléculaire et structure sous-unitaire de la lectine de Dolichos biflorus (365) 40
Pérez-Albarsanz, M.A., see Municio, A.M. (360) 289
Peri (Abramovitz), I., see Heller, M. (369) 397
Perin, A., Scalabrino, G., Sessa, A. and Arnaboldi, A.
In vitro inhibition of protein synthesis in rat liver as a consequence of ethanol metabolism (366) 101
Perin, F., see Ozon, R. (348) 425
Perlman, R.L., see Pinkett, M.O. (372) 379
Peron, F.G., see Haksar, A. (362) 356
Perrin, J.H., Vallner, J.J. and Wold, S.
Unbiased method for estimating binding parameters in a non-cooperative binding process (371) 482
Perry, R.P., see LaTorre, J. (335) 93
Perry, S.V., see Hirabayashi, T. (351) 273
Petek, F., see Niedergang, C. (358) 91
Peters, J., see Peters, R. (367) 282
Peters, R., Peters, J., Tews, K.H. and Bahr, W.
Microfluorimetric study of translational diffusion in erythrocyte membranes (367) 282
Petersen, L.Chr., see Nicholls, P. (357) 462
Peterson, J., see Romine, W.O. (367) 316
Peterson, J.W. and Paul, R.J.
Aerobic glycolysis in vascular smooth muscle: relation to isometric tension (357) 167
Petkov, D. and Stoineva, I.
On the mechanism of urokinase-catalysed hydrolysis of α-N-acetyl-L-lysine methyl ester (370) 546
Pfenning, N., see Tabita, F.R. (341) 187
Pfleiderer, G., see Neumann, S. (334) 328
Pfleiderer, G., see Neumann, S. (334) 343
Philip, G., see Soman, G. (341) 301
Philip, G., see Soman, G. (341) 447
Philip, G., see Soman, G. (358) 359
Phillips, D.R. and Agin, P.P.
Thrombin substrates and the proteolytic site of thrombin action on human platelet plasma membranes (352) 218
Phillips, F.L., see Collin, R. (354) 152
Phillips, J.H., see Edwards, W. (356) 164
Phillips, M.C. and Finer, E.G.
Stoichiometry and dynamics of lecithin–cholesterol clusters in bilayer membranes (356) 199
Phillips, W.L., see Kitabchi, A.E. (348) 415
Phizackerley, P.J.R. and Bannister, J.V.
Characterization of N-acetylglucosaminidases from the limpet Patella vulgata (L) (362) 129
Piau, J.-P., see Schapira, G. (345) 348
Picard, J., see Paul-Gardais, A. (354) 11
Pietras, R.J., see Bindslev, N. (332) 286
Pietrzyk, C. and Heinz, E.
Sequestration of Na^+, K^+ and Cl^- in the cellular nucleus and its energetic consequences for the gradient hypothesis of amino acid transport in Ehrlich cells (352) 397
Pilger, D., see Genge, S. (347) 22
Pilkis, S.J., Exton, J.H., Johnson, R.A. and Park, C.R.
Effects of glucagon on cyclic AMP and carbohydrate metabolism in livers from diabetic rats (343) 250
Pilkis, S.J. and Johnson, R.A.
Detergent dispersion of adenylate cyclase from purified rat liver plasma membranes (341) 388
Pillion, D., see Hewitt, J. (363) 267
Pinder, J.C. and Gratzer, W.B.
Gel electrophoretic analysis of poly(riboadenylic acid) (349) 47
Pinkett, M.O. and Perlman, R.L.
Phosphorylation of muscle plasma membrane protein by a membrane-bound protein kinase (372) 379
Pinteric, P., see Letts, P.J. (372) 304
Pinto, J.S. and Bentley, J.P.
Timecourse of collagen crosslinking (354) 254
Pinto da Silva, P. and Nicolson, G.L.
Freeze-etch localization of concanavalin A receptors to the membrane-intercalated particles of human erythrocyte ghost membranes (363) 311
Pion, B.G., see Marx-Figini, M. (338) 382
Pionetti, J.-M.
Mobilité des protons de la putrescine lors de sa déamination par la diamine oxydase extraite du rein de porc (338) 191
Pipeleers, D.G., see Malaisse, W.J. (362) 121
Pirali, G., Somma, S., Lancini, G.C. and Sala, F.
Inhibition of peptide chain initiation in Escherichia coli by thermorubin (366) 310
Pispa, J.P., see Ohisalo, J.J. (362) 48
Pita, J.C., see Kuettner, K.E. (372) 335
Pitot, H.C., see Shires, T.K. (374) 59

Pitotti, A., see Dabbeni-Sala, F. (347) 77
Pitzel, S., see Hendrick, D. (340) 278
Pivec, L., Horska, K. and Doskocil, J.
Plurimodal distribution of base composition in DNA of some higher plants (340) 199
Pivec, L., see Vítek, A. (353) 385
Plagemann, P.G.W. and Richey, D.P.
Transport of nucleosides, nucleic acid bases, choline and glucose by animal cells in culture (344) 263
Plancot, M.-T., see Tetaert, D. (351) 317
Planet, G. and Willemot, J.
Changes in purine phosphoribosyltransferase activities in mouse brain, liver, and muscle with age (364) 236
Plattner, H., see Henning, R. (354) 114
Pledger, W.J., Stancel, G.M., Thompson, W.J. and Strada, S.J.
Separation of multiple forms of cyclic nucleotide phosphodiesterases from rat brain by isoelectrofocusing (370) 242
Pletscher, A., see Steffen, H. (338) 561
Plewis, K.M., see Jones, O.T.G. (357) 204
Po, L., see Watanabe, M. (345) 419
Pohl, F.M., Ranade, A. and Stockburger, M.
Laser Raman scattering of two double-helical forms of poly(dG-dC) (335) 85
Pollak, J., see Takahashi, S. (371) 71
Poltz, J. and Jacob, J.
Waxes of the uropygial glandsecretion of birds of the genus Parus (360) 348
Pommier, G., Cozzone, P. and Marchis-Mouren, G.
Sulfhydryl groups of porcine pancreatic α-amylase. Unmasking, reactivity and function (350) 71
Ponter, A.R.S.
Sugar-dependent increase in red cell stability (Appendix) (352) 169
Pontus, M., see Delmelle, M. (365) 47
Popper, H., see Czygan, P. (354) 168
Porter, D.J.T. and Ingraham, L.L.
Concerning the formation of singlet O_2 during the decomposition of hydrogen peroxide by catalase (334) 97
Porter, P.N., Grishaver, M.S. and Jones, O.W.
Characterization of human cystathionine β-syntase. Evidence for the identity of human L-serine dehydratase and cystathionine β-synthase (364) 128
Portman, O.W. and Illingworth, R.
Metabolism of lysolecithin in vivo and in vitro with particular emphasis on the arterial wall (348) 136
Portman, O.W., see Illingworth, D.R. (369) 304
Pospisilova, J., Entlicher, G. and Kocourek, J.
Studies on phytohemagglutinins. XXIII. A receptor which does not conform to the so-called sugar specificity of the pea phytohemagglutinin (362) 593
Pospisilová, J., Haskovec, C., Entlicher, G. and Kocourek, J.
Studies on phytohemagglutinins. XXII. Isolation and characterization of a lymphocyte receptor for concanavalin A (373) 444
Possmayer, F., see Hendry, A.T. (369) 156
Poste, G., see Papahadjopoulos, D. (352) 10
Poste, G., see Papahadjopoulos, D. (363) 404
Postel-Vinay, M.-C., Sonenberg, M. and Swislocki, N.I.
Effect of bovine growth hormone on rat liver plasma membranes as studied by circular dichroism and fluorescence using the extrinsic probe 7, 12-dimethylbenzanthracene (332) 156
Pouwels, P.H., see Pannekoek, H. (366) 264
Pouwels, P.H., see Van Dorp, B. (340) 166
Povey, R.C., see Notton, B.A. (364) 45
Powell, G.K. and McElveen, M.A.
Effect of prolonged fasting on fatty acid re-esterification in rat intestinal mucosa (369) 8
Poznansky, M.J. and Chang, T.M.S.
Comparison of the enzyme kinetics and immunological properties of catalase immobilized by microencapsulation and catalase in free solution for enzyme replacement (334) 103
Prasad, S.S.S.V. and Shethna, Y.I.
Purification, crystallization and partial characterization of the antitumour and insecticidal protein subunit from the δ-endotoxin of Bacillus thuringiensis var. Thuringiensis (362) 558
Pratt, L.H., Kidd, G.H. and Coleman, R.A.
Immunochemical characterization of the phytochrome destruction reaction (365) 93
Prehn, S., see Lukowsky, A. (359) 248
Preiser, H., Menard, D., Crane, R.K. and Cerda, J.J.
Deletion of enzyme protein from the brush border membrane in sucrase–isomaltase deficiency (363) 279
Preiser, H., see Schmitz, J. (343) 435
Prestegard, J.H. and Wilkinson, A.
Proton relaxation studies of water in concentrated dimyristoyllecitin–water systems (345) 439

Preti, A., Lombardo, A., Cestaro, B., Zambotti, S. and Tettamanti, G.
Studies on brain membrane-bound neuraminidase. I. General properties of the enzyme prepared from calf brain (350) 406
Preti, A., see Tettamanti, G. (350) 415
Price, G.B., see McCulloch, E.A. (355) 260
Price, M.R., see Bladwin, R.W. (367) 47
Price, N.C. and Radda, G.K.
Fluorescent probe for the coenzyme-induced structural changes in glyceraldehyde-3-phosphate dehydrogenase from rabbit muscle (371) 102
Price, N.C., see Griffiths, J.R. (358) 275
Prichard, P.M., see Hopkinson, J. (374) 375
Prince, R.C., Cogdell, R.J. and Crofts, A.R.
Photo-oxidation of horse heart cytochrome c and native cytochrome c_2 by reaction centres from Rhodopseudomonas spheroides R_{26} (347) 1
Prins, R.A., Akkermans-Kruyswijk, J., Franklin-Klein, W., Lankhorst, A. and van Golde, L.M.G.
Metabolism of serine and ethanolamine plasmalogens in Megasphaera elsdenii (348) 361
Probst, H., Gentner, P.R., Hofstätter, T. and Jenke, S.
Newly synthesized mammalian cell DNA. Evidence for effects simulating the presence of RNA in the nascent DNA fraction isolated by nitrocellulose column chromatography (340) 361
Probst, H., Hofstaetter, T., Jenke, H.-S., Gentner, P.R. and Wais, R.
Newly synthesized mammalian cell DNA. Affinity to nitrocellulose and rate of chain growth (366) 11
Prockop, D.J., see Uitto, J. (336) 234
Proffitt, R.T., Ingraham, L.L. and Blankenhorn, G.
Some novel flavin–nicotinamide biscoenzymes and their reactivities (362) 534
Prost, M., Maume, B.F. and Padieu, P.
Étude des stérols de la glande surrénalienne de rat. Identification de phytostérols, d'oxo- et d'hydroxycholesterols par chromatographie gaz-liquide couplée à la spectrométrie (360) 230
Proulx, P., see Audet, A. (348) 334
Proulx, P., see Benns, G. (337) 318
Proulx, P., see Cole, R. (337) 325
Prusiner, P., Yathindra, N. and Sundaralingam, M.
Effect of ribose 0(2')-methylation on the conformation of nucleosides and nucleotides (366) 115
Prynne, C.J., see Levene, C.I. (338) 29
Puett, D., see Ascoli, M. (371) 203
Puigserver, A., see Louvard, M.N. (371) 177
Pullman, B., see Perahia, D. (340) 299
Pullman, B., see Perahia, D. (353) 16
Pullman, B., see Saran, A. (349) 189
Puszkin, E., see Puszkin, S. (347) 102
Puszkin, S., Puszkin, E., Katz, A.M. and Aledort, L.M.
Control of platelet actomyosin activity: effect of ADP on superprecipitation and ATPase activity of human platelet actomyosin (347) 102
Pusztsai, A. and Watt, W.B.
Isolectins of Phaseolus vulgaris. A comprehensive study of fractionation (365) 57
Pykalisto, O.J., Vogel, W.C. and Bierman, E.L.
Tissue distribution of triacylglycerol lipase, monoacylglycerol lipase and phospholipase in fed and fasted rats (369) 254

Q

Quagliariello, E., see Palmieri, F. (333) 195
Quetier, F., see Vedel, F. (340) 374

R

Raab, I., see Marks, F. (334) 368
Rabczenko, A., Jankowski, K. and Zakrzewska, K
Rabczenko, A., Jankowski, K. and Zakrzewska, K.
Conformation of nucleosides. Circular dichroism study of solvent effect on the syn–anti conformational equilibrium of pyrimidine nucleosides (353) 1
Rabczenko, A., see Kulakowska, I. (361) 131
Rabczenko, A., see Manor, P.C. (340) 472
Raben, J., see Van Golde, L.M.G. (360) 179
Rachmilewitz, D., see Stein, O. (360) 205
Rachmilewitz, E.A., Harari, E. and Winterhalter, K.H.
Separation of α and β chains of hemoglobin A by acetylphenylhydrazine (371) 402
Racker, E., see Lang, D.R. (333) 180
Radcliffe, M.A.
Influence of adrenalectomy upon rat erythrocyte Na^+ and K^+ content, Na^+ efflux rate and Mg^{2+}- and $(Na^+ + K^+)Mg^{2+}$-ATPase activities (339) 303
Radda, G.K., see Ferguson, S.J. (357) 457
Radda, G.K., see Gadian, D.G. (358) 57
Radda, G.K., see Griffiths, J.R. (358) 275
Radda, G.K., see Price, N.C. (371) 102
Radmer, R. and Kok, B.
Kinetic observation of the System II electron acceptor pool isolated by mercuric ion (357) 177
Raica, N., see Chen, N.C. (343) 167
Raicht, R.F., see Cohen, B.I. (369) 79
Räihä, N.C.R., see Schwartz, A.L. (343) 500
Raison, J.K. and McMurchie, E.J.
Two temperature-induced changes in mitochondrial membranes detected by spin labelling and enzyme kinetics (363) 135
Raisz, L.G., see Licata, A.A. (343) 17
Rajagopalan, K.V., see Kessler, D.L. (334) 86
Rajagopalan, K.V., see Kessler, D.L. (370) 389
Rajagopalan, K.V., see Kessler, D.L. (370) 399
Rall, T.W., see Schwartz, A.L. (343) 500
Ralph, B.J., see Angyal, S.J. (362) 175
Ramachandran, G.N., Kolaskar, A.S., Ramakrishnan, C. and Sasisekharan, V.
Mean geometry of the peptide unit from crystal structure data (359) 298
Ramaiah, A., see Tejwani, G.A. (370) 120
Ramakrishna Kurup, C.K., see Panini, S.R. (368) 29
Ramakrishnan, C., see Ramachandran, G.N. (359) 298
Ramasamy, I. and Butterworth, B.J.
Subunit structure and catalytic activity of pig kidney alkaline phosphatase (370) 477
Ramaswamy, K., Malathi, P., Caspary, W.F. and Crane, R.K.
Studies on the transport of glucose from disaccharides by hamster small intestine in vitro. II. Characteristics of the disaccharidase-related transport system (345) 39
Ramirez, G.
Nonspecific incorporation of glucosamine into rat brain synaptosomes and endoplasmic reticulum (338) 337
Ramos, J.A., see Municio, A.M. (360) 289
Ramstein, J., Houssier, C. and Leng, M.
Electro-optical properties of nucleic acids and nucleoproteins. IV. Influence of base composition and methylation on the properties of DNA and DNA-proflavine complexes (335) 54
Ranade, A., see Pohl, F.M. (335) 85
Randerath, E., Chia, L.S.Y., Morris, H.P. and Randerath, K.
Base analysis of RNA by ^3H postlabeling – a study of ribothymidine content and degree of base methylation of 4 S RNA (366) 159
Randerath, K., see Randerath, E. (366) 159
Randolph, V.M., see Frisell, W.R. (347) 145
Rankis, V., see Joys, T.M. (351) 301
Rapino, N.G., see Reimann, E.M. (350) 201
Rapoport, T.A., see Lukowsky, A. (359) 248
Rapport, M.M., see Coles, E. (337) 68
Rasmussen, H., see Bikle, D.D. (362) 425
Rasmussen, H., see Bikle, D.D. (362) 439
Ratajczak, T., see Hähnel, R. (338) 104
Rath, N., see Herzfeld, F. (374) 431
Rathé, J., see Vandermeers, A. (370) 257
Ratledge, C., Macham, L.P., Brown, K.A. and Marshall, B.J.
Iron transport in Mycobacterium smegmatis. A restricted role for salicyclic acid in the extracellular environment (372) 39

Rattazzi, M.C., see Carmody, P.J. (371) 117
Rattray, J.B.M., see Wheeler, G.E. (372) 15
Raué, H.A. and Cashel, M.
Regulation of RNA synthesis in Escherichia coli. II. Polynucleotide phosphorylase activity in cold-shocked cells (340) 40
Raué, H.A. and Gruber, M.
Control of RNA synthesis in Escherichia coli. IV. Effect of levallorphan on guanosine 3′-diphosphate 5′-diphosphate metabolism in spoT$^+$ and spoT$^-$ strains (366) 279
Ray, T.K. and Forte, J.G.
Adenyl cyclase of oxyntic cells. Its association with different cellular membranes (363) 320
Razin, S., Wormser, M. and Gershfeld, N.L.
Cholesterol in mycoplasma membranes. II. Components of Acholeplasma laidlawii cell membranes responsible for cholesterol binding (352) 385
Razin, S., see Amar, A. (352) 228
Razin, S., see Gershfeld, N.L. (352) 371
Rea, C. and Segal, S.
Effect of pH on α-methyl-D-glucoside accumulation by rat kidney cortex slices (345) 162
Reader, T.A. and De Robertis, E.
Response of artificial lipid membranes containing a cholinergic hydrophobic protein from Electrophorus electroplax (352) 192
Reagan, C.R., Sproul, G.T., Pace, R.C. and Macleod, R.M.
Pituitary gland polyribosomal function in rats bearing pituitary hormone-secreting tumors (353) 77
Rebhun, L.I., see Nath, J. (370) 498
Rech, J. and Crouzet, J.
Partial purification and initial studies of the tomato L-alanine:2-oxoglutarate aminotransferase (350) 392
Reddy, C.R., see Vítek, A. (353) 385
Redmond, J.W., see Armstrong, I.L. (348) 302
Redwood, W.R. and Patel, B.C.
Binding of a solubilized membrane ATPase to phospholipid bilayers (363) 70
Redwood, W.R. and Weis, P.
Interaction of a solubilized membrane ATPase with aqueous dispersions of bilayer lipid membranes (332) 11
Rees, A.W., DeBuysere, M.S. and Lewis, E.A.
Soluble nucleohistone of compact configuration (361) 97
Reeve, J.N. and Mendelson, N.H.
Minicells of Bacillus subtilis. A unique system for transport studies (352) 298
Reeves, H.C. and Burke, W.F.
Molecular weight of Escherichia coli NADP-isocitrate dehydrogenase (336) 396
Reeves, H.C., see Burke, W.F. (351) 333
Refetoff, S., see Scherberg, N.H. (340) 446
Regen, D.M. and Tarpley, H.L.
Anomalous transport kinetics and the glucose carrier hypothesis (339) 218
Reggio, H. and Cailla, H.L.
Effect of actinomycin D, pancreozymin and secretin on RNA synthesis and protein synthesis measured in vivo in rat pancreas (338) 37
Regoeczi, E., see Hatton, M.W.C. (359) 55
Reichelt, D., Jacobsohn, E. and Haschen, R.J.
Purification and properties of a cathepsin D from human erythrocytes (341) 15
Reichert, W.H., Lauter, C.J. and Trams, E.G.
Inorganic pyrophosphatase in cultured cells (370) 556
Reichert, U. and Winter, M.
Uptake and accumulation of purine bases by stationary yeast cells pretreated with glucose (356) 108
Reichert, U., see Nagy, M. (370) 85
Reimann, E.M. and Rapino, N.G.
Partial purification and characterization of an adenosine 3′:5′-monophosphate-dependent protein kinase from rabbit gastric mucosa (350) 201
Reimer, S., see Hauska, G. (357) 1
Reiser, R., see Frnka, J. (360) 322
Reitzer, L.J. and Neet, K.E.
Regulatory kinetics of yeast hexokinase in situ (341) 201
Renart, M. and Sillero, A.
GMP Reductase in Artemia salina (341) 178
Renger, G., see Erixon, K. (333) 95
Renooij, W., van Golde, L.M.G., Zwaal, R.F.A., Roelofsen, B. and van Deenen, L.L.M.
Preferential incorporation of fatty acids at the inside of human erythrocyte membranes (363) 289
Repke, D.I., see Li, H.-C. (367) 385
Repke, K.R.H., see Grosse, R. (359) 33
Reti, E., see Sala-Trepat, J.M. (338) 92
Ribeiro, A.A. and Dennis, E.A.
Effect of thermotropic phase transitions of dipalmitoylphosphatidylcholine on the formation of mixed micelles with Triton X-100 (332) 26
Ribet, A.M., see Nagy, M. (370) 85
Rice, T.W. and Grula, E.A.
Effects of temperature on extraction and

electrophoretic migration of envelope proteins from Erwina species (342) 125
Richards, R.E., see Gadian, D.G. (358) 57
Richardson, B.C. and Creamer, L.K.
Comparative micelle structure. III. The isolation and chemical characterization of caprine β_1-casein and β_2-casein (365) 133
Richey, D.P., see Plagemann, P.G.W. (344) 263
Richmond, V.
Lung parenchymal elastin isolated by non-degradative means (351) 173
Rickert, W.S.
Structural and functional determinants of Mucor miehei protease. III. Isolation and composition of the carbohydrate moiety (336) 437
Rickert, W.S. and McBride-Warren, P.A.
Structural and functional determinants of Mucor miehei protease. IV. Nitration and spectrophotometric titration of tyrosine residues (371) 368
Rickwood, D., Hell, A., Birnie, G.D. and Gilhuus-Moe, C.Chr.
Reversible interaction of metrizamide with protein (342) 367
Rickwood, D., Hell, A., Malcolm, S., Birnie, G.D., MacGillivray, A.J. and Paul, J.
Fractionation of unfixed chromatin by buoyant-density centrifugation (353) 353
Rider, C.C. and Taylor, C.B.
Enolase isoenzymes in rat tissues. Electrophoretic, chromatographic, immunological and kinetic properties (365) 285
Riemersma, J.C. and Alsbach, E.J.J.
Proton translocation during anaerobic energy production in Saccharomyces cerevisiae (339) 274
Rifkind, A.B.
Stimulation of porphyrin accumulation in chick embryo liver cell cultures by partially purified erythropoietin (338) 164
Rifkind, A.B., see Incefy, G.S. (361) 331
Rigaud, J.L., Gary-Bobo, C.M. and Taupin, C.
Effect of chemical modifiers of passive permeability on the conformation of spin-labelled erythrocyte membranes (373) 211
Riggs, T.R., see Mohri, T. (363) 249
Rigo, A., see Terenzi, M. (351) 230
Rijgersberg, K.P., see Visser, J.W.M. (368) 235
Rijken, D., see de Jong, J.G.N. (369) 50
Riley, S.E. and Robinson, D.S.
Studies on the assay of clearing factor lipase (lipoprotein lipase) (369) 371
Riley, S.E., see Harwood, J.L. (337) 225
Rimai, L., Maher, V.M., Gill, D., Salmeen, I. and McCormick, J.J.
Temperature dependence of Raman intensities of DNA. Evidence for premelting changes and correlations with ultraviolet spectra (361) 155
Rinard, G.A., see Chew, C.S. (362) 493
Riordan, J.R. and Slavik, M.
Interactions of lectins with membrane glycoproteins effects of concanavalin A 5′ nucleotidase (373) 356
Ristow, H.-J., see Hülser, D.F. (372) 85
Rittich, B., see Krone, W. (372) 55
Rizzo, P.J. and Noodén, L.D.
Isolation and partial characterization of dinoflagellate chromatin (349) 402
Rizzo, P.J. and Noodén, L.D.
Partial characterization of dinoflagellate chromosomal proteins (349) 415
Robberson, D.L., see Ostrander, D.A. (349) 296
Robel, P., Blondeau, J.-P. and Baulieu, E.-E.
Androgen receptors in rat ventral prostate microsomes (373) 1
Roberson, L.C., see Katz, S. (342) 5
Robert, A., Magee, W.E., Miller, O.V. and Nezamis, J.E.
Intestinal absorption of prostaglandin $F_{2\alpha}$, 15(S)-15-methyl prostaglandin $F_{2\alpha}$ and their methyl esters in the dog (348) 269
Robert, B., see Hoshino, J. (338) 418
Robert, P., see Arora, D.J.S. (374) 350
Roberts, D.V., see Kuchel, P.W. (364) 181
Roberts, G.C.K., see Sadler, P.J. (359) 13
Roberts, K.D., see Bleau, G. (352) 1
Roberts, M.P., see Lyndal York, J. (371) 582
Robertson, K.D., see Penzer, G.R. (336) 1
Robins, H.I., see McNutt, W.S. (366) 411
Robinson, D.S., see Harwood, J.L. (337) 225
Robinson, D.S., see Riley, S.E. (369) 371
Robinson, J.D.
Nucleotide and divalent cation interactions with the $(Na^+ + K^+)$-dependent ATPase (341) 232
Robinson, J.W.L.
Question of counter-transport in the intestine (367) 88
Robinson, M.D., see Krag, S.S. (337) 271
Roche, A.-C. and Monsigny, M.
Purification and properties of Limulin. A lectin (agglutinin) from hemolymph of Limulus polyphemus (371) 242
Rodighiero, G., see Dall'Acqua, F. (353) 267

Rodwell, V.W., see Shapiro, D.J. (370) 369
Roelofsen, B., see Renooij, W. (363) 289
Rogers, A.
Early ribonuclease scissions and the structure of ribosomes (349) 250
Rogers, D., see Neidle S. (338) 601
Rognstad, R.
Inhibition of gluconeogenesis in the kidney cortex by γ-hydroxy-α-ketoglutarate (338) 78
Rognstad, R., see Katz, J. (337) 313
Rohde, W., see Suck, D. (361) 1
Roller, B.A., Hirai, K. and Defendi, V.
Effect of cyclic AMP on nucleoside metabolism. III. Effect on uridine incorporation in monkey (CV-1) cells (366) 402
Romero, P.J.
Role of membrane-bound magnesium in the permeability of ghosts to K^+ (339) 116
Romero-Herrera, A.E. and Lehm ann, H.
Myoglobin of primates. VI. Tupaia glis belangeri (Common treeshrew) (359) 236
Romine, W.O., Goodall, M.C., Peterson, J. and Bradley, R.J.
Acetylcholine receptor. Isolation of a brain nicotinic receptor and its preliminary characterization in lipid bilayer membranes (367) 316
Rommelaere, J., Cornelis, J.J., Miller-Faures, A. and Errera, M.
Influence of 5-bromodeoxyuridine on DNA repair in Chinese hamster cells exposed to ultraviolet radiation (340) 388
Romslo, I.
Energy-dependent accumulation of iron by isolated rabbit reticulocyte mitochondria (357) 34
Romslo, I. and Flatmark, T.
Energy-dependent accumulation of iron by isolated rat liver mitochondria. III. Submitochondrial localization of the iron accumulated (347) 160
Romsos, D.R. and Leveille, G.A.
Effect of dietary fructose on in vitro and in vivo fatty acid synthesis in the rat (360) 1
Ronchi, P., see Guidotti, G.G. (356) 219
Rönnemaa, T., see Aalto, M. (342) 247
Roobol, A. and Alleyne, G.A.O.
Control of renal cortex ammoniagenesis and its relationship to renal cortex gluconeogenesis (362) 83
Rood, J.I. and Wilkinson, R.G.
Affinity chromatography of Clostridium perfringens sialidase. Non-specific adsorption of haemaglutinin haemolysin and phospholipase C to sepharosyl-glycyltyrosyl-N-(p-aminophenyl) oxamic acid (334) 168
Rooney, S.A., Canavan, P.M. and Motoyama, E.K.
Identification of phosphatidylglycerol in the rat, rabbit, monkey and human lung (360) 56
Roos, G., see Lundgren, E. (358) 208
Rosa, J., see Cohen-Solat, M. (351) 306
Rose, K.M., see Jacob, S.T. (361) 312
Rosén, S., see Lang, G. (336) 6
Rosenberg, H., see Gerdes, R.G. (351) 77
Rosenblum, S., see Gorin, E. (343) 510
Rosenhagen, M., see Segal, S. (332) 278
Rosenthal, O., see Czygan, P. (354) 168
Rosenthal, S.L.,and Buchanan, A.M.
Influences of cationic bactericidal agents on membrane ATPase of Bacillus subtilis (363) 141
Rosner, W., Toppel, S. and Smith, R.N.
Testosterone-estradiol-binding globulin of human plasma. Denaturation and protection (351) 92
Rossi, F., see Patriarca, P. (362) 221
Roth, R.M., see Anderson, J.M. (335) 285
Roth, S.I., see Goldsmith, L.A. (351) 113
Rothblat, G.H., see Bates, S.R. (360) 38
Rotilio, G., see Morpurgo, L. (336) 324
Rotmans, J.P., Daemen, F.J.M. and Bonting, S.L.
Biochemical aspects of the visual process. XXVII. Binding site and migration of retinaldehyde during rhodopsin photolysis (357) 151
Rottem, S., see Amar, A. (352) 228
Roveri, O.A. and Vallejos, R.H.
Spegazzinine, a new inhibitor of mitochondrial oxidative phosphorylation (333) 187
Rovery, M., see Charles, M. (359) 186
Roy, A.B., see Jerfy, A. (371) 76
Roy, A.K., Milin, B.S. and McMinn, D.M.
Androgen receptor in rat liver. Hormonal and developmental regulation of the cytoplasmic receptor and its correlation with the androgen dependent synthesis of α_{2u} globulin (354) 213
Rozenszajn, L.A. and Joseph, D.
Isoenzyme pattern of glucose-6-phosphate dehydrogenase in blood cells, bone marrow and other human tissues (364) 38
Ruby, R.H.
Delayed fluorescence from chlorella. Low temperature observations. I. (368) 1

Rudick, J., see Czygan, P. (354) 168
Rudloff, V., see Schwoch, G. (339) 126
Russell, A., see Schorr, I. (364) 173
Rustad, R.C., see Oleinick, N.L. (366) 215
Ruth, R.C., see Weglicki, W.B. (337) 145
Ryan, D., see Dufau, M.L. (343) 417
Rychlík, I., see Sedláček, J. (349) 78
Rydstrom, J., see Hoek, J.B. (333) 237
Ryhänen, L. and Kivirikko, K.I.
Developmental changes in protocollagen lysyl hydroxylase activity in the chick embryo (343) 121
Ryhänen, L. and Kivirikko, K.I.
Hydroxylation of lysyl residues in native and denatured protocollagen by protocollagen lysyl hydroxylase in vitro (343) 129
Ryrie, I.J., see Marjanen, L.A. (371) 442
Ryser, U. and Braun, R.
Amount of DNA coding for rRNA during differentiation (spherulation) in Physarum polycephalum (361) 33

S

Sabban, E. and Loyter, A.
Fusion of chicken erythrocytes by phospholipase C (Cl. perfringens): The requirement for hemolytic and hydrolytic factors for fusion (362) 100

Sabelnikov, A.G., Moiseeva, T.F., Avdeeva, A.V. and Ilyashenko, B.N.
Studies on DNA-recipient interaction. I. Investigation of the interaction between recipients and transfection stimulators with fluorescent probes (374) 304

Saccomani, G., see Sachs, G. (332) 233

Sachs, G., Spenney, J.G., Saccomani, G. and Goodall, M.C.
Characterization of gastric mucosal membranes. VI. The presence of channel-forming substances (332) 233

Sackmann, E., see Galla, H. (339) 103

Sacktor, B., see Aronson, P.S. (356) 231

Sacktor, B., see Chesney, R. (332) 263

Sadler, P.J., Benz, F.W. and Roberts, G.C.K.
Effect of chloroplatinite on the ^{1}H NMR spectrum of ribonuclease. Solvent accessibility of methionine residues (359) 13

Sadler, P.J., see Bedford, G.R. (343) 656

Saenger, W., see Cramer, F. (349) 351

Saenger, W., see Manor, P.C. (340) 472

Saenger, W., see Suck, D. (361) 1

Saenger, W., see Suck, D. (361) 257

Saffhill, R.
The incorporation of wrong bases by DNA polymerase I following -irradiation of DNA-like templates (349) 23

Sagher, D., Edelman, M. and Jakob, K.M.
Poly(A)-associated RNA in plants (349) 32

Saha, B.K.
Cleavage of 23 S RNA in 50 S ribosomes into a 5′-terminal and a 3′-terminal fragment by pancreatic ribonuclease (353) 292

Sahai Srivastava, B.I.
Inhibition of oncorna virus and cellular DNA polymerases by natural and synthetic polynucleotides (335) 77

Sahu, S., see Ke, B. (347) 36

Saidel, L.J. and Edelstein, I.
Hydrolysis and absorption of proline dipeptides across the wall of sacs prepared from everted rat intestine (367) 75

Saimi, Y., see Suzuki, T. (333) 149

Saito, K.
The incorporation of the carboxyl carbon from acetyl coenzyme A into ring A of quercetin by cell-free extracts prepared from buckwheat seedlings (343) 392

Saito, K. and Kates, M.
Substrate specificity of a highly purified phospholipase B from Penicillium notatum (369) 245

Saito, M., Satoh, H. and Ukita, T.
Sialyl transferase activities of rat ascites hepatoma cells and rat liver (362) 549

Saito, Y., see Shimura, K. (338) 577

Saitoh, Y., Itaya, K. and Ui, M.
Adrenergic α-receptor-mediated stimulation of the glucose utilization by isolated rat diaphragm (343) 492

Sakabe, K., see Kanamori, N. (335) 155

Sakai, H., see Ii, I. (350) 141

Sakai, H., see Ii, I. (350) 151

Sakakibara, E., see Sakamoto, W. (343) 409

Sakamoto, W., Nishikaze, O. and Sakakibara, E.
Comparison of two inhibitors of β-glucuronidase from porcine sublingual and submaxillary glands (343) 409

Sakano, K., see Kung, S.D. (365) 138

Sakura, J.D. and Timasheff, S.N.
Modification of lima bean proteinase inhibitor with catalytic amounts of bovine and porcine trypsins (336) 37

Sakurai, T., Miyazawa, S., Shindo, Y. and Hashimoto, T.
Effect of tryptophan administration on fatty acid synthesis in the liver of the fasted normal rat (360) 275

Sala, F., see Pirali, G. (366) 310

Salas, M., see Jiménez, F. (349) 320

Sala-Trepat, J.M. and Reti, E.
Dissociation studies of different forms of the estradiol–receptor complex from calf uterus: higher stability of the complex bound to chromatin (338) 92

Sala-Trepat, J.M. and Vallet-Strouve, C.
Binding on the estradiol receptor from calf uterus to the chromatin: Active forms (371) 186

Salcedo, L.L., see Kagan, H.M. (365) 223
Salmeen, I., see Rimai, L. (361) 155
Salmon, D.M.W., see Elliott, J. (343) 307
Salmon, J.M., see Kohen, E. (362) 575
Salton, M.R.J. and Schor, M.T.
Release and purification of Micrococcus lysodeikticus ATPase from membranes extracted with n-butanol (345) 74
Saltoun, G., see Kosower, E.M. (363) 261
Salvetova, A., see Fliegerova, O. (351) 416
Sama, A., see Allewell, N.M. (341) 484
Samejima, T., see Hachimori, A. (350) 461
Samuels, A.J., see Amaral, L. (362) 332
Samuelsson, B.E., see Breimer, M.E. (348) 232
Samuelsson, B.E., see Karlsson, K.-A. (337) 204
Samuelsson, B.E., see Karlsson, K.-A. (337) 356
Samuelsson, B.E., see Karlsson, K.-A. (337) 349
San Blas, G. and Cunningham, W.L.
Production of an exocellular acid phosphatase by the yeast Hansenula holstii NCYC 560 (343) 208
San Blas, G. and Cunningham, W.L.
Structure of cell wall and exocellular mannans from the yeast Hansenula holstii. II. Mannans produced in phosphate-limited medium (354) 247
San Blas, G. and Cunningham, W.L.
Structure of cell wall and exocellular mannans from yeast Hansenula holstii. I. Mannans produced in phosphate-containing medium (354) 233
Sanders, J.P.M., Weijers, P.J., Groot, G.S.P. and Borst, P.
Properties of mitochondrial DNA from Kluyveromyces lactis (374) 136
Sanders, J.P.M., see Talen, J.L. (374) 129
Sands, J.A., Cupp, J., Keith, A. and Snipes, W.
Temperature sensitivity of the assembly process of the enveloped bacteriophage Q^6 (373) 277
Sands, J.A., see Snipes, W. (339) 311
Sands, J.A., see Snipes, W. (363) 340
Sanger, L., see Stein, O. (360) 205
Sanner, T., see Ingebretsen, O.Chr. (358) 25
Sano, R., see Tosa, T. (334) 1
Saponara, A.G., Enger, M.D. and Hanners, J.L.
The isolation from ribonucleic acid of substituted uridines containing α-aminobutyrate moieties derived from methionine (349) 61
Saran, A., Pullman, B. and Perahia, D.
Molecular orbital calculations on the conformation of nucleic acids and their constituents. X. Conformation of β-D-Arabinosyl nucleosides (349) 189
Saran, A., see Perahia, D. (340) 299
Saran, A., see Perahia, D. (353) 16
Sargeant, R., see Baugh, R. (371) 360
Sarles, H., see Colomb, E. (342) 306
Sarlieve, L.L., see Neskovic, N.M. (334) 309
Sartorelli, A.C., see Hwang, K.M. (366) 143
Sartorelli, A.C., see Lee, M.H. (358) 69
Sasaki, M., see Sugiura, M. (350) 38
Sasaki, R., Goto, H., Arima, K. and Sasaki, Y.
Effect of polyribonucleotides on eukaryotic DNA-dependent RNA polymerases (366) 435
Sasaki, R., see Sasaki, Y. (366) 443
Sasaki, Y., Goto, H., Wake, T. and Sasaki, R.
Purine ribonucleotide homopolymer formation activity of RNA polymerase from cauliflower (366) 443
Sasaki, Y., see Sasaki, R. (366) 435
Sasisekharan, V., see Ramachandran, G.N. (359) 298
Sato, H., see Miyoshi, T. (358) 231
Sato, K. and Ullrich, K.J.
Serum-induced inhibition of isotonic fluid absorption by the kidney proximal tubule. II: Evidence that complement is involved (354) 182
Sato, K., see Ullrich, K.J. (343) 609
Sato, R., see Abe, M. (369) 361
Sato, S., Yamada, T., Furihata, R. and Makiuchi, M.
Effect of guanyl nucleotides on the stimulation of adenyl cyclase activity in human thyroid plasma membranes by thyroid-stimulating hormone and prostaglandin E_2 (332) 166
Sato, S., see Ishikawa, K. (353) 420
Sato, S., see Kato, K. (371) 89
Sato, S., see Kato, K. (358) 299
Sato, T., see Ishikawa, K. (353) 420
Sato, T., see Tosa, T. (334) 1
Satoh, H., see Saito, M. (362) 549
Satoh, H., see Tsuruo, T. (366) 270
Satoh, K.
Mechanism of activation and spectral shift of the F-695 emission band in chloroplasts as induced by 1,10-phenanthroline (333) 107
Satoh, K.
Action of some derivatives of 1,10-phenanthroline on electron transport in chloroplasts (333) 127
Sattelmeyer, P.A., see Burrill, P.H. (373) 265
Satyanarayana, T., Mandel, A.D. and Klein, H.P.

Evidence for two immunologically distinct acetylcoenzyme A synthetases in yeast (341) 396
Sauer, H.W., see Fouquet, H. (353) 313
Sauer, K., see Blankenship, R.E. (357) 252
Sauer, K., see Vaughan, G.D. (347) 383
Saunders, G.F., see Tsai, M.-J. (366) 61
Saunders, V.A., and Jones, O.T.G.
Properties of the cytochrome a-like material developed in the photosynthetic bacterium Rhodopseudomonas spheroides when grown aerobically (333) 439
Sautière, P., see Wouters-Tyrou, D. (342) 360
Savage, J.E., see Harris, E.D. (341) 332
Saville, J., see Carter, B.R. (363) 54
Savu, L., Nunez, E. and Jayle, M.-F.
Haute affinité du sérum d'embryon de souris pour les oestrogènes (High affinity of mouse embryo serum for estrogens) (359) 273
Sawada, S., Tanaka, A., Iouye, Y., Hirasawa, T. and Soda, K.
Biostereochemistry of histidine metabolism. II. The steric course of ammonia elimination from L-histidine (350) 354
Sawhney, S.K., see Kadam, S.S. (350) 162
Scalabrino, G., see Perin, A. (366) 101
Scanu, A.M., Edelstein, C. and Wolf, R.H.
Chimpanzee (P. troglodytes) serum high density lipoproteins: Isolation and properties of thier two major apolipoproteins (351) 341
Scanu, A.M., see Glonek, T. (348) 155
Scoffone, E., see Veronese, F.M. (334) 31
Scornik, O.A.
In vivo rates of deaggregation of polyribosomes in normal and regenerating liver after the injection of pactamycin (374) 76
Scott, J.M., see Brown, J.P. (343) 78
Scott, S., see Kaneshiro, E.S. (338) 554
Scouten, W.H., Lubcher, R. and Baughman, W.
N-Dansylaziridine: a new fluorescent modification for cysteine thiols (336) 421
Schabort, J.C., see Steenkamp, D.J. (358) 126
Schabort, J.C., see Viljoen, C.C. (360) 156
Schachter, H., see Letts, P.J. (372) 304
Schachter, H., see Letts, P.J. (343) 192
Schacter, B.A., see Israels, L.G. (372) 32
Schacter, B.A., see Yoda, B. (372) 478
Schaeffer, B.E., see Papahadjopoulos, D. (352) 10
Schafer, I.A., see Lee, T.-Y. (354) 264
Schaffner, F., see Czygan, P. (354) 168
Schaller-Hekeler, B., see Ebel, J. (362) 417
Schapira, G., Dobocz, I., Piau, J.-P. and DeLain, E.
An improved technique for preparation of skeletal muscle cell plasma membrane (345) 348
Schapira, G., see Delaunay, J. (349) 262
Scharpé, A. and Van Parijs, R.
A study of the RNA associated with chromosomal proteins in chromatin from Pisum sativum L. embroys (353) 45
Schaub, M.C., see Watterson, J.G. (356) 133
Schauer, R. and Buscher, H.-P.
An improved method for the synthesis of ^{14}C-labelled or ^{3}H-labelled N-acetylneuraminic acid (338) 369
Schedl, H.P. and Wilson, H.D.
Jejunal sodium transport in the rat: Effects of alloxan diabetes (367) 225
Scheek, R., see Haest, C.W.M. (356) 17
Schell, P.L.
Uptake of polynucleotides by mammalian cells. XIV: Stimulation of the uptake of polynucleotides by poly(L-lysine) (340) 323
Schenkman, M.I., Ward, D.C. and Moore, P.B.
Covalent attachment of a messenger RNA to the Escherichia coli ribosome (353) 503
Scherberg, N.H. and Refetoff, S.
The preparation of carrier-free iodine isotope-substituted cytosine nucleotides (340) 446
Scherphof, G.L., see Wilschut, J.C. (356) 91
Scherstén, T., see Karlsson, K.-A. (337) 349
Schibeci, A., see Wheeler, G.E. (372) 15
Schimke, R.T., see Gonzáles, C. (366) 424
Schimke, R.T., see Shapiro, D.J. (370) 369
Schimmel, S.D., see Kent, C. (360) 312
Schirmer, H., see Zimmer, G. (345) 314
Schlegel, H.G., see Conrad, R. (358) 221
Schlenk, H., see Beach, D.H. (369) 16
Schlessinger, D., see Kwan, C.N. (349) 428
Schmidt, D.G., Both, P., van Markwijk, B.W. and Buchheim, W.
The determination of size and molecular weight of casein micelles by means of light scattering and electron microscopy (365) 72
Schmidt, R. and Jannsen, S.
The effect of mannose on the synthesis of the glycoprotein acid phosphatase in a mannose-deficient mutant of Schizosaccharomyces pombe (362) 13
Schmidt, S., see Kohnert K.D. (338) 68

Schmidt-Ullrich, R., Ferber, E., Knüfermann, H., Fischer, H. and Wallach, D.F.H.
Analysis of the proteins in thymocyte plasma membrane and smooth endoplasmic reticulum by sodium dodecylsulfate-gel electrophoresis (332) 175
Schmidt-Ullrich, R., Wallach, D.F.H. and Ferber, E.
Concanavalin A augments the turnover of electrophoretically defined thymocyte plasma membrane proteins (356) 288
Schmidt-Ullrich, R., see Bhakdi, S. (363) 39
Schmitz, J., Preiser, H., Maestracci, D., Crane, R.K., Troesch, V. and Hadorn, B.
Subcellular localization of enterokinase in human small intestine, I. (343) 435
Schmukler, M., see Zieve, P.D. (372) 225
Schneider, R.P., Donaldson, Jr, R.M. and Babior, B.M.
Evidence for the solubilization of the intestinal intrinsic factor receptor by sonication of ileal brush borders (373) 58
Schnek, A.G., see Paul, C. (371) 155
Schnepel, G.H., Hegner, D. and Schummer, U.
The influence of calcium on the molecular mobility of fatty acid spin labels in phosphatidylserine and phosphatidylinositol structures (367) 67
Schoentgen, F., see Jollés, J. (365) 335
Schofield, J.G., see Sheterline, P. (338) 505
Scholtissek, C.
Effect of ethanol on the transport of nucleosides into primary chick fibroblasts (335) 290
Scholz, G., see Blume, K.G. (370) 601
Schoner, W., see Friedrichs, D. (343) 341
Schoner, W., see Kaniike, K. (352) 275
Schoolwerth, A.C., Blondin, J. and Klahr, S.
Renal gluconeogenesis. Influence of diet and hydrogen ions (372) 274
Schoot Uiterkamp, A.J.M., Van der Deen, H., Berendsen, H.J.C. and Boas, J.F.
Computer simulation of the EPR spectra of mononuclear and dipolar coupled Cu(II) ions in nitric oxide- and nitrite-treated hemocyanins and tyrosinase (372) 407
Schor, M.T., see Salton, M.R.J. (345) 74
Schori, L., see Nass, M.M.K. (374) 283
Schorr, I. and Russell, A.
Properties of adenylate cyclase of murine mammary carinoma (364) 173
Schrager, J. and Oates, M.D.G.
The isolation and partial characterization of a glycoprotein isolated from human gastric aspirates and from extracts of gastric mucosae (372) 183
Schreiber, U. and Vidaver, W.
Chlorophyll fluorescence induction in anaerobic Scenedesmus obliquus (368) 97
Schröder, J. and Hahlbrock, K.
Protein synthesis in vitro with ribosomal fractions from cell suspension cultures of Petroselinum hortense (366) 454
Schröder, J.
Analogs of α-tocopherol as inhibitors of cyclic-AMP and cyclic-GMP phosphodiesterases and effects of α-tocopherol deficiency on cyclic AMP-controlled metabolism (343) 173
Schuff, A.R., see Horton, A.W. (373) 76
Schuijff, A., see De Kruyff, B. (356) 1
Schulman, H.M., Martinez-Medellin, J. and Sidloi, R.
The reticulocyte-mediated release of iron and bicarbonate from transferrin – – – effect of metabolic inhibitors (343) 529
Schultz, J.S., see Suchdeo, S.R. (352) 412
Schulz, I., see Pederson, R. (338) 440
Schummer, U., see Schnepel, G.H. (367) 67
Schyns, R., see B-Grégoire, S. (351) 87
Schwartz, A.L.
Hormonal regulation of amino acid accumulation in human fetal liver explants. Effects of debutyryl cyclic AMP, glucagon and insulin (362) 276
Schwartz, A.L., Räihä, N.C.R. and Rall, T.W.
Effect of dibutyryl cyclic AMP on glucose-6-phosphatase activity in human fetal liver explants (343) 500
Schwartz, C.E., see Greenwald, R.A. (359) 66
Schwartz, D., see Fischer, M. (364) 200
Schwarz, W., see Hendrick, D. (340) 278
Schweingruber, M.E. and Wyssling, H.B.
Genes and isoenzymes controlling the first step in the aromatic amino acid biosynthesis in Schizosaccharomyces pombe (350) 319
Schweingruber, M.E. and Wyssling, H.B.
Studies concerning the biochemical genetics of activity and feedback inhibition mutants of Schizosaccharomyces pombe 3-deoxy-D-arabino-heptulosonate-7-phosphate synthase (350) 328
Schwenker, U., St-Onge, M. and Gingras, G.
Chemical and physical properties of a carotenoprotein from Rhodospirillum rubrum (351) 246
Schweppe, J.S., see Ghosh, S. (337) 395
Schwoch, G., Rudloff, V., Wood-Guth, I. and Passow, H.

Effect of temperature on sulfate movements across chemically or enzymatically modified membranes of human red blood cells (339) 126
Sedkowska, J., see Kurylo-Borowska, Z. (351) 42
Sedláček, J., Rychlík, I. and Jonák, J.
The role of aminoacyl-tRNA binding site on the factor EF-T in uncoupled GTPase reaction (349) 78
Sedliaková, M., Mašek, F., Brozmanová, J., Maškova, Ľ. and Slezáriková, V.
Depression of thymine-dimer excision in various excision-proficient strains of Escherichia coli (349) 442
See, Y.P., Carlsen, S.A., Till, J.E. and Ling, V.
Increased drug permeability in Chinese hamster ovary cells in the presence of cyanide (373) 242
Seeman, P., see Naftalin, R.J. (352) 146
Segal, S. and Rosenhagen, M.
The effect of extracellular sodium concentration on α-methyl-D-glucoside transport by rat kidney cortex slices (332) 278
Segal, S., see Rea, C. (345) 162
Seglen, P.O.
Autoregulation of glycolysis, respiration, gluconeogenesis and glycogen synthesis in isolated parenchymal rat liver cells under aerobic and anaerobic conditions (338) 317
Seifter, S., see Takahashi, S. (371) 71
Seiler, N. and Jawad Al-Therib, M.
Acetyl-CoA: 1,4-diaminobutane-N-acetyltransferase. Occurence in vertebrate organs and subcellular localization (354) 206
Seitz, H.J., see Krone, W. (372) 55
Seki, H., Shida, T. and Imamura, M.
The cleavage of the carbon-cobalt bond in vitamin B12 and coenzyme B12 by reduction with electrons in γ-irradiated frozen solutions (372) 100
Sekine, T., Kato, K.A., Takamori, K., Machida, M. and Kanaoka, Y.
Fluorescent thiol reagents. X. Fluorometric estimation of the reactivity of thiols; exemples in small molecular compounds, Taka-amylase A, and myosin A (354) 139
Sekine, T., Ohyashiki, T., Machida, M. and Kanaoka, Y.
Studies on Ca ion-induced conformation changes in the actin–tropomyosin–troponin system by fluorimetry. I. Conformation changes around the fluorescence-labeled sulfhydryl group of actin (351) 205
Sekine, T., see Ohyashiki, T. (351) 214
Sekiya, T., see Nozawa, Y. (367) 32
Selman, R. and Bannister, T.T.
Trypsin inhibition of photosynthetic pyridine nucleotide reduction (347) 113
Seltzer, M., see Weinstein, I. (348) 14
Seno, N., Akiyama, F. and Anno, K.
Substrate specificity of chondrosulfatases from Proteus vulgaris for sulfated tetrasaccharides (362) 290
Seno, N., Yamashiro, S. and Anno, K.
Isolation and characterization of a new dissacharide disulphate: 2-acetamido-2-deoxy-3-0-(2- or 3-0-sulfo-β-D-glucopyranosyluronic acid)-4-0-sulfo-D-galcatose (343) 423
Seno, T., Agris, P.F. and Söll, D.
Involvement of the anticodon region of Escherichia coli $tRNA^{Gln}$ and $tRNA^{Glu}$ in the specific interaction with cognate aminoacyl-tRNA synthetase: alteration of the 2-thiouridine derivatives located in the anticodon of the tRNAs by BrCn or sulfur-deprivation (349) 328
Sessa, A., see Perin, A. (366) 101
Sestoft, L.
Regulation of fructose metabolism in the perfused rat liver. Interrelation with inorganic phosphate, glucose, ketone body and ethanol metabolism (343) 1
Sestoft, L. and Fleron, P.
Determination of the kinetic constants of fructose transport and phosphorylation in the perfused rat liver (345) 27
Ševaljevič, L.
Immunological evidence for the cytoplasmic origin of some chromosomal nonhistone proteins of sea urchin embryos (335) 102
Seybold, W.D.
Purification and partial characterization of xanthine dehydrogenase from Drosophila melanogaster (334) 266
Shafer, P.T.
The interaction of polyamino acids with lipid monolayers (373) 425
Shafferman, A., see Lichtin, N.N. (357) 386
Shafrir, E., see Diamant, S. (360) 241
Shafrir, E., see Mayer, M. (338) 447
Shami, Y., see Ma, S.W.Y. (345) 243
Shami, Y., Messer, H.H. and Copp, D.H.
Calcium binding to placental plasma membranes as measured by rate of diffusion in a flow dialysis system (339) 323
Shansky, C.W., see Hwang, K.M. (366) 143

Shapiro, B.M., see Smith, R.P.P. (356) 331
Shapiro, D.J., Nordstrom, J.L., Mitchelen, J.J., Rodwell, V.W. and Schimke, R.T.
Micro assay for 3-hydroxy-3-methylglutaryl-CoA reductase in rat liver and in L-cell mouse fibroblasts (370) 369
Sharma, R.S., Harding, D.L., Wong, S.C., Wilson, J.B., Gravely, M.E. and Huisman, T.H.J.
A new δ chain variant, Hb-A_2-Melbourne or $\alpha_2\delta_2$ 43 Glu→Lys (CD2) (359) 233
Sharon, N., see Harpaz, N. (341) 213
Sharp, G.W.G., see Beckman, B. (332) 350
Sharp, G.W.G., see Flores, J. (362) 501
Shanmugam, K.T., Loo, A.S. and Valentine, R.C.
Deletion mutants of nitrogen fixation in Klebsiella pneumoniae: mapping of a cluster of nif genes essential for nitrogenase activity (338) 545
Shaw, E., see Ke, B. (347) 36
Shaw, E.R., see Ke, B. (368) 401
Shaw, R., see Benson, A.M. (348) 317
She, C.Y., Dinh, N.D. and Tu, A.T.
Laser raman scattering of glucosamine, N-acetylglucosamine and glucuronic acid (372) 345
Shearer, R.W. and Mayer, L.A.
Heterogeneity of host gene transcription and transport of host RNA to the cytoplasm in Polyoma virus-induced rat kidney tumors (335) 437
Shechter, I.
Phosphate transfer from trans-farnesyl triphosphate to AMP in Gibberella fujikuroi (362) 233
Shedlarksi, Jr, J.G.
Glucose-6-phosphate dehydrogenase from Caulobacter crescentus (358) 33
Sheehan, D.M. and Olins, D.E.
The binding of nuclear non-histone protein to DNA (353) 438
Shefer, S., see Cohen, B.I. (369) 79
Sheichenko, V.I., see Sverdlov, E.D. (340) 153
Sheppard, H. and Tsien, W.H.
The effect of slow freezing and hypertonic NaCl on the hydrolytic activity of rat erythrocyte cyclic AMP phosphodiesterase and its sensitivity to the inhibitor, D,L-4-(3-butoxy-4-methoxybenzyl)-2-imidazolidinone (341) 489
Sheterline, P. and Schofield, J.G.
Measurement of the rate of ATP synthesis in bovine anterior pituitary slices (338) 505
Shethna, Y.I., see Prasad, S.S.S.V. (362) 558
Shida, T., see Seki, H. (372) 100
Shih, C.-N. and Marth, E.H.
Aflatoxin formation, lipid synthesis, and glucose metabolism by Aspargillus parasiticus during incubation with and without agitation (338) 286
Shima, S., Mitsunaga, M., Kawashima, Y., Taguchi, S. and Nakao, T.
Studies on cyclic nucleotides in the adrenal gland. III. Properties of cyclic AMP- and GMP-dependent protein kinases in the adrenal gland (341) 56
Shimada, K., Mabuchi, I. and Yamada, T.
Purification and properties of a protein which stimulates succinate oxidation in the particulate fraction of Azotobacter vinelandii (351) 364
Shimizu, M., see Hachimori, A. (350) 461
Shimizu, T., Fukuyama, K. and Epstein, W.L.
Partial purification of proteins isolated from mammalian cornified cells (359) 389
Shimomura, M., see Yoshinaga, K. (340) 109
Shimura, K., Iwaki, M., Kanda, M., Hori, K., Kaji, E., Hasegawa, S. and Saito, Y.
On the enzyme system obtained from some mutants of Bacillus brevis deficient in gramicidin S formation (338) 577
Shimura, K., see Ishihara, H. (338) 588
Shin, B.C. and Carraway, K.L.
Lactoperoxidase labeling of erythrocyte membranes from the inside and outside (345) 141
Shinar, H. and Navon, G.
The formation and properties of cobalt (III) carbonic anhydrase (334) 471
Shindo, Y., see Sakurai, T. (360) 275
Shinitzky, M., see Aloni, B. (348) 438
Shinohara, R., see Ishiguro, I. (365) 148
Shipley, G.G., see Atkinson, D. (339) 10
Shires, T.K., Ekren, T., Hinderaker, P. and Pitot, H.C.
Effect of ribosome removal on rough microsomal composition and polysomal attachment in vitro: Comparison of liver and kidney (374) 59
Shoaf, W.T., Neece, S.H. and Ljungdahl, L.G.
Effects of temperature and ammonium ions on formyltetrahydrofolate synthetase from Clostridium thermoaceticum (334) 448
Shooter, K.V., see Dipple, A. (374) 392
Shore, B. and Shore, V.
The interaction of concanavalin A with sheep erythrocytes (373) 313

Shore, V., see Shore, B. (373) 313
Shporer, M. and Civan, M.M.
Effects of temperature and field strength on the NMR relaxation times of ^{23}Na in frog straited muscle (354) 291
Shporer, M., see Civan, M.M. (343) 399
Shugar, D., see Kulikowski, T. (374) 164
Shugar, D., see Zan-Kowalczewska, M. (341) 138
Shukuya, R., see Araki, T. (351) 427
Shuster, S., see Cooper, M.F. (360) 193
Shuttleworth, C.A. and Forrest, L.
Pepsin-solubilized collagens of guinea-pig dermis and dermal scar (365) 454
Siderer, Y., see Malkin, S. (368) 422
Sideris, E.G. and Argyrakis, M.
Chemical alterations induced to DNA and DNA components by the mutagenic agent azide (366) 367
Siddle, K., see Luzio, J.P. (362) 29
Sidloi, R., see Schulman, H.M. (343) 529
Sidransky, H., see Murty, C.N. (335) 226
Siegel, I.A., see Izutsu, K.T. (373) 361
Siefermann, D. and Yamamoto, H.Y.
Light-induced de-epoxidation of violaxanthin in lettuce chloroplasts. III. Reaction kinetics and effect of light intensity on de-epoxidase activity and substrate availability (357) 144
Sigel, H., see Buisson, D.H. (343) 45
Sigrist-Nelson, K. and Hopfer, U.
A distinct D-fructose transport system in isolated brush border membrane (367) 247
Siekevitz, P., see Iwanij, V. (358) 329
Sierakowska, H., see Zan-Kowalczewska, M. (341) 138
Sihotang, K.
A simple method for purification of acetylcholinesterase from human erythrocyte membranes (370) 468
Siklósi, S., see Kószó, F. (363) 182
Silano, V., see Bedetti, C. (362) 299
Silberstein, S. and Inouye, M.
Effect of lysozyme on DNA–membrane assocation in Escherichia coli (366) 149
Silbert, D.F., see Davis, M.T.B. (373) 224
Siliski, J.M. and Colman, R.F.
The kinetic of NAD-linked isocitrate dehydrogenase from calf heart (370) 1
Sillero, A., see Renart, M. (341) 178
Sillero, A., see Vallejo, C.G. (358) 117
Silsand, T. and Flatmark, T.
Purification of cytochrome b-561. An integral heme protein of the adrenal chromaffin granule membrane (359) 257
Silsand, T., see Terland, O. (359) 253
Silver, J. and Laursen, R.A.
Inactivation of aminoacyl-tRNA synthetases by amino acid chloromethylketones (340) 77
Silverman, M.
The chemical and steric determinants governing sugar interactions with renal tubular membranes (332) 248
Silverman, M.
The in vivo localization of high-affinity phlorizin receptors to the brush border surface of the proximal tubule in dog kidney (339) 92
Simmonds, W.J., see Lee, K.Y. (337) 214
Simon, D. and Kröger, H.
Interactions of L-serine dehydratase from rat liver with its coenzyme and substrates (334) 208
Simon, N., see Kószó, F. (363) 182
Simon, T.J., Masker, W.E. and Hanawalt, P.C.
Selective inhibition of semiconservative DNA synthesis by nalidixic acid in permeabilized bacteria (349) 271
Simoncsits, A. and Tomasz, J.
Chemical synthesis of ppGpp (340) 509
Simmons, N.L., see Naftalin, R.J. (352) 146
Simpson, A.M., see Simpson, L. (349) 161
Simpson, L., Simpson, A.M. and Wesley, R.D.
Replication of the kinetoplast DNA of Leishmania tarentolae and Crithidia fasciculata (349) 161
Sinclair, J. and Arnason, T.
Studies on a thermal reaction associated with photosynthetic oxygen evolution (368) 393
Singer, I., see Benjamin, W.B. (351) 28
Singer, J.A. and Morrison, M.
Relative susceptibilities to neuraminidase of the glycoproteins of the human erythrocyte (343) 598
Singh, H. and Cama, H.R.
Enzymatic cleavage of carotenoids (370) 49
Singh, H. and Spritz, N.
Polypeptide components of myelin from rat peripheral nerve (351) 379
Singh, J.
Cytochrome oxidase from Pseudomonas aeruginosa. III. Reduction of hydroxylamine (333) 28
Singh, J.N. and Dhalla, N.S.
Adenylate cyclase activity in lymphoid organs during regional and systemic graft-versus-host reactions (341) 378

Singhal, R.L., see Sutherland, D.J.B. (343) 238
Sirotnak, F.M., see McCuen, R.W. (338) 540
Six, H.R., see Cassidy, P. (332) 413
Sixma, J.J., see Akkerman, J.W.N. (370) 102
Sixma, J.J., see Akkerman, J.W.N. (370) 113
Sjöholm, I. and Stigbrand, T.
Circular dichroism studies on the copper ligand structure of umecyanin by spectropolarimetric titration (371) 408
Sjösten, J., see Israelachvili, J. (339) 164
Sjöström, H. and Norén, O.
Structural properties of pig intestinal proline dipeptidase (359) 177
Sjövall, J., see Curstedt, T. (360) 24
Sjövall, J., see Curstedt, T. (369) 173
Sjövall, J., see Einarsson, K. (369) 278
Skapski, A.C., see Collin, R. (354) 152
Skapski, A.C., see de Meester, P. (340) 113
Skapski, A.C., see de Meester, P. (353) 395
Skjak Braek, O.G. and Smith-Kielland, I.
Demonstration of protein synthesis dependent repair replication in Escherichia coli after treatment with the mono-alkylating agent ethyl methane sulphonate (353) 334
Skou, J.C.
Effect of ATP on the intermediary steps of the reaction of the ($Na^+ + K^+$) - dependent enzyme system. I. Studied by the use of N-ethylmaleimide inhibition as a tool (339) 234
Skou, J.C.
Effect of ATP on the intermediary steps of the reaction of the ($Na^+ + K^+$) - dependent enzyme system. II. Effect of a variation in the ATP/magnesium ratio (339) 246
Skou, J.C.
Effect of ATP on the intermediary steps of the reaction of the ($Na^+ + K^+$) - dependent enzyme system. III. Effect on the p-nitrophenylphosphatase activity of the system (339) 258
Slater, E.C., see Bandlow, W. (333) 446
Slater, E.C., see Bertina, R.M. (368) 279
Slater, E.C., see DerVartanian, D.V. (347) 321
Slater, E.C., see Lee, I.Y. (347) 14
Slater, E.C., see Van de Stadt, R.J. (347) 224
Slavik, M., see Riordan, J.R. (373) 356
Slavik, N., see Stolarsky, L. (335) 30
Slayman, C.L., see Lowendorf, H.S. (373) 369
Slayman, C.W., see Lowendorf, H.S. (373) 369
Sleisenger, M.H., see Kim, Y.S. (370) 283
Slezáriková, V., see Sedliaková, M. (349) 442
Slomiany, A., see Slomiany, B.L. (348) 388
Slomiany, B.L., Slomiany, A. and Horowitz, M.I.
Sulfatides of hog gastric mucosa (348) 388
Slutzky, G.M. and Ji, T.H.
Dissimilar nature of two forms of the major human erythrocyte membrane glycoprotein (373) 337
Šmigáň, P., see Šubík, J. (343) 363
Smigel, M. and Fleischer, S.
Characterization and localization of prostaglandin E_1 receptors in rat liver plasma membranes (332) 358
Smigel, M., see Frölich, J.C. (348) 241
Smith, A.D., see Gul, S. (367) 271
Smith, B.T., see de Meester, P. (340) 113
Smith, D.A. and Martinez, A.M.
Initiation of in vitro RNA synthesis with deoxyribosyl oligomers (353) 475
Smith, D.W.E., Meltzer, V.N. and McNamara, A.L.
Comparison of rabit liver and reticulocyte transfer RNA. Evidence of unique species in reticulocytes (349) 366
Smith, E., see O'Sullivan, W.J. (370) 153
Smith, H., see Attridge, T.H. (343) 440
Smith, H., see Attridge, T.H. (343) 452
Smith, I.C.P., see Butler, K.W. (363) 351
Smith, I.C.P., see Verma, S.P. (345) 129
Smith, I.K., see Carpe, A.I. (370) 96
Smith, J.R., see Coster, H.G.L. (373) 151
Smith, L.L., see Lin, Y.-Y. (348) 189
Smith, P.F., see Mayberry-Carson, K.J. (360) 217
Smith, R.G., see Lewis, B.J. (349) 148
Smith, R.N., see Rosner, W. (351) 92
Smith, R.P.P. and Shapiro, B.M.
Immunological properties of membrane fractions from wild type and dnaA mutants of Escherichia coli (356) 331
Smith, U., Kral, J. and Björntorp, P.
Influence of dietary fat and carbohydrate on the metabolism of adipocytes of different size in the rat (337) 278
Smith-Kielland, I., see Skjak Braek, O.G. (353) 334
Smits, R.A.E., see Bevers, M.M. (341) 120
Smoake, J.A., Song, S.Y. and Cheung, W.Y.
Cyclic 3',5' nucleotide phosphodiesterase distribution and developmental changes of the enzyme and its protein activator in mammalian tissues and cells (341) 402
Smucker, A.A., see Carlotti, R.J. (341) 357
Sneddon, D.W., see Jones, J.B. (341) 284
Snipes, W., Cupp, J., Sands, J.A., Keith, A. and Davis, A.

Calcium requirement for assembly of the lipid-containing bacteriophage PM2 (339) 311
Snipes, W., Douthwright, J., Sands, J. and Keith, A.
Control of phospholipid synthesis and viral assembly by bacteriophage PM2 (363) 340
Snipes, W., see Sands, J.A. (373) 277
Snyder, F., see Blank, M.L. (348) 397
Snyder, Jr, P.D., Wold, F., Bernlohr, R.W., Dullum, C., Desnick, R.J., Krivit, W. and Condie, R.M.
Purified human α-galactosidase A. Stabilization to heat and protease degradation by complexing with and by chemical modification (350) 432
Sobue, M., Ishihara, K., Nakanishi, Y. and Suzuki, S.
Isolation of N-acetylgalactosamine 4,6-disulfate from rat urine (343) 269
Soda, K., see Sawada, S. (350) 354
Sodhi, H.S., see Sundaram, G.S. (337) 196
Soffientini, A.N., see Lanzani, G.A. (335) 275
Solberg, H.E.
Acyl group specificity of mitochondrial pools of carnitine acyltransferases (360) 101
Soldo, A.T. and Godoy, G.A.
Requirement for an unconjugated pteridine for the growth of Paramecium aurelia (362) 521
Söll, D., see Seno, T. (349) 328
Soloff, M.S., see Swartz, S.K. (338) 480
Solomon, A.K.
Apparent viscosity of human red cell membranes (373) 145
Solomon, A.K., see Elford, B.C. (373) 253
Solomon, A.K., see Lange, Y. (339) 347
Solomon, S., see Congote, L.F. (366) 79
Solomonson, L.P.
Regulation of nitrate reductase activity by NADH and cyanide (334) 297
Soman, G. and Philip, G.
α-Glucan phosphorylase b from Indocibium guttattam. A kinetically different phosphorylase (341) 301
Soman, G. and Philip, G.
Binding sites for substrate and effectors on glycogen phosphorylase b (341) 447
Soman, G. and Philip, G.
Aromatic compounds as allosteric inhibitors of glycogen phosphorylase b (358) 359
Somerville, R.L., see Kuhn, J. (332) 298
Somma, S., see Pirali, G. (366) 310
Sommerville, J.
Informational ribonucleoprotein particles of newt oocytes. Polyribosome-associated ribonucleoproteins (349) 96
Son, T.-D. and Chachaty, C.
Nacleoside conformations. XIV. Conformation of adenosine monophosphate in aqueous solution by proton magnetic resonance spectroscopy (335) 1
Sonenberg, M., see Postel-Vinay, M.-C. (332) 156
Song, S.Y., see Smoake, J.A. (341) 402
Sonnichsen, W.J., see Hung, G.W.C. (371) 511
Sopata, I. and Dancewicz, A.M.
Presence of a gelatin-specific proteinase and its latent form in human leucocytes (370) 510
Sorgente, N., see Guenther, H.L. (372) 321
Sorgente, N., see Kuettner, K.E. (372) 335
Sorimachi, K. and Ui, N.
Comparison of iodoamino acid distribution in various preparations of hog thyroglobulin with different iodine content and subunit structure (342) 30
Sorokina, I.B., see Bergelson, L.D. (360) 361
Soumarmon, A., Lewin, M., Cheret, A.M. and Bonfils, S.
Gastric HCO_3^--stimulated ATPase. Evidence against its microsomal localization in rat fundus mucosa (339) 403
Sourkes, T.L., see Oravec, M. (366) 56
Southwell-Keely, P.T. and Lynen, F.
The mechanism of production of II-Octadecanoic acid (vaccenic acid) by yeast (337) 22
Spadari, S., Subramanian, A.R. and Kalnitsky, G.
Highly restricted specificity of the serine proteinase Aspergillopeptidase B (359) 267
Špan, J., Lenarčič, S. and Lapanje, S.
Solvation of lysozyme and β-lactoglobulin in aqueous guanidine hydrochloride solutions (359) 311
Spanswick, R.M.
Evidence for an electrogenic ion pump in Nitella translucens. II. Control of the light-stimulated component of the membrane potential (332) 387
Spears, C.L., see Kohn, K.W. (361) 288
Spector, T., Miller, R.L., Fyfe, J.A. and Krenitsky, T.A.
GMP synthetase from Escherichia coli B-96. Interaction with substrate analogs (370) 585

Spence, M.W., see Cook, H.W. (369) 129
Spencer, C., see Vassef, A. (353) 115
Spencer, J.H., see Mol, J.N.M. (374) 115
Spenney, J.G., see Sachs, G. (332) 233
Sperling, R., see David, M.M. (359) 101
Spero, L., Warren, J.R. and Metzger, J.F.
Microheterogeneity of Staphylococcal enterotoxin B (336) 79
Spero, L., see Warren, J.R. (359) 351
Spero, L., see Warren, J.R. (365) 434
Speth, V., see Bhakdi, S. (356) 300
Speth, V., see Wunderlich, F. (373) 34
Speyer, B.E. and Fielding, J.
Chromatographic fractionation of human reticulocytes after uptake of doubly labelled [^{59}Fe, ^{125}I] transferrin (332) 192
Speyer, B.E., see Fielding, J. (363) 387
Spindel, E. and McCully, k.S.
Spindel, E. and McCully, K.S.
Conversion of methionine to homocysteine thiolactone in liver (343) 687
Spinelli, G., see Cognetti, G. (349) 447
Spiro, T.G., see Strekas, T.C. (351) 237
Spooner, R.L., see Green, J.R. (373) 51
Sprecher, H.
Influence of dietary alterations, fasting and competitive interactions on the microsomal chain elongation of fatty acids (360) 113
Sprecher, H.
Feeding studies designed to determine whether competitive reactions between acids of the oleate and linoleate families for desaturation chain elongation or incorporation, regulate the fatty acid composition of rat liver lipids (369) 34
Sprinzl, M., see Cramer, F. (349) 351
Sprinzl, R., see Cramer, F. (349) 351
Spritz, N., see Singh, H. (351) 379
Sproul, G.T., see Reagan, C.R. (353) 77
Staal, G.E.J., see Akkerman, J.W.N. (370) 102
Staal, G.E.J., see Akkerman, J.W.N. (370) 113
Staal, G.E.J., see Van Berkel, J.C. (334) 361
Stafford, J.E., see Sun, F.F. (369) 95
Stage, D.E. and Mannik, M.
Covalent binding of molecules to CNBr-activated agarose. Parameters relevant to the activation and coupling reactions (343) 382
Stahl, W.L., see Swanson, P.D. (356) 174
Stamatoyannopoulos, G., see Hayashi, A. (351) 453
Stämpfli, R., see Keana, J.F.W. (373) 18
Stancel, G.M., see Pledger, W.J. (370) 242
Starkey, B.J., see Allen, A. (338) 364
Stasiw, D.M., see DeTraglia, M. (345) 213
Stasiw, D.M., see DeTraglia, M.C. (345) 305
Stauber, W.T. and Bird, J.W.C.
S-p zonal fractionation studies of rat skeletal muscle lysosome-rich fractions (338) 234
Steen, G.O., see Karlsson, K.-A. (337) 349
Steen, G.O., see Karlsson, K.-A. (337) 356
Steenkamp, D.J., Schabort, J.C., Holzapfel, C.W. and Ferreira, N.P.
Role of essential histidines in the mechanism of catalysis of the flavoenzyme, β-cyclopiazonate oxidocyclase (358) 126
Steenstra, J.A., see Bertina, R.M. (368) 279
Steer, M.L., Tal, N. and Levitzki, A.
The role of sulfhydryl groups in the action and structure of mammalian α-amylase (334) 389
Steeves, R., see Lilly, F. (355) 105
Steffen, H., Da Prada, M. and Pletscher, A.
Fluorescence properties of catecholamines in isolated storage organelles of adrenal medulla (338) 561
Stein, E.A., see Benzonana, G. (368) 247
Stein, G., see Lichtin, N.N. (357) 386
Stein, J.M. and Hales, C.N.
Effect of insulin on $^{32}P_i$ incorporation into rat fat cell phospholipids (337) 41
Stein, O., Rachmilewitz, D., Sanger, L., Eisenberg, S. and Stein, Y.
Metabolism of iodinated very low density lipoprotein in the rat. Autoradiographic localization in the liver (360) 205
Stein, W.D., see Lieb, W.R. (373) 165
Stein, W.D., see Lieb, W.R. (373) 178
Stein, Y., see Stein, O. (360) 205
Steinberg, I.Z., see David, M.M. (359) 101
Steiner, M. and Tateishi, T.
Distribution and transport of calcium in human platelets (367) 232
Steiner, R.F., Lunasin, A. and Horan, C.
Specifically located fluorescent probes: properties of a fluorescent conjugate of soy bean trypsin inhibitor containing dansyl-amino-tyrosine groups (336) 407
Steinmaier, G., see Busse, D. (345) 359
Stellwagen, R.H.
Effect of theophylline and certain other purine derivatives on tyrosine aminotransferase activity in hepatoma cells in culture (338) 428
Stelzner, F., see Klose, G. (363) 1
Stenman, U.-H.
Amniotic fluid vitamin B_{12}-binding protein.

Purification and characterization with isoelectric focusing and other techniques (342) 173
Stenzel, P., see Brimhall, B. (336) 344
Stenzel, P., see Waterman, M.R. (359) 401
Stephenson, J.R. and Dimmock, N.J.
Inhibition of the processing of ribosomal RNA in avian cells infected with an influenza virus (361) 198
Sternbach, H., see Cramer, F. (349) 351
Sternberg, M. and Hershberger, D.
Separation of proteins with polyacrylic acids (342) 195
Steudle, E. and Zimmermann, U.
Determination of the hydraulic conductivity and of reflection coefficients in Nitella flexilis by means of direct cell-turgor pressure measurements (332) 399
Stevens, R.L.
Minor anionic arylsulfatases in cultured human fibroblasts (370) 249
Stewart, B.W.
Inhibition of dimethylnitrosamine-induced strand breakage in rat liver DNA by aminoacetonitrile (366) 261
Stewart II, W.E., De Somer, P. and De Clercq, E.
Protective effects of anionic detergents on interferons: Reversible denaturation (359) 364
Stifel, F.B., Taunton, O.D., Greene, H.L., Lufkin, E.G., Hagler, L. and Herman, R.H.
Hormonal regulation of hepatic and jejunal formiminotransferase activity in man and rat (354) 194
Stigbrand, T., see Sjöholm, I. (371) 408
Stigbrand, T., see Von Schoultz, B. (359) 303
Stimler, N.P. and Tanzer, M.L.
Purification of large crosslinked peptides from insoluble calf bone and skin collagens by hydroxyapatite chromatography (365) 425
Stipani, I., see Palmieri, F. (333) 195
Stockburger, M., see Pohl, F.M. (335) 85
Stoddard, D.D., see Carper, W.R. (334) 287
Stoffyn, A., Stoffyn, P. and Hauser, G.
Structure of trihexosylceramide biosynthesized in vitro by rat kidney galactosyltransferase (360) 174
Stoffyn, P., see Stoffyn, A. (360) 174
Stoineva, I., see Petkov, D. (370) 546
Stokstad, E.L.R., see Vidal, A.J. (362) 245
Stolarsky, L., Slavik, N. and Hershberger, C.L.
Purification of chloroplast DNA from Euglena gracilis (335) 30
Stoner, G.D., see Bryant, M.L. (343) 226
St-Onge, M., see Schwenker, U. (351) 246
Stout, E.R., see Arens, M.Q. (353) 121
Strada, S.J., see Pledger, W.J. (370) 242
Strekas, T.C. and Spiro, T.G.
Resonance Raman evidence for anomalous heme structures in cytochrome c' from Rhodopseudomonas palustris (351) 237
Strickland, K.P., see Hamumantha Rao, R. (348) 306
Strickland, K.P., see Jato-Rodriguez, J.J. (348) 1
Stricklin, G.P., see Eisen, A.Z. (350) 442
Ströder, W. and Hörmann, H.
Cold-insoluble fibrinogen fraction of bovine and human plasma (351) 396
Stromberg, K. and Wilson, S.H.
Structural studies of avian myeloblastosis virus: selective release of ribonucleoprotein polypeptides from the core of component and partial purification of the DNA polymerase (361) 53
Strous, G.J.A.M., Van Westreenen, H., Van der Logt, J. and Bloemendal, H.
Synthesis of lens protein in vitro. The lens cell-free system (353) 89
Strout, H.V. and Lipke, H.
Protomer stability and sclerotization in vitro (351) 348
Stubbs, J.M., see Atkinson, D. (339) 10
Stulberg, M.P., see Isham, K.R. (340) 177
Sturman, J.A. and Kremzner, L.T.
Polyamine biosynthesis and vitamin B6 deficiency: Evidence for pyridoxal phosphate as coenzyme for S-adenosyl-methionine decarboxylase (372) 162
Šubík, J., Behúň, M., Šmigáň, P. and Musílek, V.
Mode of action of mucidin, a new antifungal antibiotic produced by the basidiomycyte Oudemansiella mucida (343) 363
Šubík, J., Kolarov, J. and Kováč, L.
Bongkrekic acid sensitivity of respiration-deficient mutants and of petite-negative species of yeasts (357) 453
Subramanian, A.R.
Absence of exchange by ribosomal proteins in extracts of Escherichia coli (374) 400
Subramanian, A.R., see Spadari, S. (359) 267
Subramanian, G., see Levitt, D.G. (373) 132
Subrahmanyam, D., see Vasdev, S.C. (369) 323
Suchdeo, S.R. and Schultz, J.S.
Mass transfer of carbon dioxide across membranes: Facilitation in the presence of bicarbonate ion and the enzyme carbonic anhydrase (352) 412

Suck, D., Saenger, W., Main, P., Germain, G. and Declercq, J.-P.
X-ray structure of 3′,5′-diacetyl-2′-deoxy-2′-fluorouridine. A pyrimidine nucleoside in the syn conformation (361) 257
Suck, D., Saenger, W. and Rohde, W.
X-ray structure of thymidine-5′-carboxylic acid, an inhibitor of thymidine and thymidylate kinase. Preferred nucleobase-carboxylic acid hydrogen bonding scheme (361) 1
Suckling, K.E., see Boyd, G.S. (337) 132
Suda, T. and Matsuda, M.
Studies on decarboxylation of phosphatidylserine (369) 331
Sugahara, K., see Ke, B. (368) 401
Sugahara, M., see Suzuki, T. (333) 149
Sugahara, T., see Takahashi, T. (351) 155
Sugai, S., see Takase, K. (371) 352
Sugano, T., Oshino, N. and Chance, B.
Mitochondrial functions under hypoxic conditions. The steady states of cytochrome c reduction and of energy metabolism (347) 340
Sugano, T., see Oshino, N. (368) 298
Sugimori, T., see Uchida, Y. (350) 425
Sugiura, M. and Isobe, M.
Studies on the lipase of Chromobacterium viscosum. III. Purification of a low molecular weight lipase and its enzymatic properties (341) 195
Sugiura, M., Ito, A. and Yamaguchi, T.
Studies on dextranase. II. New exo-dextranase from Brevibacterium fuscum var. dextranlyticum (350) 61
Sugiura, M. and Sasaki, M.
Studies on proteinases from Ficus carica var. Horaishi. V. Purification and properties of a sugar-containing proteinase (Ficin S) (350) 38
Sugiyama, Y., see Kanzaki, T. (348) 162
Suhara, K., Kanayama, K., Takemori, S. and Katagiri, M.
Bovine adrenal steroid hydroxylase system. III. Reconstitution of adrenal iron–sulfur protein (336) 309
Sullivan, K.H., Jain, M.K. and Koch, A.L.
Activation of the β-galactoside transport system in Escherichia coli ML-308 by n-alkanols. Modification of lipid–protein interaction by a change in bilayer fluidity (352) 287
Sullivan, B., see Bonaventura, J. (371) 147
*Sun, F.F.
Metabolism of prostaglandin $F_{2\alpha}$ in the rat (348) 249
Sun, F.F. and Stafford, J.E.
Metabolism of prostaglandin $F_{2\alpha}$ in rhesus monkeys (369) 95
Sundaralingam, M., see Prusiner, P. (366) 115
Sundaram, G.S., MacKenzie, S.L. and Sodhi, H.S.
Preparative isoelectric focusing of human serum high density lipoprotein (HDL_3) (337) 196
Sundler, R., Åkesson, B. and Nilsson, Å.
Sources of diacylglycerols for phospholipid synthesis in rat liver (337) 248
Sung, S.C.
Effect of novobiocin on DNA-dependent DNA polymerases from developing rat brain (361) 115
Suolinna, E.R., see Hakala, M.T. (338) 1
Suriano, J.B., see Swartz, S.K. (338) 480
Surolia, A., Ahmad, A. and Bachhawat, B.K.
Studies on the interaction of immobilized lectin from Ricinus communis with a simple sugar and a polysaccharide (371) 491
Suruda, A.J., see Benson, A.M. (348) 317
Sutherland, D.J.B. and Singhal, R.L.
Alterations in adenyl cyclase activity of the rat prostate gland (343) 238
Sutton, W.D.
Some features of the DNA of Rhizobium bacteroids and bacteria (366) 1
Suzuki, K., see Miyatake, T. (337) 333
Suzuki, K., see Mori, M. (337) 118
Suzuki, S., see Sobue, M. (343) 269
Suzuki, T., Benesch, R.E. and Benesch, R.
Bohr effect of pyridoxylated hemoglobins (351) 442
Suzuki, T., Sugahara, M., Azuma, K., Azuma, M., Saimi, Y. and Kito, Y.
Studies on cephalopod rhodopsin; conformational changes in chromophore and protein during the photoregeneration process (333) 149
Suzuki, T., see Hayashi, A. (351) 453
Suzuki, T., see Nakamura, S. (336) 86
Sverdlov, E.D., Monastyrskaya, G.S., Guskova, L.I., Levitan, T.L., Sheichenko, V.I. and Budowsky, E.I.
Modification of the cytidines residues with a bisulfite–O-methylhydroxylamine mixture (340) 153
Svenson, A., Holmer, E. and Andersson, L.-O.
New method for the measurement of dissociation rates for complexes between small ligands and proteins as applied to the palmitate and bilirubin complexes with serum albumin (342) 54

Swaisgood, H., see Cho, I.C. (334) 243
Swallow, A.J., see Land, E.J. (368) 86
Swanson, P.D., Anderson, L. and Stahl, W.L.
Uptake of calcium ions by synaptosomes from rat brain (356) 174
Swarttouw, M.A.
Oxidation of erucic acid by rat heart mitochondria (337) 13
Swartz, S.K., Soloff, M.S. and Suriano, J.B.
Binding of estrogens by a-fetoprotein in rat amniotic fluid (338) 480
Swetik, P.G. and Brown, D.G.
On the reversibility of the B_{12r}-B_{12s} couple in cobalamins and cobinamides (343) 641
Swick, R.W., see Ip, M.M. (354) 29
Świerczyński, J. and Aleksandrowicz, Z.
Inhibition of anion transport across the mitochondrial membrane by amytal (373) 66
Swillens, S., Van Cauter, E. and Dumont, J.E.
Protein kinase and cyclic 3′,5′-AMP. Significance of binding and activation constants (364) 250
Swislocki, N.I., see Postel-Vinay, M.-C. (332) 156
Symons, M.C.R., see Naftalin, R.J. (352) 146
Symons, M.C.R., see Naftalin, R.J. (352) 173
Szelenyi, J., see Brimhall, B. (336) 344

T

Tabachnick, M., see Korcek, L. (371) 323
Tabita, F.R., McFadden, B.A. and Pfennig, N.
D-ribulose-1,5-bisphosphate carboxylase in Chlorobium thiosulfatophilum tassajara (341) 187
Tager, J.M., see Hoek, J.B. (333) 546
Tager, J.M., see Zuurendonk, P.F. (333) 393
Taguchi, S., see Shima, S. (341) 56
Tailleur, P., see Nolan, R.D. (374) 52
Tait, A., see Cummings, D.J. (374) 1
Takahashi, S., Pollak, J. and Seifter, S.
Purification of γ-glutamyltransferase of rat kidney by affinity chromatography using concanavalin A conjugated with Sepharose 4B (371) 71
Takahashi, T., Sugahara, T. and Ohsaka, A.
Purification of Clostridium perfringens phospholipase C (α-toxin) by affinity chromatography on agarose-linked egg-yolk lipoprotein (351) 155
Takai, A., see Yagi, K. (341) 256
Takamiya, K.-I., see Arata, H. (357) 365
Takamiya, K.-I. and Nishimura, M.
Nature of photochemical reactions in chromatophores of Chromatium D. II. Quantum yield of photooxidation of cytochromes in Chromatium chromatophores (368) 339
Takamori, K., see Sekine, T. (354) 139
Takao, H., see Ikeda, M. (336) 15
Takaoki, T., Torres-Pereira, J. and Packer, L.
Factors affecting the stability of chloroplast membranes in vitro (352) 260
Takase, K., Nitta, K. and Sugai, S.
Thermodynamics of the unfolding of α-lactalbumin by guanidine thiocyanate (371) 352
Takeda, Y., see Mizutani, A. (338) 183
Takeishi, K., see Kobayashi, T. (366) 168
Takemori, S., Hon-Nami, K., Kawahara, F. and Katagiri, M.
Mechanism of the salicylate 1-monoxygenase reaction. VI. The monomeric nature of the enzyme (342) 137
Takemori, S., see Suhara, K. (336) 309
Takenaka, O., see Abe, T. (358) 113
Takenawa, T. and Tsumita, T.
myo-Inositol transport in plasma membrane of rat kidney (373) 106
Takenawa, T. and Tsumita, T.
Properties of scyllitol transport in rat kidney slices (373) 490
Taketani, T., see Katoh, S. (370) 378
Taketomi, T., Kawamura, N., Murakami, S. and Hara, A.
Hepatic neutral lipids, phospholipids and glycosphingolipids of a patient with histiocytosis X (369) 315
Tal, M., see Mokady, S. (336) 361
Tal, N., see Steer, M.L. (334) 389
Talalay, P., see Benson, A.M. (348) 317
Talen, J.L., Sanders, J.P.M. and Flavell, R.A.
Genetic complexity of mitochondrial DNA from Euglena gracilis (374) 129
Täljedal, I.-B.
Nteraction of Na^+ and Mg^{2+} with Ca^{2+} in pancreatic islets as visualized by chlorotetracycline fluorescence (372) 154
Täljedal, I.-B., see Hellman, B. (372) 127
Talwalkar, R.T. and Lester, R.L.
Synthesis of diphosphoinositide by the soluble fraction of Saccharomyces cerevisiae (360) 306
Tam, I., see Kleinzeller, A. (373) 397
Tamaoki, B., see Mori, M. (337) 118
Tamaoki, B.-I., see Nozu, K. (348) 321
Tamminga, J.J., see van Gorkom, H.J. (347) 417
Tanabe, Y., see Kawashima, N. (371) 417
Tanaka, A., see Sawada, S. (350) 354
Taniguchi, N. and Nanba, I.
Characterization of glycosaminoglycans in rabbit plasma and leukocytes at disaccharide subunit level (354) 130
Taniguchi, N., Tsukada, Y. and Hirai, H.
Acquirement of fetal properties in hepatoma on glutathione metabolism (354) 161
Taniguchi, T. and Kimura, T.
Role of 3-mercaptopyruvate sulfurtransferase in the formation of the iron–sulfur chromophore of adrenal ferredoxin (364) 284
Tanimoto, S.Y., see Yamashita, M. (358) 105
Tanis, R.J., Ferrell, R.E. and Tashian, R.E.
Amino acid sequence of sheep carbonic anhydrase C (371) 534
Tanner, W., see Lehle, L. (350) 225

Tanzer, M.L., see Housley, T.J. (365) 405
Tanzer, M.L., see Stimler, N.P. (365) 425
Tappel, A.L., see Ninjoor, V. (370) 308
Tappel, A.L., see Taylor, S.L. (341) 99
Tappel, A.L., see Taylor, S.L. (341) 112
Tarnowski, W., see Krone, W. (372) 55
Tarpley, H.L., see Regen, D.M. (339) 218
Tashian, R.E., see Tanis, R.J. (371) 534
Tateishi, T., see Steiner, M. (367) 232
Tattrie, N.H., see Butler, K.W. (363) 351
Taunton, O.D., see Stifel, F.B. (354) 194
Taupin, C., see Rigaud, J.L. (373) 211
Tawada, K., see Hozumi, T. (347) 469
Taylor, A. and Gorazdowska, M.
Conversion of murein to nonreducing fragments by enzymes from phage λ and Vi II lysates (342) 133
Taylor, C.B., see Rider, C.C. (365) 285
Taylor, K.W., see Parry, D.G. (353) 340
Taylor, K.W., see Parry, D.G. (353) 344
Taylor, M.W., see Wang, S. (340) 52
Taylor, S.L., see Ninjoor, V. (370) 308
Taylor, S.L. and Tappel, A.L.
Identification and separation of lysosomal carboxypeptidases (341) 99
Taylor, S.L. and Tappel, A.L.
Characterization of rat liver lysosomal cathepsin A1 (341) 112
Teggins, J.E., see Friedman, M.E. (341) 277
Teggins, J.E., see Friedman, M.E. (350) 263
Teggins, J.E. and Friedman, M.E.
The inhibition of malate dehydrogenase by chlorammine platinum complexes (350) 273
Tejwani, G.A., Kaur, J., Ananthanarayanan, M. and Ramaiah, A.
Concentrations of various effectors and substrates of phosphofructokinase in the jejunum of rat and their relation to the lack of Pasteur effect in this tissue (370) 120
Telfer, A. and Barber, J.
Two fold effect of valinomycin on isolated spinach chloroplasts: uncoupling and inhibition of electron transport (333) 343
Telfer, A., see Barber, J. (357) 161
Tenenbaum, S.W., Witherup, T.H. and Abbott, E.H.
Selectivity in vitamin B_6 model reactions. Selective α or β deuteration of amino acids under transamination or racemization conditions (362) 308
Teng, C.S.
Nuclear acidic protein of the developing Oncopeltus embryos (366) 385
Tentori, L., see Alberti, R. (342) 1
Tepperman, F., see Grant Gall, D. (339) 291
Terada, H., Aoki, K. and Kamada, M.
Characteristic behaviours of 2-(4′hydroxyphenylazo)-benzoic acid to native and heat-denatured serum albumins (342) 41
Terai, T., see Ishiguro, I. (365) 148
Terenzi, M., Rigo, A. and Franconi, C.
pH Dependence of the nuclear magnetic relaxation rate of solvent water protons in solutions of bovine superoxide dismutase (351) 230
Terho, T. and Laitio, M.
Polysaccharides in human gallbladder wall and bile (338) 135
Terland, O., Silsand, T. and Flatmark, T.
Cytochrome b-561 as the single heme protein of the bovine adrenal chromaffin granule membrane (359) 253
Terry, K.R., see Hooper, A.B. (358) 14
Tertrin-Clary, C., see De la Llosa, P. (342) 97
Tesoriere, G., Vento, R., Calvaruso, G. and Kopacz-Jodczyk, T.
Metabolism of glucosamine in bovine retina (338) 641
Tetaert, D., Han, K.-K., Plancot, M.-T., Dautrevaux, M., Ducastaing, S., Hombrados, I. and Neuzil, E.
The primary sequence of badger myoglobin (351) 317
Tettamanti, G., Cestaro, B., Lombardo, A., Preti, A., Venerando, B. and Zambotti, V.
Studies on brain membrane-bound neuraminidase. II. Effect of detergents on the kinetics of the enzyme prepared from calf brain (350) 415
Tettamanti, G., see Preti, A. (350) 406
Tewari, K.K., see Thomas, J.R. (361) 73
Tews, K.H., see Peters, R. (367) 282
Thangamani, A., see Ghosh, R.K. (361) 321
Thillet, J., see Cohen-Solat, M. (351) 306
Thipayathasana, P. and Valentine, R.C.
The requirement for energy transducing ATPase for anaerobic motility in E.coli (347) 464
Thirion, J., see Laub-Kupersztejn, R. (340) 314
Thody, A.J., see Cooper, M.F. (360) 193
Thomas, E., see Kimura, H. (343) 519
Thomas, J.B.
Further data on the identity of an absorbing pigment around 640 nm in Ulva lactuca (333) 415
Thomas, J.R. and Tewari, K.K.
Ribosomal RNA genes in the chloroplast DNA of pea leaves (361) 73

Thomas, P., see Tudball, N. (338) 83
Thomas, R.O., see Albro, P.W. (372) 1
Thompson, E.D., see Bailey, R.B. (334) 127
Thompson, E.D., Bailey, R.B. and Parks, L.W.
Subcellular location of S-adenosylmethionine: Δ^{24}-sterol methyltransferase in Saccharomyces cerevisiae (334) 116
Thompson, W.J., see Pledger, W.J. (370) 242
Thorell, B., see Kohen, E. (362) 575
Thorneley, R.N.F.
A convenient electrochemical preparation of reduced methylviologen and kinetic study of the reaction with oxygen using an aerobic stopped-flow apparatus (333) 487
Thorneley, R.N.F.
Nitrogenase of Klebsiella pneumoniae: Inhibition of acetylene reduction by adenosine triphosphate (358) 247
Thorpe, C.W., Bond, J.S. and Collins, J.M.
Early events in lens regeneration: changes in cyclic AMP concentrations during initiation of RNA and DNA synthesis (340) 413
Thorpe, S.R. and Ihler, G.M.
High molecular weight polypeptides synthesized using DNA as messenger (366) 235
Thorpe, W.G., see Carper, W.R. (358) 49
Ticha, M., see Fliegerova, O. (351) 416
Tiedemann, H., see Hendrick, D. (340) 278
Tiesjema, R.H., Hardy, G.P.M.A. and van Gelder, B.F.
Biochemical and biophysical studies on cytochrome c oxidase. XVII. Potentiometric titrations of cytochrome c oxidase followed by circular dichroism (357) 24
Tiesjema, R.H. and van Gelder, B.F.
Biochemical and biophysical studies on cytochrome c oxidase. XVI. Circular dichroic study of cytochrome c oxidase and its ligand complexes (347) 202
Till, J.E., see McCulloch, E.A. (355) 260
Till, J.E., see See, Y.P. (373) 242
Timasheff, S.N., see Sakura, J.D. (336) 37
Timberlake, W.E. and Griffin, D.H.
Differential effects of analogs of cycloheximide on protein and RNA synthesis in Ashlya (349) 39
Timberlake, W.E. and Griffin, D.H.
Differential effects of cycloheximide and other inhibitors of protein synthesis on in vivo ribosomal RNA synthesis in Achlya bisexualis (353) 248
Tinberg, H.M., Melnick, R.L., Maguire, J. and Packer, L.
Studies on mitochondrial proteins. II. Localization of components in the inner membrane: Labeling with diazobenzenesulfonate, a non-penetrating probe (345) 118
Titanji, P.V.K., see Boldyrev, A.A. (357) 319
Tkachuk, V.A., see Boldyrev, A.A. (357) 319
Tobin, T., Akera, T., Lee, C.Y. and Brody, T.M.
Ouabain binding to $(Na^+ + K^+)$-ATPase. Effects of nucleotide analogues and ethacrynic acid (345) 102
Toki, S., see Kageura, E. (341) 172
Tokuda, H. and Mizushima, S.
A novel salt-unstable "50-S" particle in Escherichia coli; a possible ribosomal precursor for the 50-S subunit (340) 183
Tokuda, H. and Mizushima, S.
Purification and characterization of a salt-unstable "50-S" ribonucleoprotein from Escherichia coli (374) 417
Tolbert, B.M., see Marciani, D.J. (351) 387
Tomášek, V., see Keilová, H. (334) 179
Tomasi, V., see Barnabei, O. (362) 316
Tomasi, V., see Tria, E. (343) 297
Tomasz, J., see Simoncsits, A. (340) 509
Tomida, M., Koyama, H. and Ono, T.
Hyaluronic acid synthetase in cultures mammalian cells producing hyaluronic acid: oscillatory change during the growth phase and suppression by 5-bromodeoxyuridine (338) 352
Tomita, T., see Hayashi, E. (360) 134
Tomita, T., see Maeda, T. (370) 146
Tomita, T., see Maeda, T. (360) 146
Tomlinson, R.W.S., see Wood, A.W. (367) 375
Tomura, T., see Van Lancker, J.L. (353) 99
Tondo, C., Bonaventura, J., Bonaventura, C., Brunori, M., Amiconi, G. and Antonini, E.
Functional properties of hemoglobin Porto Alegre ($\alpha_2{}^A\beta_2{}^9$Ser→Cys) and the reactivity of its extra cysteinyl residue (342) 15
Toppel, S., see Rosner, W. (351) 92
Tormey, J.McD., see Bindslev, N. (332) 286
Tornabene, T.G., see Vulliet, P. (348) 299
Torreilles, J. and Crastes de Paulet, A.
Studies of NAD(H) conformations in solution: A new method using the PMR spectra of Cobalt ion–dinucleotide complexes (362) 375
Torres-Pereira, J., see Takaoki, T. (352) 260
Tosa, T., see Matuo, Y. (338) 520
Tosa, T., Sato, T., Sano, R., Yamamoto, K., Matuo, Y. and Chibata, I.
Characteristics and applications of N-(co-aminohexyl)-L-aspartic acid–Sepharose as an affinity adsorbent (334) 1

Totsuka, A., see Müller, W.E.G. (366) 224
Tove, S.B., see Banis, R.J. (348) 210
Towers, G.H.N., see Nambudiri, A.M.D. (343) 148
Towers, G.H.N., see Vance, C.P. (343) 138
Trams, E.G. and Lauter, C.J.
On the sidedness of plasma membrane enzymes (345) 180
Trams, E.G., see Reichert, W.H. (370) 556
Tran-Dinh, S., see Blandin, M. (361) 249
Traniello, S.
Fructose-1,6-diphosphatase from rat liver. Purification and properties (341) 129
Trebst, A., see Hauska, G. (357) 1
Tregear, R.T., see Marston, S. (347) 311
Tregunna, E.B., see Vance, C.P. (343) 138
Trevisani, A., see Tria, E. (343) 297
Tria, E., Luly, P., Tomasi, V., Trevisani, A. and Barnabei, O.
Modulation by cyclic AMP in vitro of liver plasma membrane ($Na^+ - K^+$)-ATPase and protein kinases (343) 297
Trifunac, A.D., see Cotton, T.M. (368) 181
Trissl, H.-W.
Studies on the incorporation of fluorescent pigments into bilayer membranes (367) 326
Tritsch, G.L., see Hakala, M.T. (338) 1
Troen, B.R., see Fan, D.-F. (360) 88
Troen, P., see Fan, D.-F. (360) 88
Troesch, V., see Schmitz, J. (343) 435
Trombetta, G., see Grazi, E. (364) 120
Tropp, B.E., see Cheng, P.J. (341) 85
Troxler, R.A. and Brown, A.S.
Metabolsim of L-azetidine-2-carboxylic acid in the alga, Cyanidium caldarium (366) 341
Trucco, R.E., see Aquerman de Cabrera, A.L. (337) 377
Trudell, J.R., Payan, D.G., Chin, J.H. and Cohen, E.N.
Pressure-induced elevation of phase transition temperature in dipalmitoylphosphatidylcholine bilayers: An electron spin resonance measurement of the enthalphy of phase transition (373) 436
Trudell, J.R., Payan, D.G., Chin, J.H. and Cohen, E.N.
The effect of pressure on the phase diagram of mixed dipalmitoyl-dimyristoylphosphatidylcholine bilayers (373) 141–144
Trülzsch, D., Czygan, P. (354) 168
Tsai, C.-M., see Huang, C.-C. (332) 59
Tsai, C.-M., Huang, C.-C. and Canellakis, E.S.
Iodination of cell membranes. I. Optimal conditions for the iodination of exposed membrane components (332) 47
Tsai, M.-J. and Saunders, G.F.
Isolation and characterization of human DNA-dependent RNA polymerase (366) 61
Tseng, J.K. and Gurpide, E.
Uptake and metabolism of exogenous uridine by superfused rat liver slices (353) 399
Tsien, W.H., see Sheppard, H. (341) 489
Tsuboi, K.K.
Regulation of erythrocyte glycolysis. Membrane-mediated activation induced in low-electrolyte medium (352) 307
Tsuiki, S., see Abe, N. (350) 383
Tsuiki, S., see Baba, T. (370) 419
Tsuiki, S., see Miyagi, T. (358) 144
Tsujimoto, H.Y., see Arnon, D.I. (357) 231
Tsukada, Y., see Taniguchi, N. (354) 161
Tsukada, Y., see Uchida, Y. (350) 425
Tsumita, T., see Takenawa, T. (373) 106
Tsumita, T., see Takenawa, T. (373) 490
Tsuruo, T., Hirayama, K., Kawaguchi, M., Satoh, H. and Ukita, T.
Low molecular weight DNA polymerase of rat ascites hepatoma cells (366) 270
Tsuruo, T. and Ukita, T.
Purification and further characterization of three DNA polymerases of rat ascites hepatoma cells (353) 146
Tsuzuki, J. and Newburgh, R.W.
Cyclic nucleotide binding and protein kinase in the central nervous system of Galleria mellonella (L.) (354) 101
Tu, A.T., see She, C.Y. (372) 345
Tudball, N., Thomas, P. and Fowler, J.A.
Factors affecting the levels of the L-serine O-sulphate degrading system of rat liver (338) 83
Tung, F., Kantesaria, P. and Marfey, P.
Some properties of brominated calf thymus deoxyribonucleic acid (335) 318
Turner, L.V. and Garlick, P.J.
The effect of unilateral phrenicectomy on the rate of protein synthesis in rat diaphragm in vivo (349) 109
Turnquist, M.M., see Turnquist, R.L. (364) 59
Turnquist, R.L., Turnquist, M.M., Bachmann, R.C. and Hansen, R.G.
Uridine diphosphate glucose pyrophosphorylase: Differential heat inactivation and further characterization of human liver enzyme (364) 59

U

Uchida, K.
Occurrence of saturated and mono-unsaturated fatty acids with unusually-long-chains (C_{20}-C_{30}) in Lactobacillus heterohiochii, an alcoholophilic bacterium (348) 86

Uchida, K.
Lipids of alcoholophilic lactobacilli. II. Occurrence of polar lipids with unusually long acyl chains in Lactobacillus heterohiochii (369) 146

Uchida, Y., Tsukada, Y. and Sugimori, T.
Production of microbial neuraminidases induced by colominic acid (350) 425

Ueda, T., Muratsugu, M. and Kobatake, Y.
Roles of Ca^{2+} phospholipids and proteins in the excitable membrane of protoplasmic droplet isolated from Nitella (373) 286

Uehara, Y., Hori, M. and Umezawa, H.
Negamycin inhibits termination of protein synthesis directed by phage f2 RNA in vitro (374) 82

Ui, M., see Saitoh, Y. (343) 492

Ui, N., see Sorimachi, K. (342) 30

Uitto, J. and Prockop, D.J.
Incorporation of proline analogues into collagen polypeptides. Effects on the production of extracellular procollagen and on the stability of the triple-helical structure of the molecule (336) 234

Ukita, T., see Kobayashi, T. (366) 168

Ukita, T., see Saito, M. (362) 549

Ukita, T., see Tsuruo, T. (353) 146

Ukita, T., see Tsuruo, T. (366) 270

Ullrich, K.J. and Sato, K.
Serum-induced inhibition of isotonic fluid absorption by the kidney proximal tubule. I. Mechanism of inhibition (343) 609

Ullrich, K.J., see Sato, K. (354) 182

Ullrich, V., see Deutschmann, G. (371) 470

Umezawa, H., see Uehara, Y. (374) 82

Uno, I. and Ishikawa, T.
Presence of multiple protein kinase activities in Coprinus macrorhizus (334) 354

Upholt, W.B., see Arnberg, A.C. (361) 266

Urbano, P., see Chiarugi, V.P. (345) 283

Uretsky, L.S., see Wedler, F.C. (370) 541

Urry, D.W., Long, M.M., Cox, B.A., Ohnishi, T., Mitchell, L.W. and Jacobs, M.
The synthetic polypentapeptide of elastin coacervates and forms filamentous aggregates (371)

Uziel, M. and Jacobson, K.B.
Aminoacylation of Escherichia coli valine transfer RNA after oxidation and reduction (366) 182

V

Vafina, M.G., see Molodtsov, N.V. (364) 296
Vagelos, P.R., see Kent, C. (360) 312
Vail, W.J., see Papahadjopoulos, D. (352) 10
Vainio, H. and Hietanen, E.
Induction deficiency of the microsomal UDP glucuronosyltransferase by 3-methylcholanthrene in Gunn rats (362) 92
Valentine, R.C., see Shanmugam, K.T. (338) 545
Valentine, R.C., see Thipayathasana, P. (347) 464
Vallejo, C.G., Sillero, M.A.G. and Sillero, A.
Diguanosinetetraphosphatase in Artemia salina (358) 117
Vallejos, R.H. and Andreo, C.S.
Alkaloids as inhibitors of photophosphorylation in spinach chloroplasts (333) 136
Vallejos, R.H., see Roveri, O.A. (333) 187
Vallet-Strouve, C., see Sala-Trepat, J.M. (371) 186
Vallner, J.J., see Perrin, J.H. (371) 482
Van Ark, G., see Wever, R. (347) 215
Van Berkel, J.C., Staal, G.E.J., Koster, J.F. and Nyessen, J.G.
On the molecular basis of pyruvate kinase-deficiency. II. Role of thiol groups in pyruvate kinase from pyruvate kinase-deficiency patients (334) 361
Van Berkel, Th.J.C., Koster, J.F., Kruyt, J.K. and Hülsmann, W.C.
Regulation and allosteric model of L-type pyruvate kinase from rat liver (370) 450
Van Berkel, Th.J.C. and Kruyt, J.K.
Kinetic properties of M_2-type pyruvate kinase from rat liver at physiological Mg^{2+} concentration (370) 140
Van Bruggen, E.F.J. and Weber, R.E.
Erythrocruorin with anomalous quaternary structure from the polychaete Oenone fulgida (359) 210
van Bruggen, E.F.J., see Arnberg, A.C. (361) 266
Van Buuren, K.J.H. and Van Gelder, B.F.
Biochemical and biophysical studies on cytochrome c oxidase. XIII. Effects of cholate on the enzymic activity (333) 209
Van Buuren, K.J.H., Van Gelder, B.F., Wilting, J. and Braams, R.
Biochemical and biophysical studies on cytochrome c oxidase. XIV. The reaction with cytochrome c as studied by pulse radiolysis (333) 421
Van Buuren, K.J.H., see Muijsers, A.O. (333) 430
Van Cauter, E., see Swillens, S. (364) 250
Vance, C.P., Tregunna, E.B., Nambudiri, A.M.D. and Towers, G.H.N.
Styrylpyrone biosynthesis in Polyporus hispidus. I. Action spectrum and photoregulation of pigment and enzyme formation (343) 138
Vance, C.P., see Nambudiri, A.M.D. (343) 148
Van Dam, K., see Bakker, E.P. (333) 12
Van Dam, K., see Bakker, E.P. (339) 157
Van Dam, K., see Bakker, E.P. (339) 285
Van Dam, K., see Bakker-Grunwald, T. (347) 290
Van Dam, K., see Fiolet, J.W.T. (368) 432
Van Dam, K., see Meijer, A.J. (346) 213
Van Dam, K., see Nieuwenhuis, F.J.R.M. (368) 461
Van Dam, K., see Van de Stadt, R.J. (347) 224
Van Dam, K., see Van de Stadt, R.J. (347) 240
Van Dam, K., see Van de Stadt, R.J. (347) 253
Vandecasserie, C., see Paul, C. (371) 155
Van Deenen, L.L.M., see Blok, M.C. (367) 202
Van Deenen, L.L.M., see Blok, M.C. (367) 210
Van Deenen, L.L.M., see De Jong, J.G.N. (369) 50
Van Deenen, L.L.M., see De Kruijff, B. (339) 30
Van Deenen, L.L.M., see De Kruijff, B. (339) 44
Van Deenen, L.L.M., see London, Y. (332) 69
Van Deenen, L.L.M., see Renooij, W. (363) 289
Van Deenen, L.L.M., see Van den Bosch, H. (348) 197
Van Deenen, L.L.M., see Van der Neut-Kok, E.C.M. (332) 97
Van Deenen, L.L.M., see Verkleij, A.J. (373) 495
Van den Berg, H.W.
Alkaline sucrose gradient sedimentation studies on DNA from HeLa S_3 cells exposed to methyl methanesulphonate or methylazoxymethanol acetate (353) 215

Van den Bergh, S.G., see Lopes-Cardozo, M. (357) 43
Van den Bergh, S.G., see Lopes-Cardozo, M. (357) 53
Van den Bergh, S.G., see Lopes-Cardozo, M. (357) 193
Van den Bosch, H., Aarsman, A.J. and Van Deenen, L.L.M.
Isolation and properties of a phospholipase A_1 activity from beef pancreas (348) 197
Van den Bosch, H., see De Jong, J.G.N. (369) 50
Van den Eijnden, D.H. and Van Dijk, W.
Properties and regional distribution of cerebral CMP-N-acetylneuraminic acid. Glycoprotein sialytransferase (362) 136
Van den Heuvel, E.J., see Bakker, E.P. (333) 12
Van der Deen, H., see Schoot Uiterkamp, A.J.M. (372) 407
Van der Drift, J.A.M., see Nieuwenhuis, F.J.R.M. (368) 461
Vanderhoef, L.N., see Croft, S.M. (335) 211
Vanderkooi, G.
Organisation of proteins in membranes with special reference to the cytochrome oxidase system (344) 307
Van der Logt, J., see Strous, G.J.A.M. (353) 89
Vandermeers, A., Vandermeers-Piret, M.C., Rathé, J. and Christophe, J.
Human pancreatic triacylglycerol lipase. Isolation and some properties (370) 257
Vandermeers-Piret, M.C., see Vandermeers, A. (370) 257
Vandermeulen, D.L. and Govindjee
Relation of membrane structural changes to energy spillover in oat and psinach chloroplasts. Use of fluorescence probes and light scattering (368) 61
Van der Molen, H.J., see Van der Vusse, G.J. (348) 404
Van der Neut-Kok, E.C.M., De Gier, J., Middelbeek, E.J. and Van Deenen, L.L.M.
Valinomycin-induced potassium and rubidium permeability of intact cells of Acholeplasma laidlawii B (332) 97
Van der Sluis, J.J., see Zegers, B.J.M. (351) 261
Van der Vusse, G.J., Kalkman, M.L. and Van der Molen, H.J.
3β-hydroxysteroid dehydrogenase in rat testis tissue. Inter- and subcellular localization and inhibition by cyanoketone and nagarse (348) 404
Van der Westhuyzen, D.R., Böhm, E.L. and Von Holt, C.
Fractionation of chicken erythrocyte whole histone into the six main components by gel exclusion chromatography (359) 341
Van de Stadt, R.J. and Van Dam, K.
Equilibrium between the mitochondrial ATPase (F_1) and its natural inhibitor in submitochondrial particles (347) 240
Van de Stadt, R.J. and Van Dam, K.
Binding of aurovertin to phosphorylating submitochondrial particles (347) 253
Van de Stadt, R.J., Van Dam, K. and Slater, E.C.
Interaction of aurovertin with submitochondrial particles, deficient in ATPase inhibitor (347) 224
Van Dijck, P.W.M., see De Kruijff, B. (339) 44
Van Dijck, P.W.M., see De Kruyff, B. (356) 1
Van Dijk, W., see Van den Eijnden, D.H. (362) 136
Van Dorp, B., Ceulen, M.Th.E. and Pouwels, P.H.
Properties of an ATP-dependent deoxyribonuclease from Micrococcus luteus. A characterization of the reaction products (340) 166
Van Drooge, J.H., see Wever, R. (347) 215
Van Gelder, B.F., see DerVartanian, D.V. (347) 321
Van Gelder, B.F., see Kauffman, H.F. (333) 218
Van Gelder, B.F., see Muijsers, A.O. (333) 430
Van Gelder, B.F., see Tiesjema, R.H. (347) 202
Van Gelder, B.F., see Tiesjema, R.H. (357) 24
Van Gelder, B.F., see Van Buuren, K.J.H. (333) 209
Van Gelder, B.F., see Van Buuren, K.J.H. (333) 421
Van Gelder, B.F., see Visser, J.W.M. (333) 279
Van Gelder, B.F., see Wever, R. (347) 215
Van Gelder, B.F., see Wever, R. (368) 311
Van Golde, L.M.G., Raben, J., Batenburg, J.J., Fleischer, B., Zambrano, F. and Fleischer, S.
Biosynthesis of lipids in Golgi complex and other subcellular fractions from rat liver (360) 179
Van Golde, L.M.G., see Renooij, W. (363) 289
Van Gorkom, H.J.
Identification of the reduced primary electron acceptor of Photosystem II as a bound semiquinone anin
semiquinone anion (347) 439
Van Gorkom, H.J., Tamminga, J.J. and Haveman, J.
Primary reactions, plastoquinone and fluorescence yield in subchloroplast fragments prepared with deoxycholate (347) 417

Van Kamp, G.J., Van Kleef, F.S.M. and Hoenders, H.J.
Reaggregation studies on the polypeptide chains of calf lens alpha-crystallin (342) 89
Van Kleef, F.S.M., see Van Kamp, G.J. (342) 89
Van Lancker, J.L. and Tomura, T.
Purification and some properties of a mammalian repair endonuclease (353) 99
Van Loon, C.M.I., see Groot, P.H.E. (337) 1
Van Markwijk, B.W., see Schmidt, D.G. (365) 72
Vänngård, T., see Moss, T.H. (371) 39
Van Nostrand, F., see Geacintov, N.E. (347) 443
Vannucchi, S., see Chiarugi, V.P. (345) 283
Van Parijs, R., see Scharpé, A. (353) 45
Van Rijn, J., see Bevers, M.M. (341) 120
Van Schaik, F.W., see Veerkamp, J.H. (348) 370
Van Steveninck, J. and Ledeboer, A.M.
Phase transitions in the yeast cell membrane. The influence of temperature on the reconstitution of active dry yeast (352) 64
Van Tol, A.
Effect of fasting on the acylation of carnitine and glycerophosphate in rat liver subcellular fractions (357) 14
Van Wauwe, J.P., Loontiens, F.G. and De Bruyne, C.K.
Interaction of Ricinus communis lectin with plant amyloids (354) 148
Van Westreenen, H., see Strous, G.J.A.M. (353) 89
Van Wijk, R., see Bevers, M.M. (341) 120
Varanasi, U. and Malins, D.C.
Structure of phospholipids and triacylglycerols containing long-chain iso acids in the porpoise (Tursiops gilli) (348) 55
Varandani, P.T.
Insulin degradation. XII. The amino acid composition, amino-terminal, and carbohydrate content of beef pancreatic glutathione-insulin transhydrogenase (371) 577
Varghese, A.J.
Photoaddition products of uracil and cysteine (374) 109
Varma, R., Varma, R.S., Allen, W.S. and Wardi, A.H.
Carbohydrate–protein linkage group in vitreous humor hyaluronate (362) 584
Varma, R.S., see Varma, R. (362) 584
Varma, S.D. and Kinoshita, J.H.
Sorbitol pathway in diabetic rat lens and galactosemic rat lens (338) 632
Varshavsky, A.J. and Ilyin, Yu.V.
Salt treatment of chromatin induces redistribution of histones (340) 207
Vasdev, S.C., Subrahmanyam, D., Chakravarti, R.N. and Wahi, P.L.
Effect of chronic ethanol-feeding on the major lipids of red blood cells, liver and heart of rhesus monkey (369) 323
Vassart, G., Lecocq, R.E., Brocas, H. and Dumont, J.E.
Translation in Xenopus oocyte of messenger RNA coding for a beef heavy-chain thyroglobulin. (353) 261
Vassef, A., Spencer, C., Gelehrter, T.D. and Lengyel, P.
Selectivity of interferon action. Hormonal induction of tyrosine amino-transferase in rat hepatoma cells is much less sensitive to interferon than the replication of vesicular stomatitis virus or reovirus (353) 115
Vaughan, G.D. and Sauer, K.
Energy transfer from photochlorophyllide to chlorophyllide during photoconversion of etiolated bean holochrome (347) 383
Vazquez, D., see Contreras, A. (349) 376
Vedaldi, D., see Dall'Acqua, F. (353) 267
Vedel, F. and Quetier, F.
Physico-chemical characterization of mitochondrial DNA from potato tubers (340) 374
Veeger, C., see Fehrmann, H. (350) 292
Veeger, C., see Haaker, H. (357) 344
Veerkamp, J.H.
Biochemical changes in Bifidobacterium bifidum var. Pennylvanicus after cell-wall inhibition. VI. Biosynthesis of the galactosyldiglycerides (348) 23
Veerkamp, J.H. and van Schaik, F.W.
Biochemical changes in Bifidobacterium bifidum var. Pennylvanicus after cell wall inhibition. VII. Structure of the phosphogalactolipids (348) 370
Vella, F., Casey, R., Lehmann, H., Labossiere, A. and Jones, T.G.
Haemoglobin Ottawa: $\alpha_2$15(A13)Gly→Arg β_2 (336) 25
Vella, F., Galbraith, P., Wilson, J.B., Wong, S.C., Folger, C. and Huisman, T.J.H.
Hemoglobin St. Claude or $\alpha_2$127(H10)Lys→Thrβ_2 (365) 318
Velthuys, B.R. and Amesz, J.

Charge accumulation at the reducing side of System 2 of photosynthesis (333) 85
Venerando, B., see Tettamanti, G. (350) 415
Vento, R., see Tesoriere, G. (338) 641
Verbruggen, R., Duruisseau, E. and Baeck, A. Heterogeneity and the autodigestion of subtilisin "Carlsberg" as studied by agarose electrophoresis and Grabar-Williams immuno-electrophoresis (365) 108
Vercellotti, S.V., see Anderson, B.M. (350) 135
Verdugo, P., see Latorre, R. (367) 361
Verine, A., Giudicelli, H. and Boger, J. Affinity chromatography of human adipose tissue triacylglycerol lipase on agarose-linked dioleoglycerol (369) 125
Verkleij, A.J., Ververgaert, P.H.H.Th., De Kruyff, B. and Van Deenen, L.L.M. Distribution of cholesterol in bilayers of phosphatidylcholines as visualised by freeze fracturing (373) 495
Verkleij, A.J., see Haest, C.W.M. (356) 17
Verly, W.G., Crine, P., Bannon, P. and Forget, A. Immediate inactivation of T7 coliphage treated by monofunctional alkylating agents (349) 204
Verma, S.P., Wallach, D.F.H. and Smith, I.C.P. Action of melittin on phosphatide multi-bilayers as studied by infrared dichroism and spin labelling. A model approach to lipid–protein interactions (345) 129
Verma, S.P., see Wallach, D.F.H. (356) 68
Vermeglio, A. and Mathis, P. Light-induced absorbance changes at −170°C with spinach chloroplasts. Charge separation and field effect (368) 9
Vermeglio, A., see Mathis, P. (368) 130
Vermylen, J., see Claeys, H. (342) 351
Verna, R., see Luly, P. (367) 109
Vernotte, C., see Arntzen, C.J. (347) 329
Vernotte, C., see Arntzen, C.J. (368) 39
Veronese, F.M., Boccù, E., Fontana, A., Benassi, C.A. and Scoffone, E. Isolation and some properties of 6-phospho-gluconate dehydrogenase from Bacillus stearothermophilus (334) 31
Verrinder, M., see Howell, J.I. (332) 1
Ververgaert, P.H.J., see Haest, C.W.M. (356) 17
Ververgaert, P.H.J.Th., see Verkleij, A.J. (373) 495
Vestling, C.S., see Carlotti, R.J. (341) 357
Vickery, L.E., see Chu, D.K. (334) 438
Vidal, A.J. and Stokstad, E.L.R. Urinary excretion of 5-methyltetrahydro-folate and liver S-adenosylmethionine levels of rats fed a vitamin B_{12}-deficient diet (362) 245
Vidal, H., see Colombo, B. (351) 1
Vidaver, W., see Schreiber, U. (368) 97
Vignais, P.V., see Launay, A.N. (347) 60
Viljoen, C.C., Schabort, J.C. and Botes, D.P. Bitis gabonica venom. A kinetic analysis of the hydrolysis by phospholipase A_2 of 1,2-dipalmitoyl-sn-glycero-3-phosphoryl-choline (360) 156
Villee, C.A., see Hubert, C. (374) 359
Villegas, R., see Chacko, G.K. (373) 308
Villoutreix, J., see Maudinas, D. (348) 357
Viñuela, E., see Jiménez, F. (349) 320
Visser, J., see Havekes, L. (334) 272
Visser, J.W.M., Amesz, J. and Van Gelder, B.F. EPR signals of oxidized plastocyanin in intact algae (333) 279
Visser, J.W.M., Rijgersberg, K.P. and Amesz, J. Light-induced reactions of ferredoxin and P700 at low temperatures (368) 235
Vítek, A., Reddy, C.R. and Pivec, L. Numerical analysis of absorption melting curves of a multiphase shape by a computer (353) 385
Vittozzi, L., see Bedetti, C. (362) 299
Vivoli, A., see Cognetti, G. (349) 447
Voet, A.B., see Nieuwenhuis, F.J.R.M. (368) 461
Vogel, W.C., see Pykalisto, O.J. (369) 254
Vogt, W., see Kunze, H. (360) 260
Vold, B., see Nester, E.W. (361) 59
Volkman, D., see Dobberstein, B. (374) 187
Volkman, D., see Dounce, A.L. (342) 81
Vollbrecht, D. Three pathways of isoleucine biosynthesis in mutant strains of Saccharomyces cerevisiae (362) 382
Volman-Mitchell, H. and Parsons, D.S. Distribution and activities of dicarboxylic amino acid transaminases in gastrointestinal mucosa of rat, mouse, hamster, guinea pig, chicken and pigeon (334) 316
Volpin, D., see Castellani, I. (371) 299
Von Figura, K., see Mersmann, G. (364) 88
Von Holt, C., see Van der Westhuyzen, D.R. (359) 341
Von Schoultz, B. and Stigbrand, T. Characterization of the "pregnancy zone protein" in relation to other α_2-globulins of pregnancy (359) 303
Voorma, H.O., see Cocito, C. (340) 285
Vormbrock, R., Morawietz, R. and Gassen, H.G.

Codon–anticodon interaction studied with trinucleoside diphosphates containing 2-thiouridine, 4-thioridine, 2,4-dithiouridine or 2-thiocytidine (340) 348
Voyles, B.A. and Moskowitz, M.
Polyacrylamide gel electrophoresis of glycoproteins on single concentration and gradient gels (351) 178
Voytek, P.E., see Weissberg, J.B. (364) 304
Vulliet, P., Markey, S.P. and Tornabene, T.G.
Identification of methoxyester artifacts produced by methanolic-HCl solvolysis of the fatty acids of the genus Yersinia (348) 299

W

Wacker, H.
Role of carbohydrate moieties in the activity and properties of aminopeptidase from pig kidney (334) 417
Wada, K., see Arnon, D.E. (357) 231
Wadso, I., see Binford, J.S. (341) 345
Wahi, P.L., see Vasdev, S.C. (369) 323
Wahlqvist, L., see Karlsson, K.-A. (337) 349
Wais, R., see Probst, H. (366) 11
Waite, B.M., see Weglicki, W.B. (337) 145
Wakabayashi, K., see Yamaguchi, T. (372) 450
Wake, T., see Sasaki, Y. (366) 443
Walajtys, E., see Wojtczak, A.B. (347) 168
Waldman, A.A., Marx, G. and Goldstein, J.
Heparin as inhibitor of mammalian protein synthesis. II. Degree of sulfation, related sulfated mucopolysaccharides (343) 324
Walker, C., see Menninger, J.R. (335) 185
Walker, D.A., see Lilley, R.McC. (358) 226
Walker, D.A., see Lilley, R.McC. (368) 269
Wallace, R.B. and Freeman, K.B.
Initiation of mammalian mitochondrial protein synthesis. Effect of methotrexate (366) 466
Wallace, W.
Purification and properties of a nitrate reductase inactivating enzyme (341) 265
Wallach, D.F.H., Verma, S.P., Weidekamm, E. and Bieri, V.
Hydrophobic binding sites in bovine serum albumin and erythrocyte ghost proteins. Study by spin-labelling, paramagnetic fluorescence quenching and chemical modification (356) 68
Wallach, D.F.H., see Bhakdi, S. (345) 448
Wallach, D.F.H., see Bhakdi, S. (356) 300
Wallach, D.F.H., see Bhakdi, S. (363) 39
Wallach, D.F.H., see Bhakdi, S. (373) 295
Wallach, D.F.H., see Kwock, L. (352) 135
Wallach, D.F.H., see Mikkelsen, R.B. (363) 211
Wallach, D.F.H., see Schmidt-Ullrich, R. (332) 175
Wallach, D.F.H., see Schmidt-Ullrich, R. (356) 288
Wallach, D.F.H., see Verma, S.P. (345) 129
Wallach, D.F.H., see Wunderlich, F. (373) 34
Wallis, M., see Betteridge, A. (362) 66
Wals, P.A., see Katz, J. (337) 313
Wals, P.A., see Katz, J. (348) 344
Walstad, P., see Christoffersen, T. (372) 291
Walter, R. and Hoffman, P.L.
Influence of conformational constraints within neurophypophyseal hormones on the action of chymotrypsin (336) 294
Walters, R.A., see Enger, M.D. (353) 227
Wampler, E. and Katz, S.
Threonine inhibition of the aspartokinase–homoserine dehydrogenase-I complex of Escherichia coli. Dilatometric studies (365) 414
Wang, C.-L., see Blackwell, R.Q. (351) 7
Wang, J.C., see Jacobsen, J. (335) 49
Wang, R.T. and Myers, J.
On the State 1 – State 2 phenomenon in photosynthesis (347) 134
Wang, S., Kothari, R.M., Taylor, M.W. and Hung, P.P.
Selective incorporation of host cell methionyl-transfer RNA by RNA tumor viruses (340) 52
Ward, D.C., see Schenkman, M.I. (353) 503
Ward, R.L. and Cull, M.D.
Active site chloride binding in liver alcohol dehydrogenase (365) 281
Ward, W.T., see Morgan, R.S. (371) 238
Wardi, A.H., see Varma, R. (362) 584
Warren, J.R., Spero, L. and Metzger, J.F.
pH dependence of enterotoxin polymerization by formaldehyde (365) 434
Warren, J.R., Spero, L. and Metzger, J.F.
Stabilization of native structure by the closed disulfide loop of Staphylococcal enterotoxin B (359) 351
Warren, J.R., see Spero, L. (336) 79
Warrington, R.C.
Ribonuclease T_1 catalyzed degradation of transfer RNA. An unusual alteration induced by urea (353) 63
Warshaw, J.B., see Aprille, J.R. (373) 502
Warshaw, J.B., see Lefkowitz, R.J. (332) 317
Waser, P.G., see Watterson, J.G. (356) 133
Watanabe, M. and Po, L.
Testosterone uptake by membrane vesicles of Pseudomonas testosteroni (345) 419
Watanabe, S. and Keller, P.J.
Isolation and partial characterization of

glycopeptides from human parotid amylase A (336) 62
Watanabe, T., Goto, H. and Ogasawara, N.
Specific development of isocitrate dehydrogenase in rat brain (358) 240
Watanabe, T., see Ogasawara, N. (364) 353
Waterfield, M.D., see Pearlstein, E. (362) 1
Waterman, M.R.
Role of cysteine residues in hemoglobin structure and function. Transfer of p-mercuribenzoate from alpha subunits to beta subunits during tetramer formation (371) 159
Waterman, M.R. and Stenzel, P.
Physical and chemical properties of opossum hemoglobin. A hemoglobin containing glutamine at position 58 (E7) in the alpha subunit (359) 401
Waters, R. and Moustacchi, E.
Disappearance of ultraviolet-induced pyrimidine dimers from the nuclear DNA of exponential and stationary phase cells of Saccharomyces cerevisiae following various post-irradiation treatments (353) 407
Waters, R. and Moustacchi, E.
Fate of ultraviolet pyridine dimers in the mitochondrial DNA of Saccharomyces cerevisiae following various post-irradiation cell treatments (366) 241
Watkins, T., see Eletr, S. (339) 190
Watt, W.B., see Pusztsai, A. (365) 57
Watterson, J.G., Schaub, M.C. and Waser, P.G.
Shear-induced protein–protein interaction at the air–water interface (356) 133
Watts, D.C., see Kitchin, S.E. (364) 272
Webb, D.J., see Hülser, D.F. (372) 85
Webb, J. and Gray, H.B.
Spectral studies of the ferritin core and related iron (III) polymers (351) 224
Weber, A.L. and Lacey, Jr, J.C.
Aminoacyl transfer. Peptide synthesis and other properties of an amino acid imidazolide (349) 226
Weber, R.E., see Van Bruggen, E.F.J. (359) 210
Wedler, F.C. and D'Aurora, V.
Spectroscopic probes of Escherichia coli glutamine synthetase. Rare earth ions by difference absorption (371) 432
Wedler, F.C., Uretsky, L.S. and McClune, G.
Conformational states of chymotrypsin at high pH. Substrate activation and sidechain interactions (370) 541
Weglicki, W.B., Ruth, R.C., Owens, K., Griffin, H.D. and Waite, B.M.
Changes in lipid composition of Triton-filled lysosomes during lysis. Association with activation of acid-active lipases and phospholipases (337) 145
Wehrli, E., see Fuhrmann, G.F. (363) 295
Weidekamm, E., see Wallach, D.F.H. (356) 68
Weijers, P.J., see Clegg, R.A. (361) 277
Weijers, P.J., see Sanders, J.P.M. (374) 136
Weil, J.H., see Dubois, E.G. (374) 332
Weinblum, D., Breter, H.J., Zahn, R.K. and Berger, J.
Alteration of DNA reassociation kinetics due to base mismatch caused by thymine dimerisation (374) 324
Weinryb, I. and Michel, I.M.
Potent, magnesium-ion-dependent inhibition of adenylate cyclase activity from guinea pig lung by adenosine and other 9-substitued adenines (334) 218
Weinstein, I., Seltzer, M. and Belitsky, R.
Interrelation of glucagon and gonadectomy upon hepatic triglyceride metabolism in rats (348) 14
Weinstock, I.M. and Markiewicz, L.
Muscle protein synthesis during development of the normal and dystrophic chicken. Activity of supernatant elongation factors (374) 197
Weis, P., see Redwood, W.R. (332) 11
Weissberg, J.B. and Voytek, P.E.
Liver and red cell porphobilinogen synthase in the adult and fetal guinea pig (364) 304
Weissmann, C., see Hofstetter, H. (374) 238
Weissmann, C., see Kamen, R.I. (366) 292
Weller, M.
Theoretical treatment of the turnover of protein bound phosphate in the presence of both protein kinase and phosphatase activities (343) 565
Wellmann, E., see Ebel, J. (362) 417
Welton, A.F. and Aust, S.D.
Effects of 3-methylcholanthrene and phenobarbital induction on the structure of the rat liver endoplasmic reticulum (373) 197
Weng, M.-I., see Blackwell, R.Q. (351) 7
Werthamer, S., see Amaral, L. (362) 332
Wesley, R.D., see Simpson, L. (349) 161
West, J., see Nicholls, P. (363) 190
Westfall, S.S., see Wirtz, G.H. (332) 131
Weston, J.A., Collins, P.A. and Knowles, C.J.
Respiratory system of the marine bacterium Beneckea natriegens. II. Terminal branching of respiration to oxygen and resistance to inhibition by cyanide (368) 148

Weston, J.A. and Knowles, C.J.
Respiratory system of the marine bacterium Beneckea natriegens. I. Cytochrome composition (333) 228
Westover, C.J. and Dresden, M.H.
Collagen hydration. Pulsed nuclear magnetic resonance studies of structural transitions (365) 389
Westphal, U., see MacLaughlin, D.T. (365) 372
Wettenhall, R.E.H. and London, D.R.
Evidence for translational control of "early" protein synthesis in lymphocytes stimulated with concanavalin A (349) 214
Wettstein, F.O., see Mathews, R.A. (366) 300
Wever, R., Van Drooge, J.H., Van Ark, G. and Van Gelder, B.F.
Biochemical and biophysical studies on cytochrome c oxidase. XVIII. An EPR study of the photodissociation of cytochrome a_3^{2+}·CO (347) 215
Wever, R. and Van Gelder, B.F.
Biochemical and biophysical studies on cytochrome c oxidase. XIX. An EPR study of the photodissociation of carboxycytochrome c oxidase in the presence of azide (368) 311
Whatley, F.R., see Ferguson, S.J. (357) 457
Wheeler, G.E., Epand, R.M. and Barrett, D.
Non-equivalance of the carboxyl groups of glucagon in the carbodiimide-promoted reaction with nucleophiles, and the role of carboxyl groups in the ability of glucagon to stimulate the adenyl cyclase or rat liver (372) 440
Wheeler, G.E., Schibeci, A., Epand, R.M., Rattray, J.B.M. and Kidby, D.K.
Subcellular localization and some properties of the adenylate cyclase activity of the yeast, Saccharomyces cerevisiae (372) 15
Whelan, H.A. and Wriston, Jr, J.C.
Purification and properties of L-asparaginase from Serratia marcescens (365) 212
Whipple, L.E., see Illingworth, D.R. (369) 304
White, B.N.
Chromatographic changes in specific tRNAs after reaction with cyanogen bromide and sodium periodate (353) 283
White, J.O., see Lim, L. (366) 358
White, R.C. and Nelson, T.E.
Re-evaluation of the subunit structure and molecular weight of rabbit muscle amylo-1,6-glucosidase/4-α-glucanotransferase (365) 274
White, S.H.
Temperature-dependent structural changes in planar bilayer membranes. Solvent "freeze-out" (356) 8
Whitehurst, R.J., see Barratt, M.D. (348) 126
Whitelam, J.M. and Naora, H.
Interaction of informational macromolecules with ribosomes. VII. Restoration of RNA-binding ability of 40 S ribosome subunits and effect of aurintricarboxylic acid (349) 178
Whiteley, A.H., see McLean, K.W. (335) 35
Whiting, M.J. and Dilworth, M.J.
Legume root nodule nitrogenase: Purification, properties and studies on its genetic control (371) 337
Whitmarsh, J. and Levine, R.P.
Excitation energy transfer and chlorophyll orientation in the green alga Chlamydomonas reinhardi (368) 199
Wichman, A. and Andersson, L.-O.
Purification of human serum albumin by affinity chromatography (372) 218
Wichremasinghe, R.G. and Johnston, I.R.
Evidence that the DNA- and poly(A)-dependent DNA polymerase activities of rat liver nuclei are functions of the same enzyme. Some observations on its mode of action (361) 37
Wick, R., see Fouquet, H. (353) 313
Wickstrom, E.
Escherichia coli initiation factor IF3 binding to AUG and AUG-containing single strands and hairpin loops, and non-specific binding to polymers (349) 125
Widnell, C.C., see Gold, G. (334) 75
Wiedner, G. and Wilhelm, G.
Water and ion permeability of a native collagen membrane (367) 349
Wierenga, P.K., see Nijhof, W. (361) 367
Wierzchowski, K.L., see Kulakowska, I. (361) 119
Wilchek, M., see Jost, R. (362) 75
Wildman, S.G., see Kung, S.D. (365) 138
Wilhelm, G., see Wiedner, G. (367) 349
Wilkinson, A., see Prestegard, J.H. (345) 439
Wilkinson, J.M.
Preparation and properties of the components of troponin B (359) 379
Wilkinson, R.G., see Rood, J.I. (334) 168
Willemot, J., see Planet, G. (364) 236
Willetts, A.
Phosphorylation and subsequent metabolism of 1-aminopropan-2-ol (362) 448

Williams, Jr, C.H., see Green Matthews, R. (370) 26
Williams, Jr, C.H., see Green Matthews, R. (370) 39
Williams, D.M., Christensen, D.D., Lee, G.R. and Cartwright, G.E.
Serum azide-resistant ferroxidase activity (350) 129
Williams, M.A., see Eletr, S. (339) 190
Williams, M.A., see Musch, K. (337) 343
Williams, W.J., see Furie, B.C. (365) 121
Williamson, J.R., see Meijer, A.J. (333) 1
Wilschut, J.C. and Scherphof, G.L.
Effect of partial degradation of mitochondrial phospholipids by phospholipase A on the temperature dependence of succinate-cytochrome c reductase and cytochrome c oxidase (356) 91
Wilson, B.J., see Boyd, M.R. (337) 184
Wilson, D.F., see Dutton, P.L. (346) 165
Wilson, F.A. and Dietschy, J.M.
Intestinal unstirred layer. Its surface area and effect on active transport kinetics (363) 112
Wilson, H.D., see Schedl, H.P. (367) 225
Wilson, H.L., see Joys, T.M. (351) 301
Wilson, I.B., see Ohlsson, J.T. (350) 48
Wilson, I.B., see Wins, P. (334) 137
Wilson, J.B., see Sharma, R.S. (359) 233
Wilson, J.B., see Vella, F. (365) 318
Wilson, R.H. and Minton, G.A.
The comparative uptake of Ba^{2+} and other alkaline earth metals by plant mitochondria (333) 22
Wilson, S.H., see Stromberg, K. (361) 53
Wilson, T.W., see Frölich, J.C. (348) 241
Wimhurst, J.M., Manchester, K.L. and Harris, E.J.
Actions of insulin and glucagon on glucose metabolism and on related enzyme activities in the isolated perfused rat liver (372) 72
Winget, G.D., see Bradeen, D.A. (333) 331
Wins, P. and Wilson, I.B.
Inhibition of acetylcholinesterase by organophosphorus compounds containing a P–Cl bond (334) 137
Winter, K., Lüttge, U. and Ball, E.
$^{14}CO_2$ dark fixation in the halophytic species Mesembryanthemum crystallinum (343) 465
Winter, M., see Reichert, U. (356) 108
Winterhalter, K.H., see Rachmilewitz, E.A. (371) 402
Winzler, R.J., see Ghosh, N.K. (343) 638
Wirtz, G.H., see Conrad, D.H. (332) 36
Wirtz, G.H. and Westfall, S.S.
Membrane modification through the cooperative action of vitamin A and lipid (332) 131
Wirtz, K.W.A.
Transfer of phospholipids between membranes (344) 95
Witherup, T.H., see Tenenbaum, S.W. (362) 308
Witkum, P., see Beckman, B. (332) 350
Witkum, P., see Flores, J. (362) 501
Witmer, H.J.
In vivo transcription of baseplate genes 9, 10, and 11 of bacteriophage T4 (335) 424
Witt, H.T., see Gräber, P.
Wojtczak, A.B. and Walajtys, E.
Mitochondrial oxaloacetate decarboxylase from rat liver (347) 168
Wold, F., see Snyder, Jr, P.D. (350) 432
Wold, S., see Perrin, J.H. (371) 482
Woledge, J., Corry, M.J. and Payne, P.I.
Ribosomal-RNA homologies in flowering plants; comparison of the nucleotide sequences in 5.8 S rRNA from broad bean, dwarf bean, tomato, sunflower and rye (349) 339
Wolf, G., see Kleinman, H.K. (354) 17
Wolf, G., see Kleinman, H.K. (359) 90
Wolf, K., see Bandlow, W. (333) 446
Wolf, R.H., see Scanu, A.M. (351) 341
Wollgiehn, R., see Munsche, D. (340) 437
Wolring, G.Z., see Keijzer, J.H. (334) 146
Wong, C.Y., see Lenard, J. (332) 341
Wong, H.B., see Blackwell, R.Q. (351) 7
Wong, K.P., see Lau, Y.K. (334) 431
Wong, N. and Zull, J.E.
Structural studies of a mitochondria-free plasma membrane fraction from rat liver (352) 52
Wong, S.C., see Sharma, R.S. (359) 233
Wong, S.C., see Vella, F. (365) 318
Wood, A.W. and Tomlinson, R.W.S.
The effect of catecholamines on ion transport in the toad bladder (367) 375
Wood, G.C., see Graham, A.B. (370) 431
Wood, P.M.
Rate of electron transfer between plastocyanin, cytochrome f, related proteins and artificial redox reagents in solution (357) 370
Wood, R.C., see Jungkind, D.L. (337) 286
Wood, R.C., see Jungkind, D.L. (337) 298

Wood-Guth, I., see Schwoch, G. (339) 126
Wooding, G.L., see Doolittle, R.F. (371) 277
Woods, J.S., see Murthy, V.V. (350) 240
Wormser, M., see Gershfeld, N.L. (352) 371
Wormser, M., see Razin, S. (352) 385
Wouters-Tirou, D., Sautière, P. and Biserte, G.
Purification and characterization of glycine, arginine, lysine-rich and alanine, leucine glycine-rich histones from sea urchin gonad (342) 360
Wraight, C.A. and Clayton, R.K.
Absolute quantum efficiency of bacteriochlorophyll photooxidation in reaction centres of Rhodopseudomonas spheroides (333) 246
Wraight, C.A., Leigh, J.S., Dutton, P.L. and Clayton, R.K.
Triplet state of reaction centre bacteriochlorophyll. Determination of a relative quantum yield (333) 401
Wright, E.M., see Bindslev, N. (332) 286
Wriston, Jr, J.C., see Whelan, H.A. (365) 212
Wu, A.M., see Gallo, R.C. (340) 419
Wunderlich, F., Wallach, D.F.H., Speth, V. and Fischer, H.
Differential effects of temperature on the nuclear and plasma membranes of lymphoid cells. A study by freezeetch electron microscopy (373) 34
Wurl, M., see Kunze, H. (348) 35
Wuthier, R.E. and Cummins, J.W.
In vitro incorporation of [^{3}H]-serine into phospholipids of proliferating and calcifying epiphyseal cartilage and liver (337) 50
Wykle, R.L., see Blank, M.L. (348) 397
Wyssling, H.B., see Schweingruber, M.E. (350) 319
Wyssling, H.B., see Schweingruber, M.E. (350) 328

Y

Yadomae, T., see Yamada, H. (343) 371
Yadomae, T., see Yamada, H. (362) 167
Yagi, K., Nishikimi, M., Takai, A. and Ohishi, N.
Mechanism of enzyme action. VII. Kinetic analysis of the reaction of D-amino acid oxidase with D-arginine (341) 256
Yagishita, K., see Imoto, T. (336) 264
Yaguzhinsky, L.S., Boguslavsky, L.I. and Ismailov, A.D.
Potential generation in bilayer lipid membranes in the NADH-Flavin mononucleotide–ubiquinone-6–O_2 (368) 22
Yamada, H., Yadomae, T. and Miyazaki, T.
Polysaccharides of the cellular slime mold I. Extracellular polysaccharides in growth phase of Dictyostelium discoideum (343) 371
Yamada, H., Yadomae, T. and Miyazaki, T.
Polysaccharides of the cellular slime mold. II. Change of intra- and extracellular polysaccharides during growth phase of Dictyostelium discoideum NC-4 (362) 167
Yamada, S., see Katoh, S. (370) 378
Yamada, T., see Sato, S. (332) 166
Yamada, T., see Shimada, K. (351) 364
Yamagata, T. and Okazaki, K.
Occurrence of a dermatan sulfate isomer in sea urchin larvae (372) 469
Yamaguchi, K., see Matsuzaki, H. (365) 235
Yamaguchi, T., see Sugiura, M. (350) 61
Yamaguchi, T., Wakabayashi, K. and Mitsui, T.
X-ray equatorial diffraction studies on the crosssectional structure of Salmonella flagella (372) 450
Yamane, K., see Matsuzaki, H. (365) 235
Yamane, K., see Matsuzaki, H. (365) 248
Yamamoto, H., see Iizuka, T. (371) 126
Yamamoto, H., see Iizuka, T. (351) 182
Yamamoto, H.Y., see Siefermann, D. (357) 144
Yamamoto, K., see Tosa, T. (334) 1
Yamamoto, T., see Mével-Ninio, M. (357) 63
Yamasaki, M., see Moroi, M. (359) 130
Yamashiro, S., see Seno, N. (343) 423
Yamashita, M., Arai, S., Tanimoto, S.Y. and Fujimaki, M.
Mode of action of α-chymotrypsin in its reserve reaction at pH 5.3 (358) 105
Yang, C.C., Chang, C.C. and Liou, I.F.
Studies on the status of arginine residues in cobrotoxin (365) 1
Yang, F.-Y., see Ouyang, C. (351) 354
Yathindra, N., see Prusiner, P. (366) 115
Yeates, R.A.
Interaction of beef-heart mitochondrial ATPase, coupling factor F_1, with aurovertin (333) 173
Yeates, R.A.
Induction of conformational changes in bovine liver glutamate dehydrogenase by a steroid analogue I (334) 45
Yeates, R.A.
Induction of conformational changes in bovine liver glutamate dehydrogenase by a steroid analogue II (334) 58
Yedgar, S., Barenholz, Y. and Cooper, V.G.
Molecular weight, shape and structure of mixed micelles of Triton X-100 and sphingomyelin (363) 98
Yedgar, S., see Cooper, V.G. (363) 86
Yoda, B,, see Israels, L.G. (372) 32
Yoda, B., Schacter, B.A. and Israels, L.G.
Induction of δ-aminolevulinic synthetase in the kidney of chicks treated with porphyrinogenic drugs (372) 478
Yonetani, T., see Iizuka, T. (351) 182
Yonetani, T., see Iizuka, H. (371) 126
Yoshida, M., see Kobayashi, T. (366) 168
Yoshida, S. and Ikegami, A.
Disk to sphere transformation of erythrocytes, induced by 1-anilino-8-naphthalenesulfonate (367) 39
Yoshida, S., Kondo, T. and Ando, T.
Multiple molecular species of cytoplasmic DNA polymerase from calf thymus (353) 463
Yoshii, G., see Hayashi, M. (366) 288
Yoshinaga, K., Nakamura, H. and Shimomura, M.
Mild and efficient solubilization of Escherichia coli cells for the analysis of chromosomal DNA by sucrose gradient centrifugation (340) 109
Yoshino, M., see Ogasawara, N. (364) 353
Young, D.A.B. and Cimasoni, G.
Gibbs–Donnan and adsorption effects in the study of the binding of fluoride ions to

albumin by gel filtration (342) 333
Young, N.M.
The effects of maleylation on the properties of concanavalin A (336) 46
Young, N.M. and Leon, M.A.
The affinity of concanavalin A and Lens culinaris hemagglutinin for glycopeptides (365) 419
Young, R.J., see Chatkoff, M.L. (343) 480
Young, S.N. and Curzon, G.
Neonatal human caeruloplasmin (336) 306
Young, V.R., see Haverberg, L.N. (371) 226
Yugari, Y., see Furuya, S. (343) 558
Yukelson, L.Ya., see Bukolova-Orlova, T.G. (342) 275

Z

Zachara, B. and Lewandowski, J.
Isolation and identification of inosine triphosphate from human erythrocytes (353) 253
Zahler, P., see Kramer, R. (373) 404
Zahler, P., see London, Y. (332) 69
Zahler, P., see Zwaal, R.F.A. (373) 416
Zahler, W.L., see Packer, L. (363) 159
Zahn, R.K., see Müller, W.E.G. (366) 224
Zahn, R.K., see Weinblum, D. (374) 324
Zakrzewska, K., see Rabczenko, A. (353) 1
Zalta, J.P., see Amalric, F. (335) 69
Zan-Kowalczewska, M., Sierakowska, H., Bardon, A. and Shugar, D.
Specificities of rat alkaline ribonucleases and cytochemical localization of pancreatic-like ribonucleases (341) 138
Zama, M.
Structure and circular dichroism of DNA–polylysine–polyarginine complex (366) 124
Zambotti, S., see Preti, A. (350) 406
Zambotti, V., see Tettamanti, G. (350) 415
Zambrano, F., see Van Golde, L.M.G. (360) 179
Zegers, B.J.M., Van der Sluis, J.J. and Ballieux, R.E.
Studies on Fd-fragments of human immunoglobulins. II. The preparation and characterization of peptic $(Fab')_2$- fragments and a Fd'-fragment of IgA-myeloma proteins (351) 261
Zeiske, W. and Lindemann, B.
Chemical stimulation of Na^+ current through the outer surface of frog skin epithelium (352) 323
Zervoudakis, R.J., see Dungan, S.M. (374) 220
Zetterqvist, Ö., see Mårdh, S. (350) 473
Zettinger, C.S., see Arntzen, C.J. (347) 329
Zettinger, C.S., see Croft, S.M. (335) 211
Ziegler, I.
Malate dehydrogenase in Zea mays: Properties and inhibition by sulfite (364) 28
Zietz, E., see Einarsson, K. (369) 278
Zieve, P.D. and Schmukler, M.
Incorporation of carbohydrate into protein of human platelets (372) 225
Zile, M., see Ito, Y. (369) 338
Zimmer, Ch. and Luck, G.
Conformation and reactivity of DNA. VI. Circular dichroism studies of salt-induced conformational changes of DNAs of different base composition (361) 11
Zimmer, G. and Schirmer, H.
Viscosity changes of erythrocyte membrane and mebrane lipids at transition temperature (345) 314
Zimmermann, U., see Steudle, E. (332) 399
Zipper, H. and Mawe, R.C.
The exchange and maximal net flux of glucose across the human erythrocyte. II. The effect of two sulphydryl enzyme inhibitors, chlormerodrin and p-chloromercuribenzene sulfonic acid (356) 207
Zull, J.E., see Wong, N. (352) 52
Zullke, H., see Kohnert, K.D. (338) 68
Zuurendonk, P.F. and Tager, J.M.
Rapid separation of particulate components and soluble cytoplasm of isolated rat-liver cells (333) 393
Zwaal, R.F.A., Flückiger, R., Moser, S. and Zahler, P.
Lecithinase activities at the external surface of ruminant erythrocyte membranes (373) 416
Zwaal, R.F.A., see Renooij, W. (363) 289

SUBJECT INDEX

VOLUMES 332–374

1974

A

Absorbance change
Flash-induced 519 nm – – – in green algae (Joliot, Delosma) (357) 267

Absorbance change
Light-induced – – – at –170°C with spinach chloroplasts: charge separation and field effect (Vermeglio, Mathis) (368) 9

Absorbing pigment
Further data on the identity of an – – – around 640 nm in Ulva lactuca (333) 415

Absorption melting curves
Numerical analysis of – – – of a multiphase shape by a computer (Vítek et al.) (353) 385

ACTH
Acute action of – – – on adrenal steroidogenesis (Bell, Harding) (348) 285

Acetaldehyde dehydrogenase
Mitochondrial – – – from Saccharomyces cerevisiae (Jacobson, Bernofsky) (350) 277

2-Acetylaminofluorence carcinogenesis
Cyclic AMP metabolism in rat liver during – – – (Christoffersen et al.) (372) 291

Acetylcholinesterase
Inhibition of – – – by organophosphorus compounds containing a P–Cl bond (Wins, Wilson) (334) 137

Acetylcholinesterase
Methanesulphonyl fluoride inactivation of – – – in the presence of substrates and reversible inhibitors (Krupka) (370 197

Acetylcholinesterase
Puromycin as an inhibitor of – – – (Moss et al.) (350) 95

Acetylcholinesterase
Simple method for purification of – – – from human erythrocyte membranes (Sihotang) (370) 468

Acetylcholinesterase
Specific versus non-specific interactions of mammalian and insect – – – with substrates and reversible inhibitors (Krupka, Hellenbrand) (370) 208

N-Acetylgalactosamine 4,6-disulphate
Isolation of – – – from rat urine (Sobue et al.) (343) 269

β-N-Acetylgalactosaminyltransferase
Biosynthesis of globoside and Forssman hapten from trihexosylceramide and properties of – – – of guinea pig kidney (Ishibashi et al.) (337) 92

N-Acetylglucosamine
Laser raman scattering of glucosamine, – – –, and glucuronic acid (She et al.) (372) 345

N-Acetylglucosamine kinase synthesis
Regulation of – – – in yeast (Bhattacharya et al.) (374) 384

N-Acetylglucosaminidase
Characterization of – – – from the limpet Patella vulgata (L). (Phizackerley, Bannister) (362) 129

α-N-Acetylglucosaminidase
Physical properties and biological activities of two forms of – – – from bovine spleen (Mersmann et al.) (364) 88

N-Acetylneuraminic acid
An improved method for the synthesis of ^{14}C-labelled or ^{3}H-labelled – – – (Schauer, Buscher) (338) 369

Acetylphenylhydrazine
Separation of α- and β-chains of haemoglobin A by – – – (Rachmilewitz et al.) (371) 402

Acetyltransferase
Amine-acetyl coenzyme A – – – from the soluble fraction of Hansenula ciferri: Isolation and properties (Barenholz et al.) (358) 262

Acetyl-coenzyme A
Evidence for two immunologically distinct – – – synthetases in yeast (Satyanarayana et al.) (341) 396

Acetyl-coenzyme A
The incorporation of the carboxyl carbon from – – – into ring A of quercetin by cell-free extracts prepared from buckwheat seedlings (Saito) (343) 392

Acetyl-Coenzyme A carboxylase
Adaptive response of hepatic – – – to dietary alterations in genetically obese mice and their lean controls (Maragoudakis et al.) (343) 590

Acetyl-Coenzyme A :1,4,diaminobutane-N-acetyltransferase – – –
Occurrence in vertebrate organs and subcellular localization (Seiler, Al-Therib) (354) 206

Acetyl-Co enzyme A metabolism
Citrate as a regulator of – – – in liver mitochondria (Bremer, Davis) (370) 564

N-Acetyl-β-D-hexosaminidase A
Affinity adsorbent for – – – (Grebner, Parikh) (350) 437
α-N-Acetyl-L-lysine methyl ester
On the mechanism of urokinase-catalysed hydrolysis of – – – (Petkov, Stoineva) (370) 546
N-Acetyl-DL-proline
^{13}C magnetic resonance study of the ionization of – – – in aqueous solution (Bedford, Sadler) (343) 656
Acid protease
Some properties and susceptibility to inhibitors of partially purified – – – from Plasmodium berghei and from ghosts of mouse red cells (Levy, Chou) (334) 423
Acid proteases
Some properties and susceptibility to inhibitors of partially purified – – – from Plasmodium berghei and from ghosts of mouse red cells (Levy, Chou) (334) 423
Acid secretion
Interactions between oxidative metabolism and – – – in gastric mucosa (Hersey) (344) 157
Acridines
The fluorescent properties of – – – in the presence of chloroplasts or liposomes. On the quantitative relationship between the fluorescence quenching and the transmembrane proton gradient (Fiolet et al.) (368) 432
Acrylic copolymers
– – – as matrices for the immobilization of enzymes. I. Covalent binding or entrapping of various enzymes to beadformed acrylic copolymers (Johansson, Mosbach) (370) 339
Acrylic copolymers
– – – as matrices for the immobilization of enzymes. II. The effect of a hydrophobic microenvironment on enzyme reactions studied with alcohol dehydrogenase immobilized to different acrylic copolymers (Johansson, Mosbach) (370) 348
F-Actin
Light-beating study of the effect of β-actinin on the interaction between – – – and heavy meromysin (Maeda et al.) (336) 445
F-Actin
Possible uncoupling of the mechanochemical process in the actomyosin system by covalent crosslinking of – – – (Gadasi et al.) (333) 161
F-Actin
On the interaction of – – – with fibrin (Laki, Muszbek) (371) 519
F-Actin
Rheology of – – –. I. Network of F-actin in solution (Maruyama et al.) (371) 20
F-Actin
Rheology of – – –. II. Effect of tropomyosin and troponin (Maruyama et al.) (371) 30
F-Actin
Studies on Ca ion-induced conformation changes in actin–tropomyosin–troponin system by fluorimetry. II. Effect of tropomyosin, troponin, and Ca ion on conformation of anilinonaphthylmaleimide-labeled – – – (Ohyashiki et al.) (351) 214
Actin–tropomyosin–troponin system
Studies on Ca ion-induced conformation changes in – – – by fluorimetry. I. Conformation changes around the fluorescence-labeled sulfhydryl group of actin (Sekine et al.) (351) 205
β-Actinin
Light-beating study of the effect of – – – on the interaction between F-actin and heavy meromyosin (Maeda et al.) (336) 445
Actinomycin D
Effect of – – –, pancreozymin and secretin on RNA synthesis and protein synthesis measured in vivo in rat pancreas (Reggio, Cailla) (338) 37
Action potential
Temperature dependence of the – – – in Nitella flexilis (Blatt) (339) 382
Active transport
– – – and ATP in frog gastric mucosa (Durbin et al.) (367) 177
Active transport
Intestinal unstirred layer: Its surface area and effect on – – – kinetics (Wilson, Dietschy) (363) 112
Actomyosin activity
Control of platelet – – –: effect of ADP on superprecipitation and ATPase activity of human platelet actomyosin (Puszkin et al.) (347) 102
Actomyosin system
Possible uncoupling of the mechanochemical process in the – – – by covalent cross-linking of F-actin (Gadasi et al.) (333) 161
Acto–heavy meromyosin
Kinetics of steady state ATPase activity and rigor complex formation of – – – (Hozumi, Tawada) (347) 469
Acyl-coenzyme A
Control of sn-glycerol 3-phosphate oxidation in brown adipose tissue mitochondria by

calcium and – – – (Bukowiecki, Lindberg) (348) 115
Acyl-coenzyme A esters
On the specificity of the inhibition of adenine nucleotide translocase by long chain – – – (Ho, Pande) (369) 86
Acyl-Coenzyme A synthetase
Solubilisation of a long chain fatty – – – from chicken adipose tissue microsomes (Banis, Tove) (348) 210
Adenine
Reinvestigation of specific hydrogen bonding of certain – – – and uracil derivatives by infrared spectroscopy (Chen, Lord) (340) 90
Adenine nucleotide translocase
On the specificity of the inhibition of – – – by long chain acyl-coenzyme A esters (Ho, Pande) (369) 86
Adenosine analogues
Studies of nucleosides and nucleotides. LVIII. Deamination of – – – with calf intestine adenosine deaminase (Ikehara, Fukui) (338) 512
Adenosine deaminase
Studies of nucleosides and nucleotides. LVIII. Deamination of adenosine analogues with calf intestine – – – (Ikehara, Fukui) (338) 512
Adenosine-3′:5′-monophosphate phosphodiesterase
Heat treatment of rat liver – – –. Kinetic characterization of the low affinity enzyme (Bevers et al.) (341) 120
Adenosine utilizing mutants
Cordycepin sensitivity in – – – in Saccharomyces cerevisiae (Anderson, Roth) (335) 285
S-Adenosylmethionine:Δ^{24}-sterol methyltransferase
Kinetic properties of – – – enzyme(s) in mitochondrial structures of Saccharomyces cerevisiae (Bailey et al.) (334) 127
S-Adenosylmethionine:Δ^{24}-sterol methyltransferase
Subcellular location of – – – in Saccharomyces cerevisiae (Thompson et al.) (334) 116
Adenyl cyclase
– – – of oxyntic cells. Its association with different cellular membranes (Ray, Forte) (363) 320
Adenyl cyclase
Alterations in – – – activity of the rat prostate gland (Sutherland, Singhal) (343) 238
Adenyl cyclase
Effect of guanyl nucleotides on the stimulation of – – – activity in human thyroid plasma membranes by thyroid-stimulating hormone and prostaglandin E_2 (Sato et al.) (332) 166
Adenyl cyclase
Non-equivalence of the carboxyl groups of glucagon in the carbodiimide-promoted reaction with nucleophiles, and the role of carboxyl groups in the ability of glucagon to stimulate the – – – of rat liver (Wheeler et al.) (372) 440
Adenylate cyclase
– – – activity in lymphoid organs during regional and systemic graft-versus-host reactions (Singh, Dhalla) (341) 378
Adenylate cyclase
– – – in a sea anemone. Implication for chemoreception (Gentleman, Mansour) (343) 469
Adenylate cyclase
– – – assay with adenyly imidodiphosphate and product detection by competitive protein binding (Maguire, Gilman) (358) 154
Adenylate Cyclase
Detergent dispersion of – – – from partially purified rat liver plasma membranes (Pilkis, Johnson) (341) 338
Adenylate cyclase
Potent, magnesium-ion-dependent inhibition of – – – activity from guinea pig lung by adenosine and other q-substituted adenines (Weinryb, Michel) (334) 218
Adenylate cyclase
Properties of – – – of murine mammary carcinoma (Schorr, Russell) (364) 173
Adenylate cyclase
Rat pancreas – – –. II. Inactivation and protection of its hormone receptor sites (Kempen et al.) (370) 573
Adenylate cyclase
Reserve of vasopressin-sensitive – – – in toad urinary bladder (Flores et al.) (362) 501
Adenylate cyclase
Subcellular localization and some properties of the – – – activity of the yeast, Saccharomyces cerevisiae (Wheeler et al.) (372) 15
Adenylate deaminase
Kinetic properties of – – – from human erythrocytes (Lian and Harkness) (341) 27
Adenylate kinase
Comparison of – – – from liver and muscle

of normal mice and those with an hereditary muscular dystrophy (Kitchin, Watts) (364) 272

Adenylylation
The temperature-sensitive – – – of tRNA in cacodylate and other buffers (McNutt, Robins) (366) 411

Adipocytes
Cyclic AMP metabolism in brown – – – of hamsters exposed to different temperatures (Hittelman et al.) (338) 398

Adipocytes
Influence of dietary fat and carbohydrate on the metabolism of – – – of different size in the rat (Smith et al.) (337) 278

Adipose tissue protein
Effect of insulin on the phosphorylation of – – – (Benjamin, Singer) (351) 28

Adrenalin
Dissociation of the effect of – – – on glucose uptake from that on adenosine cyclic 3′, 5′-monophosphate levels and on lipolysis in rat isolated fat cells (Luzio et al.) (362) 29

Adrenal steroid hydroxylase
Bovine – – – system. III. Reconstitution of adrenal iron–sulfur protein (Suhara et al.) (336) 309

Adrenal steroid hydroxylase
Studies on – – –: chemical and enzymatic properties of selenium derivatives of adrenal iron–sulfur protein (Mukai et al.) (336) 427

Adrenalcorticosteroids
Failure of – – – to influence the major mechanisms of hepatic cholesterogenesis (Nervi, Dietschy) (369) 351

Adrenocorticotropin
– – – stimulation of cyclic adenosine 3′:5′-monophosphate formation in isolated rat adrenal cells. The role of membrane sialic acid (Haksar et al.) (362) 356

Adrenocorticotropin
Corticosteriodogenic responsiveness to – – – and dibutyryl-cyclic AMP in isolated adrenal cells of hypophysectomized rats (Kitabchi et al.) (348) 415

Adsorbent
Characteristics and applications of N-(co-aminohexyl)-L-aspartic acid–Sepharose as an affinity – – – (Tosa et al.) (334) 1

Affinity
Characteristics and applications of N-(co-aminohexyl)-L-aspartic acid–Sepharose as an – – – adsorbent (Tosa et al.) (334) 1

Affinity chromatography
Studies on blood group substances. III. Bio-specific – – – of blood group substance A on Vicia cracca physohaemagglutinin–agarose (Kristiansen) (338) 246

Aflatoxin formation
– – –, lipid synthesis, and glucose metabolism by Aspergillus parasiticus during incubation with and without agitation (Shih, Marth) (338) 286

Agarose
Covalent binding of molecules to CNBr-activated – – –: parameters relevant to the activation and coupling reactions (Stage and Mannik) (343) 382

Agglutinin
Factors affecting hemagglutination by concanavalin A and soybean – – – (Gordon, Marquardt) (332) 136

Air–water interface
Enzymatic activity at interfaces. I. Enzymatic activity of trypsin at the – – – (Inbar, Miller) (364) 146

Air–water interface
Interaction of the "Folch-Lees" protein with lipids at the – – – (London et al.) (332) 69

L-Alanine:2-oxoglutarate aminotransferase
Partial purification and initial studies of the tomato – – – (Rech, Crouzet) (350) 392

Albumin
Binding of bromosulphthalein to serum – – – (Deutschmann et al.) (371) 470

Albumin
Binding of indole compounds with modified – – –: characterization of the indole binding site. (Pande, McMenamy) (342) 60

Albumin
Characteristic behaviours of 2-(4′hydroxy-phenylazo)-benzoic acid to native and heat-denatured serum – – – (Terada et al.) (342) 41

Albumin
Competitive binding of bilirubin, sulpho-bromophthalein, indocyanine green and other organic anions to human and bovine serum – – – (Kamisaka et al.) (365) 169

Albumin
Gibbs-Donnan and adsorption effects in the study of the binding of fluoride ions to – – – by gel filtration (Young, Cimasoni) (342) 333

Albumin
Peptides with strong immunochemical inhibitory activity from bovine serum – – –,

Application of a novel approach (Habeeb et al.) (342) 389
Albumin
Procedure for the rapid isolation of serum – – – using a combination of polyethyleneglycol and ethanol (Jimenez et al.) (372) 436
Albumin
Protein binding of small molecules. IV. Relation between binding of phenolsulphophthalein dyes and other ligands with a high affinity for human serum – – – (Kragh-Hansen et al.) (365) 360
Albumin
Protein binding of small molecules. V. Binding of bromphenol blue by chemical modifications of human serum – – – (Lind et al.) (371) 451
Albumin
Purification of human serum – – – by affinity chromatography (Wichman, Andersson) (372) 218
Albumin
Trapping of benzo(α)pyrene by bovine serum – – – (Bothorel, Desmazes) (365) 181
Alcohol dehydrogenase
– – – of Euglena gracilis, strain Z (Mego, Farb) (350) 237
Alcohol dehydrogenase
Acrylic copolymers as matrices for the immobilization of enzymes. II. The effect of a hydrophobic microenvironment on enzyme reactions studied with – – – immobilized to different acrylic copolymers (Johansson, Mosbach) (370) 348
Alcohol dehydrogenase
Active site chloride binding in liver – – – (Ward, Cull) (365) 281
Alcohol dehydrogenase
Biosynthesis of maize – – – dimers. Evidence for immature oligomeric forms (Fischer, Schwartz) (364) 200
Alcohol dehydrogenase
Effect of premixing on the oxidation of ethanol by liver – – – (Hardman, Blackwell) (350) 247
Alcohol dehydrogenase
Separation of isozymes of horse liver – – – and purification of the enzyme by affinity chromatography on an immobilized AMP-analogue (Andersson et al.) (364) 1
Alcohol dehydrogenase
Stereochemistry of hydrogen transfer between pyridine nucleotide and same intermediates of cholesterol catabolism catalysed by liver – – – and aldehyde dehydrogenase (Fukuba) (341) 48
Aldehyde dehydrogenase
Intracellular localisation and properties of – – – from sheep liver (Crow et al.) (350) 121
Aldehyde dehydrogenase
Stereochemistry of hydrogen transfer between pyridine nucleotide and some intermediates of cholesterol catabolism catalysed by liver alcohol dehydrogenase and – – – (Fukuba) (341) 48
Aldolase C
– – – in rat fetal liver (Hatzfeld) (350) 314
Aldose reductase
Purification and properties of calf liver – – – (Attwood, Doughty) (370) 358
Alginate lyase
Isolation and certain properties of – – – VI from the mollusk Littorina sp. (Elyakova, Favorov) (358) 341
Alkaline phosphatase
– – – from cow's milk: I. Purification and molecular properties (Linden et al.) (358) 82
Alkaline phosphatase
– – – production of Bacillus subtilis (Ichikawa, Freese) (338) 473
Alkaline phosphatase
Electron paramagnetic resonance studies on the copper (II) substituted – – – from Escherichia coli (Csopak, Falk) (359) 22
Alkaline phosphatase
Inhibition of – – – by periodate and permanganate (Ohlsson, Wilson) (350) 48
Alkaline phosphatase
Pyrophosphatase and (Ca^{2+}-Mg^{2+})-ATPase activity of purified calf bone – – – (Felix, Fleisch) (350) 84
Alkaline phosphatase
Solubilization and partial purification of – – – of sarcoma 180/TG ascites cells (Lee, Sartorelli) (358) 69
Alkaline phosphatase
Subunit structure and catalytic activity of pig kidney – – – (Ramasamy, Butterworth) (370) 477
Alkaline orthophosphatase
Competition of inorganic pyrophosphate and a phosphomonoester as substrates for human placental – – – (Hørder) (350) 400
Alkaline orthophosphatase
Inorganic pyrophosphate-phosphohydrolytic activity associated with human placental – – –. Nature of the substrate and role of

magnesium (Hørder) (341) 41
Alkaloide
– – – as inhibitors of photophosphorylation in spinach chloroplasts (Vallejos, Andreo) (333) 141
N-Alkanols
Activation of the -galactoside transport system in Escherichia coli ML-308 by – – –: Modification of lipid-protein interaction by a change in bilayer fluidity (Sullivan et al.) (352) 287
2-Alkyne-1-ol dehydrogenase
Purification and characterization of – – – induced by 2-butyne-1,4-diol in Fusarum merismoides B11 (Miyoshi et al.) (358) 231
H-2 Alloantigens
Biochemical properties and immunochemical-genetic relationships of mouse – – – (Nathenson, Cullen) (344) 1
Allotopy
Ca^{2+}-stimulated incorporation of phosphate into ATP in chloroplasts; the problem of – – – (Bakker-Grunwald) (347) 141
Alloxan diabetes
Jejunal sodium transport in the rat. Effect of – – – (Schedl, Wilson) (367) 225
α-Amanitin
Inhibition of δ-aminolevulinate synthetase induction by – – – in avian liver cell cultures (Incefy et al.) (361) 331
Amides
Asparagine metabolism in mouse sarcoma cells. I. Transport, metabolism and pools of dicarboxylic amino acids and their – – – (Hakala et al.) (338) 1
Amidophosphoribosyltransferase
Kinetics of – – – in intact tumour cells (Bagnara et,al.) (350) 171
Amidophosphoribosyltransferase
Regulation of purine metabolism in Schizosaccharomyces pombe. IV. Variations in the stability and kinetic parameters of – – – depending on growth phase and growth conditions (Nagy et al.) (370) 85
Amine oxidase
Connective tissue – – –. II. Purification and partial characterization of lysyl oxidase from chick aorta (Harris et al.) (341) 332
Amine oxidase
Purification and properties of an – – – in bovine dental pulp and its comparison with serum amine oxidase (Nakano et al.) (341) 366
Amino acid
Action of insulin on – – – uptake by the immature rat uterus in vitro (Mohri et al.) (363) 249
Amino acid
Apparent – – – incorporation by ejaculated rabbit spermatozoa (Busby et al.) (335) 246
D-Amino acid
Aromatic – – – uptake and utilisation in Escherichia coli K12 (Kuhn, Somerville) (332) 298
Amino acid
Asparagine metabolism in mouse sarcoma cells. I. Transport, metabolism and pools of dicarboxylic – – – and their amides (Hakala et al.) (338) 1
Amino acid
Effect of ATP on the hexose transport and – – – transport in everted sacs of rat small intestine (Hardcastle) (332) 114
Amino acid
Effect of ionizing radiation on – – – transport systems in thymocytes (Kwock, Wallach) (352) 135
Amino acid
Efficiency of energetic coupling between Na^+ flow and – – – transport in Ehrlich Cells – A revised assessment (Geck and Heinz) (339) 426
Amino acid
Evidence against direct coupling between – – – transport and ATP hydrolysis (Geck et al.) (339) 419
Amino acid
Evidence against the incorporation into protein of – – – directly from the membrane transport system in rat heart (Mowbray, Last) (349) 114
Amino acid
Hormonal regulation of – – – accumulation in human foetal liver explants. Effects of dibutyryl cyclic AMP, glucagon and insulin (Schwartz) (362) 276
Amino acid
Inactivation of aminoacyl-tRNA synthetases by – – – chloromethylketones (Silver, Laursen) (340) 77
Amino acid
Inhibition of – – – accumulation in slices of rat kidney cortex by diamide (Hewitt et al.) (363) 267
Amino acid
Primary structure of porcine colipase II. I. The – – – sequence (Charles et al.) (359) 186

Amino acid
Regulation of – – – transport in chick embryo heart cells. IV. Site and mechanism of insulin action (Guidotti et al.) (356) 219
Amino acid
Role of ATP on the initial rate of – – – uptake in Ehrlich ascites cells (Johnstone) (356) 319
Amino acid
Snake venom toxine. The isolation and purification of three cytotoxin homologues from the venom of the forest cobra (Naja Melonoleuca) and the complete – – – sequence of toxin $V^{11}1$ (Carlsson and Joubert) (336) 453
Amino acid
Transport of – – – in rat pancreas during development (Cheneval, Johnstone) (345) 17
D-Amino acid oxidase
Mechanism of enzyme action. VII. Kinetic analysis of the reaction of – – – with D-arginine (Yagi et al.) (341) 256
Aminoacyl transfer
– – –: Peptide synthesis and other properties of an amino acid imidazolide (Weber, Lacey) (349) 226
Aminoacyl-tRNA synthetases
Inactivation of – – – by amino acid chloromethylketones (Silver, Laursen) (340) 77
Aminoacyl-tRNA synthetase
Involvement of the anticodon region of Escherichia coli $tRNA^{Gln}$ and $tRNA^{Glu}$ in the specific interaction with cognate – – –: alteration of the 2-thiouridine derivatives located in the anticodon of the tRNAs by BrCN or sulfur-deprivation (Seno et al.) (349) 328
Aminoazodye feeding
Alteration of protein degradation in mitochondria and other rat liver fractions as a result of – – – (Fiala et al.) (338) 43
δ-Aminolevulinate synthetase
Inhibition of – – – induction by α-amanitin in avian liver cell cultures (Incefy et al.) (361) 331
δ-Aminolevulinate synthase
Solubilization and partial purification of mitochondrial – – – from fetal rat liver (Murthy, Woods) (350) 240
δ-Aminolevulinic acid
– – – transport and synthesis, porphyrin synthesis and heme catabolism in chick embryo liver and heart cells (Israels et al.) (372) 32
δ-Aminolevulinic acid synthetase
Induction of – – – in the kidney of chicks treated with porphyrinogenic drugs (Yoda et al.) (372) 478
Aminonucleoside
Effect of – – – on the activity of pancreatic proteases (Mayer et al.) (338) 447
Aminopeptidase
Purification and metal-ion activation of an – – – (aminopeptidase II) from Bacillus stearothermophilus (Myrin, Hofsten) (350) 13
Aminopeptidase
Role of carbohydrate moieties in the activity and properties of – – – from pig kidney (Wacker) (334) 417
1-Aminopropan-2-ol
The phosphorylation and subsequent metabolism of – – – (Willetts) (362) 448
Ammoniagenesis
Control of renal cortex – – – and its relationship to renal cortex gluconeogenesis (Roobol, Alleyne) (362) 83
AMP
Phosphate transfer from trans-farnesyl triphosphate to – – – in Gibberella fujikuroi (Shechter) (362) 233
Cyclic AMP
– – – and thyroglobulin biosynthesis in the experimental rat thyroid tumor (D'Armiento, Monaco) (372) 176
Cyclic AMP
– – – metabolism in brown adipocytes of hamsters exposed to different temperatures (Hittelman et al.) (338) 398
Cyclic AMP
– – – in higher plants: assay, distribution and age-dependency (Kessler, Levinstein) (343) 156
Cyclic AMP
– – – metabolism in rat liver during 2-acetylaminofluorene carcinogenesis (Christoffersen et al.) (372) 291
Cyclic AMP
– – – lipolysis and oxygen consumption in brown adipose tissue from newborn rabbits. Effect of cervical sympathectomy and of noradrenalin and theophylline in vitro, and the partial purification of an adenosine 3′:5′-cyclic phosphate-dependent protein kinase (Knight) (343) 287
Cyclic AMP
Accumulation of – – – in neurohypophyses in response to angiotensin (Gagnon, Heisler) (338) 394

Cyclic AMP
Adrenocorticotropin stimulation of – – – formation in isolated rat adrenal cells. The role of membrane sialic acid (Haksar et al.) (362) 356
Cyclic AMP
Cellular uptake of – – – captured within phospholipid vesicles and effect on cell growth behaviour (Papahadjopoulos et al.) (363) 404
Cyclic AMP
Effect of – – – on nucleoside metabolism. III. Effect on uridine incorporation in monkey (CV-1) cells (Roller et al.) (366) 402
Cyclic AMP
Effects of decapitation, ether and pentobarbital on guanosine 3′,5′-phosphate and – – – levels in rat tissues (Kimura et al.) (343) 519
Cyclic AMP
Effects of glucagon on – – – and carbohydrate metabolism in livers from diabetic rats (Pilkis et al.) (343) 250
Cyclic AMP
Effect of isoproterenol and its analogues upon – – – and guanosine 3′,5′-monophosphate levels in mouse parotid gland in vivo (Durham et al.) (372) 196
Cyclic AMP
Effects of prostaglandin E_1 and isoproterenol on – – – content of human fibroblasts modified by time and cell density in subculture (Mangeniello, Breslow) (362) 509
Cyclic AMP
Formation, accumulation and release of – – – induced by histamine in the superior cervical ganglion of the rat in vitro (Lindl, Cramer) (343) 182
Cyclic AMP
Glucagon control of – – – accumulation in isolated intact rat liver parenchymal cells in vitro (Christoffersen, Berg) (338) 408
Cyclic AMP
Modulation by – – – in vitro of liver plasma membrane (Na^+–K^+)-ATPase and protein kinases (Tria et al.) (343) 297
Cyclic AMP
Oestrogenic regulation of uterine – – – metabolism (Chew, Rinhard) (362) 493
Cyclic AMP
Pancreatic β-cell recognition of insulin secretagogues. XIII. Effects of sulphydryl reagents on – – – (Hellman et al.) (372) 127
Cyclic AMP
Protein kinase and – – –: Significance of binding and activation constants (Swillens et al.) (364) 250
Cyclic AMP-binding capacity
Histone kinases and – – – of nuclei of human tonsillar lymphocytes (Faragó et al.) (370) 459
AMP deaminase
Activation and inhibition of – – – by GTP and ATP (Brady, Costello) (350) 455
AMP deaminase
– – – from rat brain: Purification and characterization of multiple forms (Ogasawara et al.) (364) 353
Amphotericin B
Interaction of – – – with monolayers of egg lecithin and cholesterol: polarized absorption spectra (Ockman) (345) 263
Amphotericin B
Ultrastructural alterations induced by – – – in the plasma membrane of Epidermophyton floccosum as revealed by freeze-etch electron microscopy (Nozawa et al.) (367) 32
Amylase
Isolation of salivary ribonuclease, deoxyribonuclease and – – – from the parotid gland of the rat, Rattus norvegicus albinus (Ball) (341) 305
Amylase
– – – protein inhibitors and the role of Aegilops species in polyploid wheat speciation (Bedetti et al.) (362) 299
α-amylase
Effect of photooxidation of bacterial liquefying – – – dependent on the degree of polymerization of linear substrates (Aoshima et al.) (341) 497
α-Amylases
Hybrid – – – produced by transformants of Bacillus subtilis. I. Purification and characterization of extracellular α-amylases produced by the parental strains and transformants (Matsuzaki et al.) (365) 235
α-Amylases
Hybrid – – – produced by transformants of Bacillus subtilis. II. Immunological and chemical properties of α-amylases produced by the parental strains and the transformants (Matsuzaki et al.) (365) 248
α-Amylase
Role of sulfhydryl groups in the action and structure of mammalian – – – (Steer et al.) (334) 389
α-Amylase

Sulfhydryl groups of porcine pancreatic – – –: Unmasking, reactivity and function (Pommier et al.) (350) 71
Amylase A
Isolation and partial characterization of glycopeptides from human parotid – – – (Watanabe, Keller) (336) 62
Amylo-1,6-glucosidase/4-α-glucanotransferase
Re-evaluation of the subunit structure and molecular weight of rabbit muscle – – – (White, Nelson) (365) 274
Anaerobic energy production
Proton translocation during – – – in Saccharomyces cerevisiae (Riemersma, Alsbach) (339) 274
Androgen receptor
– – – in rat liver: hormonal and developmental regulation of the cytoplasmic receptor and its correlation with the androgen dependent synthesis of α_{2u} globulin (Roy et al.) (354) 213
Androgen receptors
– – – in rat ventral prostate microsomes (Robel et al.) (373) 1
16-Androstenes
Studies on the inhibition by 5-α-pregnane-3,20-dione of the biosynthesis of – – – and dehydroepiandrosterone in boar testis preparations (Brophy, Gower) (360) 252
Angiotensin I
– – – converting enzyme of the kidney cortex (Oshima et al.) (350) 26
Angiotensin
Accumulation of cyclic AMP in neurohypophyses in response to – – – (Gagnon, Heisler) (338) 394
Angiotensin
Stimulation by – – – of myocardial prostaglandin synthesis (Limas) (337) 417
Angiotensin-converting enzyme
Isolation of an – – – without kininase activity from hog and guinea pig plasma (Grandino, Paiva) (364) 113
Angiotensinogen
One-step separation of human plasma – – – from renin (Devaux et al.) (359) 421
1-Anilino-8-napthalenesulfonate
Disk to sphere transformation of erythrocytes, induced by – – – (Yoshida, Ikegami) (367) 39
Anion transport
Inhibition of – – – across the mitochondrial membrane by amytal (Swierczyński, Aleksandrowicz) (373) 66
Anion transport
Metabolic significance of – – – in mitochondria (Meijer, van Dam) (346) 213
Anthramycin
Reaction of – – – with DNA. II. Studies of kinetics and mechanism (Kohn et al.) (361) 288
Anthramycin
Reaction of – – – with DNA. III. Properties of the complex (Glaubiger et al.) (361) 303
Anthranilamide hydroxylation
Isolation and properties of protein component as activator for – – – in rat liver (Ishiguro et al.) (365) 148
Antibody
Metabolically controlled killing of Pasteurella septica by – – – and complement (Griffiths) (362) 598
Antibody
Specificity of the binding of – – – to polysomes in hen oviduct (González et al.) (366) 424
Antigen
Immune response to virally determined tumor-associated – – – (Lamon) (355) 149
Antigen
Solubilization of membrane-associated tumour specific – – – by β-glucosidase (Baldwin et al.) (367) 47
HL-A antigens
Detergent solubilized – – – from human platelets: A comparative study of various purification techniques (Bernier et al.) (356) 82
Antimicrotubular agents
Effects of – – – on glycosaminoglycan synthesis and secretion by embryonic chick cartilage and chondrocytes (Jansen, Bornstein) (362) 150
Antimycin
Activity of reduced ubiquinone–cytochrome c oxidoreductase with various ubiquinol-isoprenologues as substrate and corresponding inhibitory effect of – – – in yeast (Lang et al.) (368) 71
Antithiamine
Isolation and characterisation of a crystalline – – – factor from mustard seed, Brassica juncea (Bhattacharya, Chaudhuri) (343) 211
α-1-Antitrypsin
Influence of – – – on plasmin, urokinase and Hageman factor cofactor (Crawford, Ogston) (354) 107

α-1-Antitrypsin
Mechanism of interaction of bovine trypsin with human – – – (Moroi, Yamasaki) (359) 130
α-1-Antitrypsin
Purification of phenotypically unaltered – – – (Cohen and Fallat) (336) 399
Apoproteins
– – – of various size classes of human chylous fluid lipoproteins (Glickman, Kirsch) (371) 255
Apolipoprotein
Effects of diet cholesterol on the synthesis of rat serum – – – (Finka, Reiser) (360) 322
C-Apolipoprotein
Interaction by sonication of – – – with lipid: An electron microscopic study (Forte et al.) (337) 169
Apolipoprotein
Studies of the composition and structure of human serum lipoproteins. Isolation and partial characterization of – – – AIII. (Kostner) (336) 383
Arabinose
Absence of – – – in bovine grain hyaluronic acid as analysed by gas-liquid chromatography and mass spectrometry (Katzman) (372) 52
L-Arabinose
Catabolite repression of – – – isomerase in Escherichia coli induced by ultraviolet irradiation (Bhattacharya) (354) 71
Arabinose (fucose) dehydrogenase
– – – from pig liver. II. Steady-state kinetics (Carper et al.) (358) 49
β-D-Arabinosyl nucleosides
Molecular orbital calculations on the conformation of nucleic acids and their constituents. X Conformation of – – – (Saran et al.) (349) 189
D-arginine
Mechanism of enzyme action. VII. Kinetic analysis of the reaction of D-amino acid oxidase with – – – (Yagi et al.) (341) 256
Arginine
Non-ribosomal incorporation of – – – into a specific protein by a cell-free extract of parathyroid tissue (Kemper, Habener) (349) 235
Arginine kinase
Studies on manganese–substrate complexes of – – – from Panulirus longipes (O'Sullivan et al.) (370) 153
Aromatic amines
Carcinogenesis by – – – (Kriek) (355) 177
Arylsulfatases
Minor anionic – – – in cultured human fibroblasts (Stevens) (370) 249
Ascorbic acid
Activation of protocollagen proline hydroxylase by – – – in cultured 3T6 fibroblasts (Levene et al.) (338) 29
Ascorbic acid oxidase
Phytochrome-mediated synthesis of – – – in mustard cotyledons (Attridge) (362) 258
Asialoglycoproteins
Effect of phospholipase on the binding of – – – by rat liver plasma membranes (Lunney, Ashwell) (367) 304
L-Asparaginase
Electrokinetic properties of asparaginase sensitive or resistant mouse leukaemie cells treated with – – – (Bosmann, Kessel) (338) 280
L-Asparaginase
Purification and properties of – – – from Serratia marcescens (Whelan, Wriston Jr) (365) 212
Asparagine metabolism
– – – in mouse sarcoma cells. I. Transport, metabolism and pools of dicarboxylic amino acids and their amides (Hakala et al.) (338) 1
Aspartokinase–homoserine dehydrogenase-I complex
Threonine inhibition of the – – – of Escherichia coli. Dilatometric studies (Wampler, Katz) (365) 414
ATP
Active transport and – – – in frog gastric mucosa (Durbin et al.) (367) 177
ATP
Ca^{2+}-stimulated incorporation of phosphate into – – – in chloroplasts; the problem of allotopy (Bakker-Grunwald) (347) 141
ATP
Effect of – – – on the intermediary steps of the reaction of the $(Na^+ + K^+)$-dependent enzyme system. I. Studied by the use of N-ethylmaleimide inhibition as a tool (Skou) (339) 234
ATP
Effect of – – – on the intermediary steps of the reaction of the $(Na^+ + K^+)$-dependent enzyme system. II. Effect of a variation in the ATP/magnesium ratio (Skou) (339) 246
ATP
Effect of – – – on the intermediary steps of the reaction of the $(Na^+ + K^+)$-dependent enzyme system. III. Effect on the p-nitro-

phenylphosphatase activity of the system (Skou) (339) 258

ATP
Effect of – – – on the transport of hexoses and amino acids in everted sacs of rat small intestine (Hardcastle) (332) 114

ATP
Measurement of the rate of – – – synthesis in bovine anterior pituitary slices (Sheterline, Schofield) (338) 505

ATP
Properties of an – – – dependent deoxyribonuclease from micrococcus luteus. A characterisation of the reaction products (van Dorp et al.) (340) 166

ATP
Role of – – – on the initial rate of amino acid uptake in Ehrlich ascites cells (Johnstone) (356) 319

ATP
Studies on the energy coupling sites of photophosphorylation. IV. The relation of proton fluxes to the electron transport and – – – formation associated with Photosystem II (Gould, Izawa) (333) 509

ATP
Synthesis of free – – – from membrane-bound ATP in chromatophores of Rhodospirillum rubrum (Lutz et al.) (347) 359

ATPase
Activation energy of skeletal muscle sarcolemmal (Na^+,K^+)-– – – (Boldyrev et al.) (357) 319

ATPase
Activation of mitochondrial particulate – – – by liposomes of diacylphospholipids (Dabbeni-Sala et al.) (347) 77

ATPase
Antibodies to purified membrane-bound – – – from Bacillus megaterium KM and their reaction with protoplasts and cytoplasmic membranes (Mirsky et al.) (345) 55

ATPase
Binding of a solubilized membranes – – – to phospholipid bilayers (Redwood, Patel) (363) 70

ATPase
Control of platelet actomyosin activity: effect of ADP on superprecipitation and – – – activity of human platelet actomyosin (Puszkin et al.) (347) 102

ATPase
Diphosphatidylglycerol-induced changes in the organization of mitochondrial – – – (Bruni, Bigon) (357) 333

ATPase
Effect of ionic strength on a Mg^{2+}- – – – and its relevance to the determination of ($Na^+ + K^+$)-ATPase (Izutsu et al.) (373) 361

ATPase
Effects of quercetin and F_1 inhibitor on mitochondrial – – – and energy linked reactions in submitochondrial particles (Lang, Racker) (333) 180

ATPase
Energy-linked conformational equilibrium in chloroplast – – – (Bakker-Grunwald) (368) 386

ATPase
Gastric HCO_3^--stimulated – – –: Evidence against its microsomal localization in rat fundus mucosa (Soumarmon et al.) (339) 403

ATPase
Influence of adrenalectomy upon rat erythrocyte Na^+ and K^+ content, Na^+ efflux rate and Mg^{2+}- and ($Na^+ + K^+$)–Mg^{2+}- – – – activities (Radcliffe) (339) 303

ATPase
Influences of cationic bactericidal agents on membrane – – – of Bacillus subtilis (Rosenthal, Buchanan) (363) 141

ATPase
Interaction of a solubilized membrane – – – with aqueous dispersions of bilayer lipid membranes (Redwood, Weis) (332) 11

ATPase
Interaction of beef-heart mitochondrial – – –, coupling factor F_1, with aurovertin (Yeates) (333) 173

ATPase
Nucleotide and divalent cation interactions with the ($Na^+ + K^+$)-dependent – – – (Robinson) (341) 232

ATPase
Kinetics of steady state – – – activity and rigor complex formation of acto–heavy meromyosin (Hozumi, Tawada) (347) 469

ATPase
(Na^+-K^+)-activated – – – activity in cattle erythrocytes (Ellory, Carleton) (363) 397

ATPase
(Na^+-K^+)-stimulated – – – in isolated intestinal villus tip and crypt cells (Charney et al.) (367) 265

ATPase
On the mechanism of activation of the – – – in chloroplasts (Bakker-Grunwald, Van Dam) (347) 290

ATPase
Release and purification of Micrococcus lysodeikticus – – – from membranes extracted with n-butanol (Salton, Schor) (345) 74
ATPase
Requirement for energy transducing – – – for anaerobic motility in Escherichia coli (Thipayathasana, Valentine) (347) 464
ATPase
Selective and reversible inhibition of the – – – of Micrococcus denitrificans by 7-chloro-4-nitrobenzo-2-oxa-1,3-diazole (Ferguson et al.) (357) 457
(Ca^{2+})-ATPase
Properties of – – – from the gill of rainbow trout (Salmo gairdneri) (Ma et al.) (345) 243
(Ca^{2+} + Mg^{2+})-ATPase
Pyrophosphatase and – – – activity of purified calf bone alkaline phosphatase (Felix, Fleisch) (350) 84
(Mg^{2+})-ATPase
Inhibition of Escherichia coli – – –. Synergism between a fire ant Solenopsis richteri (Forel) abdomen factor and a photo-reduction product of mirex (Koch, Desaiah) (367) 259
(Na^+ + K^+)-ATPase
Purification and characterization of – – –. III. Purification from the outer medulla of mammalian kidney after selective removal of membrane components by sodium dodecylsulfate (Jørgensen) (356) 36
(Na^+ + K^+)-ATPase
Purification and characterization of – – –. IV. Estimation of the purity and of the molecular weight and polypeptide content per enzyme unit in preparations from the outer medulla of rabbit kidney (Jørgensen) (356) 53
(Na^+ + K^+)-ATPase
Stimulation of – – – of rat liver plasma membrane by amino acids (Luly, Verna) (367) 109
(Na^+ + K^+)-ATPase
Study on the differential modifications of – – – and its partial reactions by dimethyl-sulphoxide (Kaniike et al.) (352) 275
ATPase inhibitor
Evidence for a naturally occurring – – – in Escherichia coli (Nieuwenhuis et al.) (368) 461
ATP-D-hexose 6-phosphotransferase
Immunological specificity of the isoenzymes I and III of human hexokinase (– – – EC 2.7.1.1): Estimation of isoenzyme pattern by quantitative immunotechniques (Neumann, Pfleiderer) (334) 343
ATP-D-hexose 6-phosphotransferase
Purification and immunological character-ization of the human hexokinase isoenzymes I and III (– – – EC 2.7.1.1) (Neumann et al.) (334) 328
ATP hydrolysis
Evidence against direct coupling between amino acid transport and – – – (Geck et al.) (339) 419
(Na^+ + K^+)-ATP phosphohydrolase
Phosphorylation and dephosphorylation reactions of bovine brain – – – studied by a rapid-mixing technique (Mardh, Zetterqvist) (350) 473
Aurovertin
Interaction of beef-heart mitochondrial ATPase, coupling factor F_1, with – – – (Yeates) (333) 173
Axonal membrane
Binding of tetrodotoxin to – – – fraction isolated from garfish olfactory nerve (Chacko et al.) (373) 308
L-Azetidine-2-carboxylic acid
Metabolism of – – – in the alga, Cyanidium caldarium (Troxler, Brown) (366) 341
Azide
Chemical alterations induced in DNA and DNA components by the mutagenic agent – – – (Sideris, Argyrakis) (366) 367
Azobacter vinelandii
Respiratory chain of – – –. III. The effect of cyanide in the presence of substrates (Kauffman, Van Gelder) (333) 218

B

Bacillus stearothermophilus
Isolation and some properties of 6-phosphogluconate dehydrogenase from – – – (Veronese et al.) (334) 31

Bacitracin
Biosynthesis of – – –. III. Partial purification of a bacitracin-synthesizing enzyme system from Bacillus licheniformis (Ishihara, Shimura) (338) 588

Bacitracin-synthesizing enzyme system
Biosynthesis of bacitracin. III. Partial purification of a – – – from Bacillus licheniformis (Ishihara, Shimura) (338) 588

Bacterial membranes
Effect of lipid phase transitions on the architecture of – – – (Haest et al.) (356) 17

Bacterial photosynthesis
Characterization of primary reactants in – – –. II. Kinetic studies of the light-induced EPR signal (g=2.0026) and the optical absorbance changes at cryogenic temperatures (McElroy et al.) (333) 261

Bacteriochlorophyll
Absolute quantum efficiency of – – – photooxidation in reaction centres of Rhodopseudomonas spheroides (Wraight, Clayton) (333) 246

Bacteriochlorophyll
Light-initiated, dark oxidation of – – – from reaction centre particles (Brune, Clayton) (333) 37

Bacteriochlorophyll
Reaction center – – – triplet states: Redox potential dependence and kinetics (Leigh, Dutton) (357) 67

Bacteriochlorophyll
Triplet state of reaction centre – – –: determination of a relative quantum yield (Wraight et al.) (333) 401

Bacteriophage ϕ6
Temperature sensitivity of the assembly process of the enveloped – – – (Sands et al.) (373) 277

Bacteriophage PM2
Calcium requirement for assembly of the lipidcontaining – – – (Snipes et al.) (339) 311

Bacteriophage PM2
Control of phospholipid synthesis and viral assembly by – – – (Snipes et al.) (363) 340

Bacteriophage R17
Chemical modification and biological inactivation of – – – by 7-bromomethylbenz[a] anthracenes (Dipple, Shooter) (374) 392

Barium ions
Comparative uptake of – – – and other alkaline earth metals by plant mitochondria (Wilson, Minton) (333) 22

Base
Plurimodal distribution of – – – composition in DNA of some higher plants (Pivec et al.) (340) 199

Beneckea natriegens
Respiratory system of the marine bacterium – – –. I. Cytochrome composition (Weston, Knowles) (333) 228

Benzo(α)pyrene
Trapping of – – – by bovine serum albumin (Bothorel, Desmazes) (365) 181

Bilayer lipid membranes
Interaction of a solubilized membrane ATPase with aqueous dispersions of – – – (Redwood, Weis) (332) 11

Bilayer membranes
Chain ordering in liquid crystals. II. Structure of – – – (Marcelja) (367) 165

Bilayer membranes
Studies on the incorporation of fluorescent pigments into – – – (Trissl) (367) 326

Bilayers of phosphatidylcholines
The distribution of cholesterol in – – – as visualized by freeze fracturing (Verkleij et al.) (373) 495

Bilayer structure
Irregular – – – in vesicles prepared from Halobacterium cutirubrum lipids (Lanyi) (356) 245

Bilirubin
New method for the measurement of dissociation rates for complexes between small ligands and proteins as applied to the palmitate and – – – complexes with serum albumin (Svenson et al.) (342) 54

Bilirubin diglucuronide
Enzyme-catalyzed formation of – – – by a solubilized preparation from cat liver microsomes (Jansen) (338) 170

Bilirubin sulphate
A study of the ethyl anthranilate azo derivatives of – – –: Confirmation of the existence of bilirubin sulphate conjugates in bile (Noir, Nanet) (372) 230
Bimolecular lipid membranes
Molecular organisation of – – –. A study of the low frequency Maxwell-Wagner impedance dispersion (Coster, Smith) (373) 151
Binding parameters
An unbiased method for estimating – – – in a non-cooperative binding process (Perrin et al.) (371) 482
Binding sites
Hydrophobic – – – in bovine serum albumin and erythrocyte ghost proteins. Study by spin-labelling, paramagnetic fluorescence quenching and chemical modification (Verma et al.) (356) 68
Bioluminescence
– – – in Coelenterates (Cormier et al.) (346) 137
Biosynthesis
Genes and isoenzymes controlling the first step in the aromatic amino acid – – – in Schizosaccharomyces pombe (Schweingruber, Wyssling) (350) 319
Biosynthesis of cholestanol
– – –: Conversion of cholesterol into 4-cholesten-3-one by rat liver microsomes (Björkhem, Karlmar) (337) 129
Bitis gabonica venom
– – –. A kinetic analysis of the hydrolysis by phospholipase A_2 of 1,2-dipalmitoyl-sn-glycero-3-phosphorylcholine (Viljoen et al.) (360) 156
Black lipid bilayers
Asymmetric membranes resulting from fusion of two – – – (Neher) (373) 327
Black lipid membranes
Composition of – – – formed from egg-yolk lecithin, cholesterol and n-decane (Bunce, Hidler) (363) 423
Bleomycin
Characterization of chain breakage in DNA induced by – – – (Kuo, Haidle) (335) 109
Blood
Studies on biotransformation of elastase. III. Effects of elastase-binding proteins in serum on disappearance of ^{131}I-labeled elastase from – – – (Katayama and Fujita) (336) 165
Blood group substance A
Studies on blood group substances. III. Biospecific affinity chromatography of – – – on Vicia cracca phytohemagglutinin–agarose (Kristiansen) (338) 246
Blood group substance A
Studies on blood group substances. IV. Digestion of – – – with immobilized elastase, and separation of active and inactive fragments by use of biospecific affinity chromatography (Kristiansen) (338) 374
Blood group substances
Studies on – – –. V. Blood group substance A coupled to agarose as an immunosorbent (Kristiansen) (362) 567
Blood platelets
Metabolic aspects of the secretion of stored compounds from – – –. III. Effect of NaF on washed platelets (Mürer et al.) (362) 266
Blood platelets
Some effects of ionophores for divalent cations on – – –: Comparison with the effects of thrombin (Massini, Lüscher) (372) 109
Bongkrekic acid
– – – sensitivity of respiration-deficient mutants and of "petite-negative" species of yeasts (Subik et al.) (357) 453
Bound enzymes
Buffer-facilitated proton transport: pH profile of – – – (Engasser, Horvath) (358) 178
Brush border
In vivo localisation of high-affinity phlorizin receptors to the – – – surface of the proximal tubule in dog kidney (Silverman) (339) 92
Brush border membranes
Transport of D-glucose by – – – isolated from the renal cortex (Aronson, Sacktor) (356) 231
5-Bromodeoxyuridine inhibition
Nature of – – – of muscle enzyme development in vitro (Mochan et al.) (335) 408
Bromosulphthalein
Binding of – – – to serum albumins (Deutschmann et al.) (371) 470
Bromphenol blue
Protein binding of small molecules. V. Binding of – – – by chemical modifications of human serum albumin (Lind et al.) (371) 451
Butyrobetaine
Conversion of – – – to carnitine in the rat in vivo (Bøhmer) (343) 551

C

C-550
Light-induced changes of – – – and fluorescence yield in ultraviolet-irradiated chloroplasts at room temperature (Katoh, Kimimura) (333) 71
Caeruloplasmin
Neonatal human – – – (Young and Curzon) (336) 306
Calcium
Red blood cell – – – and magnesium: Effects upon sodium and potassium transport and cellular morphology (Dunn) (352) 97
Calcium binding
– – – and the activation of fibrillar insect flight muscle (Marston, Tregear) (347) 311
Calcium efflux
– – – from sarcoplasmic reticulum vesicles (Masuda, de Meis) (332) 313
Calcium ion
Interaction of poly (L-lysine) and – – – with stearic acid monolayers (Hammerstein, Barnett) (332) 125
Calcium ion adsorption
Kinetics of – – – and cationic selectivity with a synaptic membrane protein (Abood, Hoss) (332) 85
Calcium pump
– – – activity of the renal plasma membrane and renal microsomes (Moore et al.) (345) 405
Calcium uptake
Oxalate dependence of – – – kinetics of rabbit skeletal muscle microsomes (fragmented sarcoplasmic reticulum) (Li et al.) (367) 385
Candicidin
Protection by K^+ and Mg^{2+} of growth and macromolecule synthesis in – – – -treated yeast (Liras, Lampen) (374) 159
Candicidin action
Sequence of – – – on yeast cells (Liras, Lampen) (372) 141
Caprine β_1-casein
Comparative micelle structure. III. The isolation and chemical characterization of – – – and β_2-casein (Richardson, Creamer) (365) 133
Carbohydrate
Distribution of – – – in the plasmin-resistant core fragments (D, E) of human fibrinogen (Pepper et al.) (365) 203
Carbohydrate
Effects of glucagon on cyclic AMP and – – – metabolism in livers from diabetic rats (Pilkis et al.) (343) 250
Carbohydrate
Incorporation of – – – into protein of human platelets (Zieve, Schmukler) (372) 225
Carbohydrate
Protein-bound – – – content of normal and tumurous human lung tissue (Bryant et al.) (343) 226
Carbohydrate-protein linkage
On the – – – group in vitreous humor hyaluronate (Varma et al.) (362) 584
Carbon-cobalt bond
The cleavage of the – – – in vitamin B-12 and coenzyme B-12 by reduction with electrons in γ-irradiated frozen solutions (Seki et al.) (372) 100
(^{14}C)carbon dioxide fixation
Photosynthetic – – – by chloroplast populations isolated by a polymer two-phase technique (Larsson, Albertsson) (357) 412
Carbonic anhydrase
Activation and phosphorylation of – – – by adenosine 3′,5′-monophosphate dependent protein kinases (Narumi, Miyamoto) (350) 215
Carbonic anhydrase
Amino acid sequence of sheep – – – (Tanis et al.) (371) 534
Carbonic anhydrase
Calorimetric study of the binding of sulphonamides and cyanate to – – – (Binford et al.) (341) 345
Carbonic anhydrase
Formation and properties of cobalt (III) – – – (Shinar, Navon) (334) 471
Carbonic anhydrase
Interaction of bovine – – – with acetate ions (Lanir and Navon) (341) 65
Carboxycytochrome c oxidase
Biochemical and biophysical studies on cytochrome c oxidase. XIX. An EPR study

of the photodissociation of – – – in the presence of azide (Wever, van Gelder) (368) 311
Carboxypeptidases
Identification and separation of lysosomal – – – (Taylor and Tappel) (341) 99
Carboxypeptidase A
Interpretation of partially competitive inhibition of the esterase activity of – – – (Bunting and Myers) (341) 222
Carboxypeptidase N
Subunits of human plasma – – – (Kininase I; anaphylatoxin inactivator) (Oshima et al.) (365) 344
Carcinogens
In vitro malignant transformation of cells by chemical – – – (Mishra, di Mayorca) (355) 205
Carcinogenesis
– – – by aromatic amines (Kriek) (355) 177
Carcinogenesis
Host-virus interactions in murine mammary – – – (Bentvelzen) (355) 236
Carnitine acyltransferases
Acyl group specificity of mitochondrial pools of – – – (Solberg) (360) 101
Carnitine biosynthesis
– – – in rat liver slices (Cox, Hoppel) (362) 403
(R)-Carnitine
Stereospecificity of the hydrogen transfer from – – – to NAD, catalyzed by (R)-carnitine dehydrogenase from Pseudomonas aeruginosa (Alizade et al.) (364) 204
(R)-Carnitine dehydrogenase
Stereospecificity of the hydrogen transfer from (R)-carnitine to NAD, catalyzed by – – – from Pseudomonas aeruginosa (Alizade et al.) (364) 204
β-Carotene
Functions of plastoquinone and – – – in Photosystem II of chloroplasts (Cox, Bendall) (347) 49
Carotenoids
Enzymatic cleavage of – – – (Singh, Cama) (370) 49
Carotenoid shift
Relationship between dealyed fluorescence and the – – – in chromatophores from Rhodopseudomonas capsulata (Evans, Crofts) (333) 44
Carotenoprotein
Chemical and physical properties of a – – – from Rhodospirillum rubrum (Schwenker et al.) (351) 246
Carrier
Testing and characterizing the simple – – – (Lieb, Stein) (373) 178
Cartilage
Collagen and proteoglycan interactions in bovine articular – – – (Herbage et al.) (336) 108
Cartilage proteoglycans
Complex formation between lysozyme and – – – (Greenwald, Schwartz) (359) 66
Catalase
Concerning the formation of singlet O_2 during the decomposition of hydrogen peroxide by – – – (Porter, Ingraham) (334) 97
Catalase
Comparison of the enzyme kinetics and immunological properties of – – – immobilized by microencapsulation and catalase in free solution for enzyme replacement (Poznansky, Chang) (334) 103
Catecholamines
Effect of – – – on ion transport in the toad bladder (Wood, Tomlinson) (367) 375
Catecholamines
Fluorescence properties of – – – in isolated storage organelles of adrenal medulla (Steffen et al.) (338) 561
Catechol-O-methyl transferase
Effect of foetal decapitation on the antenatal development of the enzymes monoamine oxidase and – – – in rabbit foetuses (Parvez, Parvez) (338) 21
Cathepsins
Role of individual – – – in lysosomal protein digestion as tested by specific inhibitors (Huisman et al.) (370) 297
Cathepsin Al
Characterization of rat liver lysosomal – – – (Taylor and Tappel) (341) 112
Cathepsin B_1
Effect of papain inhibitor from chicken egg white on – – – (Keilová, Tomásek) (334) 179
Cathepsin B_2
Purification and characterization of rat liver lysosomal – – – (Ninjoor et al.) (370) 308
Cathepsin D
Purification and properties of a – – – from human erythrocytes (Reichelt et al.) (341) 15
Cation transport
Effect of hexachlorophene on monovalent – – – in human erythrocytes: A mechanism for hexachlorophene-induced haemolysis (Miller, Buhler) (352) 86

Casein
Fluorescence study of the interactions between K- and α_{s1}- – – – and between lysozyme and ovalbumin (Nakai, Kason) (351) 21
α_{s1}-Casein
Electrophoresis of interacting proteins. I. Complex formation of – – – - and β-casein (Payens and Nijhuis) (336) 201
α_{s1}-Casein
Influence of the alkyl chain length of lecithins and lysolecithins on their interaction with – – – (Barratt et al.) (348) 126
β-Casein
Electrophoresis of interacting proteins. I. Complex formation of α_{s1}- and – – – (Payens and Nijhuis) (336) 201
β_2-casein
Comparative micelle structure. III. The isolation and chemical characterization of caprine β_1-casein and – – – (Richardson, Creamer) (365) 133
Casein
κ- – – – from bovine colostrum (Guérin et al.) (351) 325
κ-casein
Half-cystines of bovine – – – (Beeby) (359) 346
κ_A-Casein
Amino acid sequence of sheep – – –. II. Sequence studies concerning the κ_A-caseinoglycopeptide and establishment of the complete primary structure of the protein (Jollès et al.) (365) 335
κ_A-Caseinoglycopeptide
Amino acid sequence of sheep κ_A-casein. II. Sequence studies concerning the – – – and establishment of the complete primary structure of the protein (Jollies et al.) (365) 335
Casein kinase
Histone kinase and – – – of lactating bovine mammary gland (Chew, Mackinlay) (359) 73
Casein micelles
Determination of size and molecular weight of – – – by means of light scattering and electron microscopy (Schmidt et al.) (365) 72
Casein micelles
Molecular weight and size distribution of bovine milk – – – (Dewan et al.) (342) 313
Cell division
Macromolecular requirements for the physical initiation of – – – in a filamentous mutant of Agmenellum quadruplicatum (Ingram, Blackwell) (335) 295
Cell growth
The regulation of – – –. II. Some characteristics of a foetal calf serum factor (FF_2) stimulating ornithine decarboxylase in mouse liver (Morley) (362) 480
Cell membranes
Iodination of – – –. I. Optimal conditions for the iodination of exposed membrane components (Tsai et al.) (332) 47
Cell membranes
Iodination of – – –. II. Characterisation of HeLa cell membrane surface proteins (Huang et al.) (332) 59
Cell membranes
Molecular organization in bacterial – – –. III. Components of a "soluble" fraction obtained by n-butanol extraction of Streptomyces albus membranes (Larraga, Munoz) (363) 9
Cell membranes
Molecular organization in bacterial – – –. IV. Isolation by preparative electrophoresis in sodium dodecylsulphate and properties of the two major polypeptide groups of a "soluble" fraction from Streptomyces albus membranes (Larraga et al.) (363) 26
Cell-wall
Study of the – – – of the yeast genus Rhodotorula. IV. Variations in chitin content (Moulki, Bonaly) (338) 120
β-Cell recognition
The pancreatic – – – of insulin secretagogues. XIII. Effects of sulphydryl reagents on cyclic AMP (Hellman et al.) (372) 127
Cellulose
Cations and the binding of polyadenylate to – – – (Kitos et al.) (353) 362
Cellulose
Hydrogen bonding in native – – – (Gardner, Blackwell) (343) 232
Cellulose
Kinetic investigations on biosynthesis of – – – by Acetobacter xylinum (Marx-Figini, Pion) (338) 382
Ceramide aminoethylphosphonate
Structure of – – – from the sea anemone, Metridium senile (Karlsson, Samuelsson) (337) 204
Cerebrosides
Distribution of molecular species of monoglycosylceramides (– – –) in different parts of bovine digestive tract (Breimer et al.) (348) 232
Cerebrosterol

Sterol metabolism. XXVIII. Biosynthesis and accumulation of cholest-5-ENE-3β, 24-Diol (– – –) in developing rat brain (Lin, Smith) (348) 189

CDP-Diacyl-sn-glycerol:Inositol transferase
Solubility, stability and partial purification of – – – from rat brain (Rao, Strickland) (348) 306

Charge accumulation
– – – at the reducing side of System 2 of photosynthesis (Velthuys, Amesz) (333) 85

Chitin
Study of the cell-wall of the yeast genus Rhodotorula. IV. Variations in – – – content (Moulki, Bonaly) (338) 120

Chitinase
Localization of molting – – – in insect cuticle (Bade) (372) 474

Chlorophenoxyisobutyrate
Cooperativity in the inhibition of oxidative phosphorylation by – – – (Panini, Ramakrishna Kurup) (368) 29

Chlorophyll
Influence of magnesium on the – – – fluorescence yield of isolated chloroplasts (Jennings, Forti) (347) 299

Chlorophyll
Quenching of – – – in vivo by m-dinitrobenzene (Etienne et al.) (333) 288

Chlorophyll a
Photochemical activity and components of membrane preparations from blue-green algae. I. Coexistence of two photosystems in relation to – – – and removal of phycocyanin (Arnon et al.) (357) 231

Chlorophyll a
State of – – – in vitro and in vivo from electronic transition spectra, and the nature of antenna chlorophyll (Cotton et al.) (368) 181

Chlorophyll-a_1
Photoselection studies on the orientation of – – – in the functional membrane of photosynthesis (Junge, Eckhof) (357) 103

Chlorophyll b
Relationship between – – – and pigment–protein complex II (Genge et al.) (347) 22

Chlorophyll fluorescence
– – – induction in anaerobic Scenedesmus obliquus (Schreiber, Vidaver) (368) 97

Chlorophyll fluorescence
Changes in – – – in relation to light-dependent cation transfer across thylakoid membranes (Krause) (333) 301

Chlorophyll fluorescence
Lifetime and yield of – – – in vivo. Their relationship in different models of photosynthetic units (Moya) (368) 214

Chlorophyll orientation
Excitation energy transfer and – – – in the green alga Chlamydomonas reinhardi (Whitmarsh, Levine) (368) 199

Chlorophyll–protein complexes
Relationship between – – – and chloroplast membrane polypeptides (Anderson, Levine) (357) 118

Chlorophyllide
Energy transfer from protochlorophyllide to – – – during photoconversion of etoilated bean holochrome (Vaughan, Sauer) (347) 383

Chloroplasts
Effects of carbonyl cyanide m-chlorophenylhydrazone and hydroxylamina on the Photosystem II electron exchange mechanism in 3-(3,4-dichlorophenyl)-1,1-dimethyl urea-treated algae and – – – (Etienne) (333) 497

Chloroplasts
Evidence for divalent cation movement within isolated whole – – – from studies with Ionophore A23187 (Barber et al.) (357) 161

Chloroplasts
Hexosediphosphatase from spinach – – –: purification, crystallization and some properties (El-Badry) (333) 366

Chloroplasts
Light-induced de-epoxidation of violaxanthin in lettuce – – –. III. Reaction kinetics and effect of light intensity on de-epoxidase activity and substrate availability (Siefermann, Yamamoto) (357) 144

Chloroplasts
Membrane polypeptides of some higher plant – – – (Anderson, Levine) (333) 378

Chloroplasts
Photooxidation of ferrocyanide and iodide ions and associated phosphorylation in NH_2OH-treated – – – (Izawa, Ort) (357) 127

Chloroplasts
Photosynthetic regulation by cations in spinach – – – (Marsho, Kok) (333) 353

Chloroplasts
Protein synthesis in – – –. II. Light-driven synthesis of membrane proteins by isolated pea chloroplasts (Eaglesham, Ellis) (335) 396

Chloroplasts
Redox titration of the primary electron acceptor of Photosystem I in spinach – – – (Lozier, Butler) (333) 460

Chloroplasts
Restoration by silicotungstic acid of DCMU-inhibited photoreactions in spinach – – – (Girault, Galmiche) (333) 314
Chloroplasts
Site-specific inhibition of photophosphorylation in isolated spinach – – – by $HgCl_2$. II. Evidence for three sites of energy conservation associated with non-cyclic electron transport (Bradeen, Winget) (333) 331
Chloroplasts
Temperature dependence of delayed light emission in spinach – – – (Itoh, Murata) (333) 525
Chloroplasts
Two fold effect of valinomycin on isolated spinach – – –: uncoupling and inhibition of electron transport (Telfer, Barber) (333) 343
Chloroplast development
Studies on – – – in Chlamydomonas reinhardtii. III. Three phases in the greening process of y-1 cells and stages of chloroplast ribosomal RNA synthesis (Matsuda) (366) 45
Chloroplastic DNA
Polyribonucleotide interaction with nuclear DNA and – – – of Chlorella pyrenoidosa (Bayen) (335) 42
Chloroplast DNA
Purification of – – – from Euglena gracilis (Stolarsky et al.) (335) 30
Chloroplast DNA
Ribosomal RNA genes in the – – – of pea leaves (Thomas, Tewari) (361) 73
Chloroplast membranes
Correlation between calcium ion binding to – – – and divalent cation-induced structural changes and changes in chlorophyll a fluorescence (Gross and Hess) (339) 334
Chloroplast membranes
Factors affecting the stability of – – – in vitro (Takaoki et al.) (352) 260
Chloroplast membrane polypeptides
Relationship between chlorophyll–protein complexes and – – – (Anderson, Levine) (357) 118
Chloroplast ribosome formation
Inhibition of – – – by N,N-bis(phosphonomethyl)-glycine (Croft et al.) (335) 211
Chlorotetracycline fluorescence
Interaction of Na^+ and Mg^{2+} with Ca^{2+} in pancreatic islets as visualized by – – – (Täljedal) (372) 154
4-Cholesten-3-one
Biosynthesis of cholestanol: Conversion of cholesterol into – – – by rat liver microsomes (Björkhem, Karlmar) (337) 129
Cholesterol
Biosynthesis of cholestanol: Conversion of – – – into 4-cholesten-3-one by rat liver microsomes (Björkhem, Karlmar) (337) 129
Cholesterol
– – –: Complexes with metallic salts (Marfey, Chessin) (337) 136
Cholesterol
Composition of black lipid membranes formed from egg-yolk lecithin, – – – and n-decane (Bunce, Hidler) (363) 423
Cholesterol
Effects of diet – – – on the synthesis of rat serum apolipoproteins (Frnka, Reiser) (360) 322
Cholesterol
Interaction of amphotericin B with monolayers of egg lecithin and – – –: Polarized absorption spectra (Ockman) (345) 263
Cholesterol
Mechanism of biohydrogenation of – – – to coprostanol by Eubacterium ACTCC 21,408 (Parmentier, Eyssen) (348) 279
Cholesterol
Non-random distribution of – – – in phosphatidylcholine bilayers (De Kruyff et al.) (356) 1
Cholesterol
Occurrence of fatty acid methyl esters and – – – in a molecular complex with riboflavin (Lewis) (360) 270
Cholesterol
Uptake and metabolism of – – – anc cholesteryl oleate by Phytophthora cactorum (Elliott, Knights) (360) 78
Cholesterol biosynthesis
Demonstration and solubilization of an inhibitor of hepatic – – – from rat liver microsomes (Krzemien, Haven) (369) 70
Cholesterol 7α-hydroxylase
Studies on the specificity of the rat liver microsomal – – – (Boyd et al.) (337) 132
Cholesterol membranes
Temperature characterization of the conductance of the excitability inducing material channel in oxidized – – – (Latorre et al.) (367) 361
Cholesteryl oleate
Uptake and metabolism of cholesterol and – – – by Phytophthora cactorum (Elliott, Knights) (360) 78

Cholesterol sulphate
– – –: I. Occurrence and biological function as an amphipathic lipid in the membrane of the human erythrocyte (Bleau et al.) (352) 1
Cholinergic hydrophobic protein
Response of artificial lipid membranes containing a – – – from Electrophorus electroplax (Reader, De Robertis) (352) 192
Cholesterogenesis
Failure of adrenalcorticosteroids to influence the major mechanisms of hepatic – – – (Nervi, Dietschy) (369) 351
Cholinesterases
Effect of pH, temperature and ionic strength on the aging of phosphonylated – – – (Keijzer et al.) (334) 146
Chondroitin sulfate
Fractionation of – – – and determination of molecular weight by polyacrylamide gel electrophoresis (Hsu et al.) (338) 254
Chondrosulfatases
Substrate specificity of – – – from Proteus vulgaris for sulphated tetrasaccharides (Seno et al.) (362) 290
Chorionic gonadotropin
Method for the preparation of desialylated human – – – and its sub-units (Gershey, Kaplan) (342) 322
Chromaffin granules
Structural changes in – – – induced by divalent cations (Edwards et al.) (356) 164
Chromatin
Binding of the oestradiol receptor from calf uterus to the – – –: Active forms (Sala-Trepat, Vallet-Strouvé) (371) 186
Chromatin
Dissociation studies of different forms of the estradiol-receptor complex from calf uterus: higher stability of the complex bound to – – – (Sala-Trepat, Reti) (338) 92
Chromatin
Fractionation of unfixed – – – by buoyant-density centrifugation (Rickwood et al.) (353) 353
Chromatin
Glucocorticoid regulation of transcription: the role of physiologic concentrations of adrenal glucocorticoids in the diurnal variation of rat liver – – – template availability (Earp, III) (340) 95
Chromatin
Isolation and partial characterisation of dinoflagellate – – – (Rizzo, Noodén) (349) 402
Chromatin
Properties of – – – isolated from bull spermatozoa (Marushige, Marushige) (340) 498
Chromatin
Salt treatment of – – – induces redistribution of histones (Varshavsky and Ilyin) (340) 207
Chromatin
Specific binding of estradiol to the liver – – – of estrogenized roosters (Gschwendt, Kittstein) (361) 84
Chromatography
Affinity – – – of 3-oxosteroid Δ^4–Δ^5-isomerase of Pseudomonas testosteroni (Benson et al.) (348) 317
Chromatophores
Nature of photochemical reactions in – – – of Chromatium D. II. Quantum yield of photooxidation of cytochromes in Chromatium chromatophores (Takamiya, Nishimura) (368) 339
Chromatophores
Relationship between delayed fluorescence and the carotenoid shift in – – – from Rhodopseudomonas capsulata (Evans, Crofts) (337) 34
Chromophore
Studies on cephalopod rhodopsin; conformational changes in – – – and protein during the photoregeneration process (Suzuki et al.) (333) 149
Chromosomal proteins
Partial characterisation of dinoflagellate – – – (Rizzo, Noodén) (349) 415
Chromosomal nonhistone proteins
Immunochemical evidence for the cytoplasmic origin of some – – – of Sea urchin embryos (Sevaljević) (335) 102
Chromosome
RNA forms and DNA forms of the genetic material of C-type viruses and the integrated state of the DNA form in the cellular – – – (Hill, Hillova) (355) 7
Chymotrypsin
Conformational states of – – – at high pH: Substrate activation and sidechain interactions (Wedler et al.) (370) 541
Chymotrypsin
Influence of conformational constraints within neurohypophyseal hormones on the action of – – – (Walter and Hoffman) (336) 294
α-chymotrypsin
Inhibition of – – – by hydroxymethyl analogues of D- and -L-*N*-acetylphenylalanine

and -*N*-acetyltryptophan of potential affinity labelling value (Jones et al.) (341) 284

α-Chymotrypsin
Mode of action of – – – in its reverse reaction at pH 5.3 (Yamashita et al.) (358) 165

α-Chymotrypsin
Transient-phase kinetics of – – – and other enzyme systems (Maguire et al.) (341) 1

Chymotrypsin-like enzyme
Partial purification and characterization of a – – – from human neutrophil leucocytes (Gerber et al.) (364) 103

Citrate
– – – as a regulator of acetyl-CoA metabolism in liver mitochondria (Bremer, Davis) (370) 564

Citrate synthases
Bacterial – – –: Purification, molecular weight and kinetic mechanism (Johnson, Hanson) (350) 336

Clofibrate
Effects of – – – on sterol metabolism in the rat (Cohen et al.) (369) 79

Clostridium thermoaceticum
Effects of temperature and ammonium ions on formyltetrahydrofolate synthetase from – – – (Shoaf et al.) (334) 448

N-(co-aminohexyl)-L-aspartic acid–Sepharose
Characteristics and applications of – – – as an affinity adsorbent (Tosa et al.) (334) 1

CoA–S–5–glutathione
– – – and GSSG reductases from rat liver. Two disulfide oxidoreductase activities in one protein entity (Ondarza et al.) (341) 162

Cobalt ion–dinucleotide complexes
Studies of NAD(H) conformations in solution: A new method using the PMR spectra of – – – (Torreilles, Crastes de Paulet) (362) 375

Cobrotoxin
Studies on the status of arginine residues in – – – (Yang et al.) (365) 1

Codon–Anticodon interaction
– – – studied with trinucleoside diphosphates containing 2-thiouridine, 4-thiouridine, 2,4-dithiouridine or 2-thiocytidine (Vormbrock et al.) (340) 348

Coenzyme A
Purification of – – – by affinity chromatography (Matuo et al.) (338) 520

Coenzyme B_{12}
– – – -dependent enzyme reactions. I. Emission Mössbauer spectroscopic study of ethanolamine-ammonia lyase, a coenzyme B_{12}-dependent enzyme (Cardin et al.) (371) 44

Coenzyme B-12
Cleavage of the carbon-cobalt bond in vitamin B-12 and – – – by reduction with electrons in γ-irradiated frozen solutions (Seki et al.) (372) 100

Colicin E2
Existence of some substances which react to – – – (Maeda) (374) 426

Colipase II
Primary structure of porcine – – –. I. The amino acid sequence (Charles et al.) (359) 186

Colipase II
Primary structure of porcine – – –. II. The disulfide bridges (Erlanson et al.) (359) 198

Coliphage T7
Immediate inactivation of – – – treated by monofunctional alkylating agents (Verly et al.) (349) 204

Collagen
– – – and proteoglycan interactions in bovine articular cartilage (Herbage et al.) (336) 108

Collagen
Amino acid sequence of the amino-terminal region of calf skin – – – (Fietzek et al.) (365) 305

Collagen
Biosynthesis of a precursor of cartilage – – – by embryonic chicken sterna in the presence of α,α^1-dipyridyl (Müller, Jamhawi) (365) 158

Collagen
Crosslink patterns of – – – synthesised by cultures of 3T6 and 3T3 fibroblasts and by fibroblasts of various granulation tissues (Jackson and Mechanic) (336) 228

Collagen
Effect of neuraminidase on the synthesis of – – – and other proteins (Aalto et al.) (342) 247

Collagen
Hormonal regulation of – – – degradation in the uterus: Inhibition of collagenase expression by progesterone and cyclic AMP (Koob, Jeffrey) (354) 61

Collagen
Incorporation of proline analogues into – – – polypeptides. Effects on the production of extracellular procollagen and on the stability of the triple-helical structure of the molecule (Uitto and Prockop) (336) 234

Collagen

Intermolecular cross-links in rat uterine – – – (Kao, Hitt) (371) 501
Collagen
Isolation and characterization of bovine corneal – – – (Katzman et al.) (336) 367
Collagen
Pepsin-solubilized – – – of guinea-pig dermis and dermal scar (Shuttleworth, Forrest) (365) 454
Collagen
Purification of large crosslinked peptides from insoluble calf bone and skin – – – by hydroxyapatite chromatography (Stimler, Tanzer) (365) 425
Collagen
Release of reducible crosslinks of – – – by total enzymic hydrolysis (Housley et al.) (365) 405
Collagen
Thermal denaturation of – – – fibres swollen in aqueous solutions of urea, hexamethylenetetramine, p-benzoquinone, and tetraalkylammonium salts (Finch et al.) (365) 400
Collagen
Timecourse of – – – crosslinking (Pinto, Bentley) (354) 254
Collagenase
Solid-phase radioimmunoassay of rat skin – – –. Comparative studies and in vivo measurement of the enzyme (Eisen et al.) (350) 442
Collagen crosslinks
Effects on heat on some – – – (Jackson et al.) (336) 100
Collagen hydration
– – –: pulsed nuclear magnetic resonance studies of structural transitions (Westover Jr., Dresden) (365) 389
Collagen membrane
Water and ion permeability of a native – – – (Wiedner, Wilhelm) (367) 349
Collagen-mucopolysaccharide
– – – interactions at acid pH (Gelman, Blackwell) (342) 254
Complement
Influence of retinal on – – –dependent immune damage to liposomes (Conrad et al.) (332) 36
Complement
Interaction between erythrocyte membrane proteins and – – – components. I. The role of –S–S linkages as revealed by two-dimensional sodium dodecylsulfate-polyacrylamide gel electrophoresis (Bhakdi et al.) (363) 39
Complement
Interaction between erythrocyte membrane proteins and – – – components. II. The identification and peptide composition of complement components C3 and C4 desorbed from erythrocyte membranes (Bhakdi et al.) (373) 295
Complement
Metabolically controlled killing of Pasteurella septica by antibody and – – – (Griffiths) (362) 598
Complex III
Redox properties of the cytochromes of purified – – – (Nelson, Gellerfors) (357) 358
Complexes with metallic salts
Cholesterol: – – – (Marfey, Chessin) (337) 136
Concanavalin A
– – – augments the turnover of electrophoretically defined thymocyte plasma membrane proteins (Schmidt-Ullrich et al.) (356) 288
Concanavalin A
Affinity of – – – and Lens culinaris haemagglutinin for glycopeptides (Young, Leon) (365) 418
Concanavalin A
Effects of maleylation on the properties of – – – (Young) (336) 46
Concanavalin A
Factors affecting hemagglutination by – – – and soybean agglutinin (Gordon, Marquardt) (332) 136
Concanavalin A
Interaction between – – – and brain lysosomal acid hydrolases (Bishayee, Bachhawat) (334) 378
Concanavalin A
Separation and purification of Robinia lectin and – – – binding sites from the surface of normal and transformed hepatic cells (Zajdéla's hepatoma) (Dievard, Bourrillon) (345) 198
Concanavalin A
Studies on phytohemagglutinins. XXII. Isolation and characterization of a lymphocyte receptor for – – – (Pospisilová) (373) 444
Concanavalin A
Temperature effects on the – – – molecule and on concanavalin A binding (Huet et al.) (365) 28

Concanavalin A receptors
Freeze-etch localization of – – – to the membrane-intercalated particles of human erythrocyte ghost membranes (Pinto da Silva, Nicolson) (363) 311
Connective tissue
Extraction and purification of proteoglycans from various types of – – – (Antonopoulus et al.) (338) 108
Copper-containing proteins
Two – – – from cucumber (Cucumis sativus) (Markossian et al.) (359) 47
Coprostanol
Mechanism of biohydrogenation of cholesterol to – – – by Eubacterium ACTCC 21,408 (Parmentier, Eyssen) (348) 279
Cordycepin
– – – sensitivity in adenosine utilizing mutants of Saccharomyces cerevisiae (Anderson, Roth) (335) 285
Corneal stroma
Ultrastructures of – – –: mapping of optical and morphological anisotropies (Chang et al.) (343) 615
Cornified cells
Partial purification of proteins isolated from mammalian – – – (Shimizu et al.) (359) 389
Cortisone
Induction in vivo of rat liver L-serine: Pyruvate aminotransferase by N^6,O^2-dibutyryl cyclic AMP and its inhibition by – – – (Hoshino et al.) (338) 418
p-Coumaric acid
Styrylpyrone biosynthesis in Polyporus hispidus: II. Enzymic hydroxylation of – – – and bis-noryangonin (Nambudiri et al.) (343) 148
Counter-ion
The influence of the extracellular – – – on the sodium-dependent, ouabain-uninhibited sodium efflux from human erythrocytes (Dunn, Grant) (352) 117
Counter-transport
Question of – – – in the intestine (Robinson) (367) 88
Coupled enzyme systems
Behaviour of – – – in the transient and steady-state regions of the reaction (Kuchel, Roberts) (364) 181
Cristae membranes
Structure of mitochondrial – – – (Harmon et al.) (344) 119
Crotonase
A simple method for the crystallization of beef liver – – – (Dounce et al.) (342) 81
Crystal
Phase transition in a protein – – –: the example of hen lysozyme (Berthou and Jolles) (336) 222
α-Crystallin
Reaggregation studies on the polypeptide chains of calf lens – – – (van Kamp et al.) (342) 89
Cyclic AMP phosphodiesterase
Effect of slow freezing and hypertonic NaCl on the hydrolytic activity of rat erythrocyte – – – and its sensitivity to the inhibitor, D,L-4-(3-butoxy-4-methoxybenzyl)-2-imidazolidinone (Sheppard, Tsien) (341) 489
Cyclic AMP-phosphodiesterase
Second messenger system of mouse epidermis. IV. – – – and cyclic GMP-phosphodiesterase (Marks, Raab) (334) 368
Cyclic AMP phosphodiesterase
Studies on – – – in sea urchin eggs (Nath, Rebhun) (370) 498
Cyclic GMP-phosphodiesterase
Second messenger system of mouse epidermis. IV. Cyclic AMP-phosphodiesterase and – – – (Marks, Raab) (334) 368
Cycloheximide
– – – inhibition of hypoxanthine transport in cultured cells (Dybing) (373) 100
Cycloheximide
Differential effects of – – – and other inhibitors of protein synthesis on in vivo ribosomal RNA synthesis in Achlya bisexualis (Timberlake, Griffin) (353) 248
Cyclic nucleotide
– – – levels in incubations of guinea pig trachea (Murad and Kimura) (343) 275
Cyclic nucleotide
– – – binding and protein kinase in the central nervous system of Galleria mellonella (L.) (Tsuzuki, Newburgh) (354) 101
Cyclic nucleotide phosphodiesterase
– – – in silkworm: Purification and properties (Morishima) (370) 227
Cyclic nucleotide phosphodiesterases
Separation of multiple forms of – – – from rat brain by isoelectrofocusing (Pledger et al.) (370) 242
5′, 2-O-cycle, 2′,3′-O-isopropylidene uridine
Conformation of nucleosides: the comparison of an X-ray diffraction and proton NMR study of – – – (Manor et al.) (340) 472
β-Cyclopiazonate oxidocyclase
Role of essential histidines in the mechanism of catalysis of the flavoenzyme, – – –

(Steenkamp et al.) (358) 126
Cystathionine β-synthase
Characterization of human – – –. Evidence for the identity of human L-serine dehydratase and cystathionine β-synthase (Porter et al.) (364) 128
Cysteine
Photoaddition products of uracil and – – – (Varghese) (374) 109
Cysteine thiols
N-Dansylaziridine: a new fluorescent modification for – – – (Scouten et al.) (336) 421
Cysts of Entamoeba invadens
Tryptophan content and fluorescence of – – – (Morgan et al.) (371) 238
Cytidine
Modification of the – – – residues with a bisulfite–O-methylhydroxylamine mixture (Sverdlov et al.) (340) 153
Cytochalasin B
– – –: its action on glucose-induced electrical and metabolic responses in rat pancreatic islets (Pace, Matschinsky) (354) 188
Cytochromes
Effect of ATP, antimycin and cyanide on the EPR spectra of – – – in phosphorylating submitochondrial particles (DerVartanian et al.) (347) 321
Cytochromes
Redox properties of the – – – of purified Complex III (Nelson, Gellerfors) (357) 358
Cytochromes
Thermodynamic characterisation of the – – – of chromatophores from Rhodopseudomonas capsulata (Evans, Crofts) (357) 78
Cytochrome a
Properties of the – – – -like material developed in the photosynthetic bacterium Rhodopseudomonas spheroides when grown aerobically (Saunders, Jones) (333) 439
Cytochrome aa_3
Haem–haem interactions in – – – during the anaerobic transition (Nicholls, Petersen) (357) 462
Cytochrome a + a_3
Mitochondrial function under hypoxic conditions: The steady states of – – – and their relation to mitochondrial energy states (Oshino et al.) (368) 298
Cytochrome b
Evidence for a – – – in green bacteria (Fowler) (357) 327
Cytochrome b_5
Studies on haeme environment of oxidized – – – (Ikeda et al.) (336) 15
Cytochrome b_6
Kinetics of the reduction and oxidation of – – – and cytochrome f in isolated chloroplasts (Dolan, Hind) (357) 380
Cytochrome b-561
– – – as the single hemeprotein of the bovine adrenal chromaffin granule membrane (Terland et al.) (359) 253
Cytochrome b-561
Purification of – – –. An integral heme protein of the adrenal chromaffin granule membrane (Silsand, Flatmark) (359) 257
Cytochrome b-566
Characterisation of a mutant of Schizosaccharomyces pombe lacking – – – (Bandlow et al.) (333) 446
Cutochrome b-559
Accessibility of the chloroplast cytochrome f and – – – to ferricyanide (Horton, Cramer) (368) 348
Cytochrome b-559
Inhibition of chemical oxidation and reduction of cytochrome f and – – – by carbonylcyanide p-trifluoromethoxyphenylhydrazone (Cramer et al.) (368) 361
Cytochrome b-559
Photochemical activity and components of membrane preparations from blue-green algae. II. Low-temperature photooxidation of – – – (Aparicio et al.) (357) 246
Cytochrome c
– – – binding to enzymes and membranes (Nicholls) (346) 261
Cytochrome c
Biochemical and biophysical studies on cytochrome c oxidase. XIV. The reaction with – – – as studied by pulse radiolysis (Van Buuren et al.) (333) 421
Cytochrome c
Hepatic sulphite oxidase: Effect of anions on interaction with – – – (Kessler, Rajagopalan) (370) 389
Cytochrome c
Photo-oxidation of horse heart – – – and native cytochrome c_2 by reaction centres from Rhodopseudomonas spheroides R_{26} (Prince et al.) (347) 1
Cytochrome c
Mitochondrial functions under hypoxic conditions: The steady states of – – – reduction and of energy metabolism (Sugano et al.) (347) 340

Cytochrome c'
Resonance Raman evidence for anomalous heme structures in – – – from Rhodopseudomonas palustris (Strekas, Spiro) (351) 237
Cytochrome c_2
Photo-oxidation of horse heart cytochrome c and native – – – by reaction centres from Rhodopseudomonas spheroides R_{26} (Prince et al.) (347) 1
Cytochrome c_3
Monomolecular electron transfer chain: structure and function of – – – (Der-Vartanian, LeGall) (346) 79
Cytochrome composition
Respiratory system of the marine bacterium Beneckea natriegens. I. – – – (333) 228
Cytochrome c oxidase
Components of – – – detectable by EPR spectroscopy (Hartzell, Beinert) (368) 318
Cytochrome c oxidase
Inhibition of – – – by hydrophobic metal chelators (Harmon, Crane) (368) 125
Cytochrome c oxidase
Mössbauer spectroscopy studies of beef-heart – – – (Lang et al.) (336) 6
Cytochrome c oxidase
Biochemical and biophysical studies on – – –. XIII. Effect of cholate on the enzymic activity (Van Buuren, Van Gelder) (333) 209
Cytochrome c oxidase
Biochemical and biophysical studies on – – –. XIV. The reaction with cytochrome c as studied by pulse radiolysis (Van Buuren et al.) (333) 421
Cytochrome c oxidase
Biochemical and biophysical studies on – – –. XV. Reaction with fluoride (Muijsers et al.) (333) 430
Cytochrome c oxidase
Biochemical and biophysical studies on – – –. XVI. Circular dichroic study of cytochrome c oxidase and its ligand complexes (Tiesjema, van Gelder) (347) 202
Cytochrome c oxidase
Biochemical and biophysical studies on – – –. XVII. Potentiometric titrations of cytochrome c oxidase followed by circular dichroism (Tiesjema et al.) (357) 24
Cytochrome c oxidase
Biochemical and biophysical studies on – – –. XVIII. An EPR study of the photodissociation of cytochrome $a_3{}^{2+}CO$ (Wever et al.) (347) 215
Cytochrome c oxidase
Biochemical and biophysical studies on – – –. XIX. An EPR study of the photodissociation of carboxycytochrome c oxidase in the presence of azide (Wever, van Gelder) (368) 311
Cytochrome o
Evidence for the functioning of – – – in kinetoplastida (Kronick, Hill) (368) 173
Cytochrome f
Accessibility of the chloroplast – – – and cytochrome b-559 to ferricyanide (Horton, Cramer) (368) 348
Cytochrome f
Inhibition of chemical oxidation and reduction of – – – and cytochrome b-559 by carbonyl-cyanide p-trifluoromethoxyphenylhydrazone (Cramer et al.) (368) 361
Cytochrome f
Kinetics of the reduction and oxidation of cytochrome b_6 and – – – in isolated chloroplasts (Dolan, Hind) (357) 380
Cytochrome f
Rate of electron transfer between plastocyanin, – – –, related proteins and artificial redox reagents in solution (Wood) (357) 370
Cytochrome oxidase
– – – from Pseudomonas aeruginosa. III. Reduction of hydroxylamine (Singh) (333) 28
Cytochrome oxidase
Turnover of hepatic mitochondrial ornithine aminotrasferase and – – – using [^{14}C] carbonate as tracer (Ip et al.) (354) 29
Cytochrome oxidase system
Organisation of proteins in membranes with special reference to the – – – (Vanderkooi) (344) 307
Cytoplasmic origin
Immunochemical evidence for the – – – of some chromosomal nonhistone proteins of sea urchin embryos (Sevaljević) (335) 102
Cytoplasmic RNA
– – – in immunoglobulin-secreting myeloma tumor cells. II. Heterogeneous RNA associated with polyribosomes following fractionation by sucrose gradient centrifugation (Kimmel, Larrabee) (335) 374
Cytosine nucleotides
Preparation of carrier-free iodine isotope-substituted – – – (Scherberg, Refetoff) (340) 446
Cytosol
Glucocorticoid binding in the chicken liver – – – (Cochet, Chambaz) (362) 37

Cytosol
Protection, stabilization and reactivation of estradiol receptors in human myometrial – – – (Hähnel, Ratajczak) (338) 104

Cytotoxin
Snake venom toxins. The amino acid sequences of three – – – homologues from Naja mossambica mossambica venom (Louw) (336) 481

D

Dansylamino-tyrosine
Specifically located fluorescent probes: properties of a fluorescent conjugate of soy bean trypsin inhibitor containing – – – groups (Steiner et al.) (336) 407
Dark fixation
$^{14}CO_2$ – – – in the halophytic species Mesembryanthemum crystallinum (Winter et al.) (343) 465
Déamination
Mobilité des protons de la putrescine lors de sa – – – par la diamine oxydase extraite du rein de porc (Pionetti) (338) 191
n-Decane
Composition of black lipid membranes formed from egg-yolk lecithin, cholesterol and – – – (Bunce, Hidler) (363) 423
Decosahexaenoic acid
Biosynthesis of oleic acid and – – – by a heterotrophic marine flagellate, Crypthecodinium cohnii (Beach et al.) (369) 16
Dehydroepiandrosterone
Studies on the inhibition by 5-α-pregnane-3,20-dione of the biosynthesis of 16-androstenes and – – – in boar testis preparations (Brophy, Gower) (360) 252
Dehydrogenase
Guinea pig liver 3-hydroxyhexobarbital – – – as a 17β-hydroxysteroid dehydrogenase (Kageura and Toki) (341) 172
Dehydrogenase
Reactivities of isomers of dichlorodiammine–platinum (II) with – – – enzymes. Evidence for inhibition via cross-linkage (Friedman, Teggins) (350) 263
Dehydrogenase
Solubilization and partial characterization of particulate – – – from Clostridium kluyveri (Hillmer, Gottschalk) (334) 12
Dehydro-orotate oxidase
– – – of Escherichia coli K12: Purification, properties and relation to the cytoplasmic membrane (Karibian, Couchoud) (364) 218
Delayed fluorescence
– – – from Chlorella. I. Low temperature observations (Ruby) (368) 1
Delayed fluorescence
Relationship between – – – and the carotenoid shift in chromatophores from Rhodopseudomonas capsulata (Evans, Crofts) (333) 44
Delayed light emission
New type of – – – from photosynthetic bacteria (Arata et al.) (357) 365
Delayed light emission
Time course of microsecond – – – from Scenedesmus obliquus (Holzapfel, Haug) (333) 52
3-Deoxy-D-arabino-heptulosonate-7-phosphate synthase
Studies concerning the biochemical genetics of activity and feedback inhibition mutants of Schizosaccharomyces pombe – – – (Schweingruber, Wyssling) (350) 328
Deoxycytidine 5′-monophosphate
ESR evidence for the radiation-induced breakage of the sugar-phosphate bonds in nucleotides: single crystal of – – – (Krilov, Herak) (366) 396
2-Deoxy-D-glucose
Metabolism of – – – by baker's yeast. VI. A study on cell wall mannan (Biely et al.) (352) 268
Deoxyribonuclease
Isolation of salivary ribonuclease, – – – and amylase from the parotid gland of the rat, Rattus norvegicus albinus (Ball) (341) 305
Deoxyribonuclease
Properties of an ATP-dependent – – – from micrococcus luteus. A characterisation of the reaction products (van Dorp et al.) (340) 166
Deoxyribonucleoprotein
Effect of γ-irradiation on – – – as a template for RNA synthesis (Hayashi et al.) (366) 288
Deoxyribonucleoside triphosphates
Pools of – – – in the mitotic cycle of Physarum (Bersier, Braun) (340) 463
Dermatan sulfate isomer
Occurrence of a – – – in sea urchin larvae (Yamagata, Okazaki) (372) 469
Δ9-Desaturase activity
Effect of different diets on the – – – of normal and diabetic rats (Mercuri et al.) (369) 264
Detergents
Protective effects of anionic – – – on inter-

ferons: Reversible denaturation (Steward II et al.) (359) 364
Development
Effects of λ – – – on template specificity of Escherichia coli RNA polymerase (Brown, Cohen) (335) 123
Dextranase
Studies on – – –. II. New exo-dextranase from Brevibacterium fuscum var. dextranlyticum (Sugiura et al.) (350) 61
Dextransucrase isoenzymes
– – – from Leuconostoc mesenteroides NRRL B-1299 (Kobayashi, Matsuda) (370) 441
Diabetes
Effect of – – – on the ultrastructure of the hepatocyte and on the distribution and activity of the ribosomes in the free and membrane-bound populations (Pain et al.) (353) 487
Diabetic rat lens
Sorbitol pathway in – – – and galactosemic rat lens (Varma, Kinoshita) (338) 632
3′,5′-Diacetyl-2′-deoxy-2′-fluorouridine
X-ray structure of – – –: a pyrimidine nucleoside in the syn conformation (Suck et al.) (361) 257
Diacetyl reductase
Pigeon liver – – –: purification and some properties (Diez et al.) (350) 253
Diacetyl reductase
Pigeon liver – – –: kinetic and thermodynamic studies with NADH as coenzyme (Burgos et al.) (364) 9
Diacylglycerol
Monoacylglycerols and – – – in human adipose tissue (Arner, Ostman) (369) 209
Diacylglycerol lipase
Lipolytic activity of adipose tissue. IV. The – – – activity of human adipose tissue (Giudicelli et al.) (369) 25
Diamide
Inhibition of amino acid accumulation in slices of rat kidney cortex by – – – (Hewitt et al.) (363) 267
Diamine oxydase
Mobilité des protons de la putrescine lors de sa déamination par la – – – extraite du rein de porc (Pionetti) (338) 191
Dibromothymoquinone
Study of the photosynthetic electron transfer reactions in chloroplasts and algae with the plastoquinone antagonist – – – (de Kouchkovsky, de Kouchkovsky) (368) 113
Dibutyryl-cyclic AMP
Corticosteroidogenic responsiveness to adrenocorticotropin and – – – in isolated adrenal cells of hypophysectomized rats (Kitabchi et al.) (348) 415
Dibutyryl cyclic AMP
Hormonal regulation of amino acid accumulation in human foetal liver explants. Effects of – – –, glucagon and insulin (Schwartz) (362) 276
Dicarboxylate carrier
Mechanism of inhibition of the inorganic phosphate carrier and the – – – of mitochondria by thiol reagents (Palmieri et al.) (333) 195
Dicarboxylic amino acid transminases
Distribution and activities of – – – in gastrointestinal mucosa of rat, mouse, hamster, guinea pig, chicken and pigeon (Volman-Mitchell, Parsons) (334) 316
Differentiation
Evidence for a ribosome-associated translation inhibitor during – – – of Blastocladiella emersonii (Adelman, Lovett) (335) 236
Differential solubilization
– – – of proteins, phospholipids, and cholesterol of erythrocyte membranes by detergents (Kirkpatrick et al.) (345) 154
Diffusion
Test for non-specific – – – steps in transport across cell membranes, and its application to red cell glucose transport (Edwards) (345) 373
Diffusion potentials
Influence of – – – across liposomal membranes on the fluorescence intensity of 1-anilinonaphthalene-8-sulphonate (Bakker, van Dam) (339) 157
Diglyceride
Biosynthesis of – – – from phosphatidic acid in the membranes of Bacillus subtilis (Krag et al.) (337) 271
Diglyceride
Mass spectra of trimethylsilyl ethers of ^{2}H-labelled monoglycerides and – – – (Curstedt) (360) 12
Diguanosinetetraphosphatase
– – – in Artemia salina (Vallejo et al.) (358) 117
Dihydrofolate reductase
Hyperproduction of – – – in Diplococcus pneumoniae by mutation in the structural gene. The absence of an effect on other enzymes of folate coenzyme biosynthesis (McCuen, Sirotnak) (338) 540

5-α-dihydrotestosterone
Ionic transport through model membranes. III. Contrasting effects of testosterone and – – –. Dependence on temperature and bound water (Horton, Schuff) (373) 76
Dihydrotestosterone
Separation of multiple – – – receptors in rat ventral prostate by a novel micromethod of electrofocusing: blocking action of cyproterone acetate and uptake by nuclear chromatin (Katsumata, Goldman) (359) 112
1,25-Dihydroxyvitamin D_3
Formation of 1,24,25-trihydroxyvitamin D_3 from – – – (Kleiner-Bossaller, DeLuca) (338) 489
m-Dinitrobenzene
Quenching of chlorophyll in vivo by – – – (Etienne et al.) (333) 288
Dinitrogen fixation
Regulation of – – – in intact Azotobacter vinelandii (Haaker et al.) (357) 344
Dioleoylglycerol
Affinity chromatography of human adipose tissue triacylglycerol lipase on agarose-linked – – – (Verine et al.) (369) 125
Diol lipids
– – –. XXVI. Identification of a threo-butane-2,3-diol phospholipid from Actinomyces olivaceus (Batrakov et al.) (337) 29
Dipalmitoyl-dimyristoylphosphatidylcholine bilayers
Effect of pressure on the phase diagram of mixed – – – (Trudell et al.) (373) 141
Dipalmitoyllecithin
Effect of anaesthetic-like molecules on the phase transition in smectic mesophases of – – –. I. The normal alcohol up to C 9 and three inhalation anaesthetics (Hill) (356) 117
Dipalmitoyllecithin–cholesterol bilayers
An interacting spin label study of lateral expansion in – – – (Marsh) (363) 373
Dipalmitoylphosphatidylcholine
Effect of thermotropic phase transitions of – –– on the formation of mixed micelles with Triton X-100 (Ribeiro, Dennis) (332) 26
Dipalmitoylphosphatidylcholine bilayers
Pressure-induced elevation of phase transition temperature in – – –. An electron spin resonance measurement of the enthalpy of phase transition (Trudell et al.) (373) 436
Diphosphoinositide
Synthesis of – – – by a soluble fraction of Saccharomyces cerevisiae (Talwalkar, Lester) (360) 306
Diphtheria toxin
Fluorescence studies of nucleotides binding to – – – (Michel, Dirkx) (365) 15
α,α^1-Dipyridyl
The biosynthesis of a precursor of cartilage collagen by embryonic chicken sterna in the presence of – – – (Müller, Jamhawi) (365) 158
Disaccharide disulphate
Isolation and characterization of a new – – –: 2-acetamido-2-deoxy-3-0-(2- or 3-0-sulfo-β-D-glucopyranosyluronic acid)-4-0-sulfo-D-galactose (Seno et al.) (343) 423
Dissociation studies
– – – of different forms of the estradiol–receptor complex from calf uterus: higher stability of the complex bound to chromatin (Sala-Trepat, Reti) (338) 92
Disulfide bonds
Simultaneous reduction and mercuration of – – – by monovalent mercury (David et al.) (359) 101
Disulfide bridges
Primary structure of porcine colipase II. II. The – – – (Erlanson et al.) (359) 198
Disulfide loop
Stabilisation of native structure by the closed – – – of Staphylococcal enterotoxin B (Warren et al.) (359) 351
2,4-Dithiouridine
Codon–Anticodon interaction studied with trinucleotide diphosphates containing 2-thiouridine, 4-thiouridine, – – – or 2-thio-cytidine. (Vormbrock et al.) (340) 348
Divalent cations
Studies on the interaction between gangliosides, protein and – – – (Hayashi, Katagiri) (337) 107
DNA
Alkaline sucrose gradient sedimentation studies on – – – from HeLa S_3 cells exposed to methyl methanesulphonate or methylazoxymethanol acetate (Van den Berg) (353) 215
DNA
Alteration of – – – reassociation kinetics due to base mismatch caused by thymine dimerisation (Weinblum et al.) (374) 324
DNA
Amount of – – – coding for rRNA during differentiation (spherulation) in Physarum polycephalum (Ryser, Braun) (361) 33

DNA
Binding of nuclear non-histone protein to – – – (Sheehan, Olins) (353) 438
DNA
Breaks induced in supercoiled colicinogenic factor E1 – – – as a result of the decay of incorporated tritium (Kupersztoch-Portnoy, Helsinki) (374) 316
DNA
Catenanes of closed circular intracellular PM2 phage – – – (Ostrander et al.) (349) 296
DNA
Characteristics of – – – from the oyster, Crassostrea gigas (McLean, Whiteley) (335) 35
DNA
Characterization of chain breakage in – – – induced by bleomycin (Kuo, Haidle) (335) 109
DNA
Chemical alterations induced in – – – and DNA components by the mutagenic agent azide (Sideris, Argyrakis) (366) 367
DNA
Conformation and reactivity of – – –. VI. Circular dichroism studies of salt-induced conformational changes of DNAs of different base composition (Zimmer, Luck) (361) 11
DNA
Correlation between sedimentation coefficient and molecular weight of denaturated – – – (Hagen, Coquerelle) (374) 271
DNA
Density labelling in vivo of replicating – – – in a rat (Danpure, Ormerod) (349) 173
DNA
Detecting small quantities of – – – on caesium chloride gradients (Kapp et al.) (361) 140
DNA
Early events in lens regeneration: changes in cyclic AMP concentrations during initiation of RNA and – – – synthesis (Thorpe et al.) (340) 413
DNA
Effect of lysozyme on – – – –membrane association in Escherichia coli (Silberstein, Inouye) (366) 149
DNA
Electro-optical properties of nucleic acids and nucleoproteins. IV. Influence of base composition and methylation on the properties of DNA and – – – –proflavine complexes (Ramstein et al.) (335) 54
DNA
Electro-optical properties of nucleic acids and nucleoproteins. V. Study of sonicated – – – and nucleohistone solutions (Colson et al.) (340) 244
DNA
Enzymatic repair of X-ray-damaged – – –. I. Labeling of the precursor of a malonaldehyde-like material in X-irradiated DNA and the enzymatic excision of labeled lesions (Payes) (366) 251
DNA
Fate of parental – – – of bacteriophage T2 in crosses with bacteriophage T4 (Okker) (353) 36
DNA
Genetic complexity of mitochondrial – – – from Euglena gracilis (Talen et al.) (374) 129
DNA
High molecular weight polypeptides synthesized using – – – as messenger (Thorpe, Ihler) (366) 235
DNA
Incomplete separation of complementary strands of high molecular weight – – – in alkali (Jolley, Ormerod) (353) 200
DNA
Incorporation of wrong bases by DNA polymerase I following γ-irradiation of – – – (Saffhill) (349) 23
DNA
Influence of 5-bromodeoxyuridine on – – – repair in Chinese hamster cells exposed to ultraviolet radiation (Rommelaere et al.) (340) 388
DNA
Influence of ρ factor on the transcription in vitro of – – – from phage φ80 immλ at high ionic strength (Pannekoek, Pouwels) (366) 264
DNA
Inhibition of dimethylnitrosamine-induced strand breakage in rat liver – – – by aminoacetonitrile (Stewart) (366) 261
DNA
Initiation of the transcription of φ29 – – – by Bacillus Subtilis RNA polymerase (Jiménez et al.) (349) 320
DNA
Interaction between murine type-C virus RNA-directed – – – polymerases and rifamycin derivatives (Gallo, Wu) (340) 419
DNA

Interaction of nogalamycin with – – – (Das et al.) (353) 274

DNA
Isolation and in vitro restriction of unmethylated – – – from Escherichia coli K (Boúche) (366) 135

DNA
Isolation of a short, cytosine-rich repeating unit from the – – – of Escherichia coli (Lin) (349) 13

DNA
Isolation of nuclei and characterization of nuclear – – – of Acanthamoeba catellanii (Marzzoco, Colli) (374) 292

DNA
Lipid– – – – interactions. II. Phospholipids, cholesterol, glycerophosphorylcholine, sphingosine and fatty acids (Manzoli et al.) (340) 1

DNA
Methylated bases in – – – from Paramecium aurelia (Cummings et al.) (374) 1

DNA
Molecule contour length of partially single-stranded circular mitochondrial – – – from new-born rat liver (Koike, Kobayashi) (335) 14

DNA
Newly synthesized mammalian cell – – –: Affinity to nitrocellulose and rate of chain growth (Probst et al.) (366) 11

DNA
Newly synthesized mammalian cell – – –: evidence for effects simulating the presence of RNA in the nascent DNA fraction isolated by nitrocellulose column chromatography (Probst et al.) (340) 361

DNA
Newly synthesised – – – is not methylated (Adams) (335) 365

DNA
Novel denaturation of – – – (Johnson, Girod) (353) 193

DNA
On the mechanism of – – – replication in isolated nuclei from HeLa cells (Friedman) (353) 447

DNA
Physical studies on synthetic – – – containing 5-methylcytosine (Gill et al.) (335) 330

DNA
Physico-chemical characterisation of mito-chondrial – – – from potato tubers (Vedel, Quetier) (340) 374

DNA
Plurimodel distribution of base composition in – – – of some higher plants (Pivec et al.) (340) 199

DNA
Polyribonucleotide interaction with nuclear – – – and chloroplastic DNA of Chlorella pyrenoidosa (Bayen) (335) 42

DNA
Possibility of intercalation of aromatic animo acid residues into double-stranded helix – – – (Jacobsen, Wang) (335) 49

DNA
Problems in the extraction of – – – when utilizing pancreatic RNAase and pronase (McCormick et al.) (349) 145

DNA
Properties of mitochondrial – – – from Kluyveromyces lactis (Sanders et al.) (374) 136

DNA
Properties of the homogeneous main band – – – from the human genome (Mitchell) (374) 12

DNA
Purification of chloroplast – – – from Euglena gracilis (Stolarsky et al.) (335) 30

DNA
Reaction of anthramycin with DNA. II. Studies of kinetics and mechanism (Kohn et al.) (361) 288

DNA
Reaction of anthramycin with – – –. III. Properties of the complex (Glaubiger et al.) (361) 303

DNA
Replication of the kinetoplast – – – of Leishmania tarentolae and Crithidia fasciculata (Simpson et al.) (349) 161

DNA
RNA– – – – covalent complexes in HeLa cells (Neubort, Bases) (340) 31

DNA
RNA forms and – – – forms of the genetic material of C-type viruses and the integrated state of the DNA form in the cellular chromosome (Hill, Hillova) (355) 7

DNA
Salt effects on the denaturation of – – –. III. A Calorimetric investigation of the transition enthalphy of calf thymus DNA in Na_2SO_4 solutions of varying ionic strength (Gruenwedel) (340) 16

DNA

Selective inhibition of semiconservative – – – synthesis by nalidixic acid in permeabilized bacteria (Simon et al.) (349) 271

DNA
Selective inhibition of the semiconservative mode of – – – replication (Masker, Hanawalt) (340) 229

DNA
Sequential biochemical events related to – – – replication in the regenerating rat liver (Hwang et al.) (366) 143

DNA
Single-stranded regions in – – – isolated from different developmental stages of the sea urchin (Case et al.) (349) 1

DNA
Size and configuration of mitochondrial – – – in Euglena gracilis (Nass et al.) (374) 283

DNA
Size of the repeating unit of the repetitive mitochondrial – – – from a "low-density" petite mutant of yeast (Mol et al.) (374) 115

DNA
Sodium para-aminosalicylate– – – – interactions (Amalric et al.) (335) 69

DNA
Some features of the – – – of Rhizobium bacteroids and bacteria (Sutton) (366) 1

DNA
Some properties of brominated calf thymus – – – (Tung et al.) (335) 318

DNA
Strand separation of – – – induced by ultraviolet irradiation in vitro (Das Gupta, Mitra) (374) 145

DNA
Structure and circular dichroism of – – – –polylysine–polyarginine complex (Zama) (366) 124

DNA
Studies on – – – recipient interaction. I. Investigation of the interaction between recipients and transfection stimulators with fluorescent probes (Sabelnikov et al.) (374) 304

DNA
Studies on the photoreactions (365 nm) between – – – and some methylpsoralens (Dall'Acqua et al.) (353) 267

DNA
Study of a haploid yeast strain with an unusually high r – – – content. I. Comparison of hybridization levels after purification of the DNA by different methods (Harbitz, Oyen) (366) 374

DNA
Temperature dependence of raman intensities of – – –: evidence for premelting changes and correlations with ultraviolet spectra (Rimai et al.) (361) 155

DNA
Transcription in vitro from a – – – template containing apurinic sites (Mamet-Bratley) (340) 237

DNA
Transcription of mammalian satellite – – – by homologous DNA-dependent RNA polymerases (Maio, Kurnit) (349) 305

DNA
Viral – – – synthesis in cells infected with ultraviolet-irradiated human adenovirus Type 2 (Mak and Mak) (340) 117

DNA
X-ray-stimulated incorporation of [^{3}H] thymidine triphosphate into – – – of toluenized Bacillus subtilis (Billen, Hellermann) (361) 166

DNA polymerase
– – – in human lymphoblastoid cells infected with simian sarcoma virus (Lewis et al.) (349) 148

DNA polymerase
Characterisation and properties of a – – – partially purified from the nuclei of calf thymus cells (Bekkering-Kuylaars, Campagnari) (349) 277

DNA polymerase
Evidence that the DNA- and poly(A)-dependent – – – activities of rat liver nuclei are functions of the same enzyme. Some observations on its mode of action (Wichremassinghe, Johnston) (361) 37

DNA polymerase
Inhibition of oncorna virus and cellular – – – by natural and synthetic polynucleotides (Srivastava) (335) 77

DNA polymerase
Low molecular weight – – – of rat ascites hepatoma cells (Tsuruo et al.) (366) 270

DNA polymerase
Multiple molecular species of cytoplasmic

– – – from calf thymus (Yoshida et al.) (353) 463
DNA polymerase
Purification and further characterization of three – – – of rat ascites hepatoma cells (Tsuruo, Ukita) (353) 146
DNA polymerase
Structural studies of avian myeloblastosis virus: Selective release of ribonucleoprotein polypeptides from the core component and partial purification of the – – – (Stromberg, Wilson) (361) 53
DNA polymerase I
Incorporation of wrong bases by – – – following γ-irradiation of DNA-like templates (Saffhill) (349) 23
DNA polymerase I
Role of – – – in pyrimidine dimer excision and repair replication in Escherichia coli K12 following ultraviolet irradiation (Glickman) (335) 115
Dopamine-β-hydroxylase
Bovine adrenal medullary – – –: Studies on the structure (Aunis et al.) (365) 259
Drug interactions
Lipid phase transitions and – – – (Carter et al.) 54
Drug-nucleic acid interactions
Nitrocellulose filter retention method for studying – – – (Neogy et al.) (374) 96
Drug permeability
Increased – – – in Chinese hamster ovary cells in the presence of cyanide (See et al.) (373) 242
Dynein
Preparation and characterisation of a dissociated 14-S form from 30-S – – – of Tetrahymena cilia (Hoshino) (351) 142

E

Edeine
Biosynthesis of – – –: Fractionation and characterisation of enzymes responsible for biosynthesis of edeine A and B (Kurylo-Borowska, Sedkowska) (351) 42

Elastase
Partial purification and properties of porcine pancreatic – – – II (Ardelt) (341) 318

Elastase
Studies on biotransformation of – – – III. Effects of elastase-binding proteins in serum on disappearance of ^{131}-I-labeled elastase from blood (Katayama and Fujita) (336) 165

Elastase
Studies on biotransformation of – – –. V. Degradation of injected ^{131}-I-labeled elastase by subcellular particles of rat liver (Katayama and Fujita) (336) 191

Elastase
Studies on biotransformation of – – –. IV. Tissue distribution of ^{131}-I-labeled elastase and intracellular distribution in liver after intravenous administration in rats (Katayama and Fujita) (336) 178

Elastase inhibitors
– – – as impurities in commercial preparations of Kunitz soybean trypsin inhibitor (Bieth, Frechin) (364) 97

Elastin
Isolation of two peptides from – – – (Castellani, Volpin) (371) 299

Elastin
Lung parenchymal – – – isolated by non-degradative means (Richmond) (351) 173

Elastin
Synthetic polypentapeptide of – – – coacervates and forms filamentous aggregates (Urry et al.) (371) 597

α-Elastin
Calcium ion-binding study on – – – (Abatangelo et al.) (371) 526

α-Elastin components
Chemical characterization of the – – – (Abatangelo et al.) (365) 115

Elastin peptides
Ca^{2+} binding study to some low molecular weight – – – (Abatangelo, Daga-Gordini) (342) 281

Electric field in chloroplasts
Direct observation of a light-induced – – – (Fowler, Kok) (357) 308

Electric generator
– – – in photosynthesis of green plants. I. Vectorial and protolytic properties of the electron transport chain (Junge, Ausländer) (333) 59

Electric generator in photosynthesis
– – – of green plants. II. Kinetic correlation between protolytic reactions and redox reactions (Ausländer, Junge) (357) 285

Electrokinetic properties
– – – of asparaginase sensitive or resistant mouse leukaemic cells treated with L-asparaginase (Bosmann, Kessel) (338) 280

Electron acceptor
EPR studies by ^{57}Fe isotopic substitution on the nature of an unknown – – – in Azotobacter vinelandii phosphorylating particles (DerVartanian et al.) (347) 497

Electron transfer
Study of the photosynthetic – – – reactions in chloroplasts and algae with the plastoquinone antagonist dibromothymoquinone (de Kouchkovsky, de Kouchkovsky) (368) 113

Electron transfer
Rate of – – – between plastocyanin, cytochrome f, related proteins and artificial redox reagents in solution (Wood) (357) 370

Electron transfer chain
Monomolecular – – –: structure and function of cytochrome c_3 (DerVartanian, LeGall) (346) 79

Electron transport
– – – phosphorylation coupled to fumurate reduction in anaerobically grown Proteus rettgeri (Kröger) (347) 273

Electron transport
Action of some derivatives of 1,10-phenanthroline on – – – in chloroplasts (Satoh) (333) 127

Electron transport
In situ characterisation of photosynthetic – – – in Rhodopseudomonas capsulata (Evans, Crofts) (357) 89

Electron transport
Reconstitution of light-dependent – – – in membranes from a bacteriochlorophyll-less mutant of Rhodopseudomonas spheroides (Jones, Plewis) (357) 204
Electron transport
Studies on the energy coupling sites of photophosphorylation. IV. The relation of proton fluxes to the – – – and ATP formation associated with Photosystem II (Gould, Izawa) (333) 509
Electron transport
Two fold effect of valinomycin on isolated spinach chloroplasts: uncoupling and inhibition of – – – (Telfer, Barber) (333) 343
Electron transport chain
Electric generator in photosynthesis of green plants. I. Vectorial and protolytic properties of the – – – (Junge, Ausländer) (333) 59
Electron-transport chain
Fractionation of the – – – of Escherichia coli (Hendler, Burgess) (357) 215
Electrophoresis
Fractionation of chondroitin sulfate and determination of molecular weight by polyacrylamide gel – – – (Hsu et al.) (338) 254
Electroretinogram changes
Protein and – – – in the alleles of the norp A^{P12} Drosophila phototransduction mutant (Ostroy, Pak) (368) 259
Ellipticine
Biochemical effects of – – – on leukemia L1210 cells (Li, Cowie) (353) 375
Elongation factor EF^1
Heterogeneity of the – – – from wheat embryos (Lanzani et al.) (335) 275
Elongation factors
Muscle protein synthesis during development of the normal and dystrophic chicken: activity of supernatant – – – (Weinstock, Markiewicz) (374) 197
Elongation factor 1
Protein synthesis in a cell-free system prepared from human placenta. II. pH 5 enzyme inefficiency due to defects in tRNA charging with resulting loss of – – – (Hubert et al.) (374) 359
Electron transport
Studies on – – – and energy-linked reactions using mutants of Escherichia coli (Cox, Gibson) (346) 1
Endonuclease
Purification and some properties of a mammalian repair – – – (Van Lancker, Tomura) (353) 99
Endonuclease R. Hind
Interaction of Escherichia coli DNA-dependent RNA polymerase and – – – fragments of T7 DNA (Humphries et al.) (366) 70
Endoplasmic reticulum
Analysis of the proteins in thymocyte plasma membrane and smooth – – – by sodium dodecylsulfate–gel electrophoresis (Schmidt-Ullrich et al.) (332) 175
Endoplasmic reticulum
Effects of 3-methylcholanthrene and phenobarbital induction on the structure of the rat liver – – – (Welton, Aust) (373) 197
Endoplasmic reticulum
Nonspecific incorporation of glucosamine into rat brain synaptosomes and – – – (Ramirez) (338) 337
δ Endotoxin
Purification, crystallization and partial characterization of the antitumour and insecticidal protein subunit from the – – – of Bacillus thuringiensis var. Thuringiensis (Prasad, Shethna) (362) 558
Energy
Relation of membrane structural changes to – – – spillover in oat and spinach chloroplasts: Use of fluorescence probes and light scattering (Vandermeulen, Govindjee) (368) 61
Energy coupling
ADP and Mg^{2+} requirement for Ca^{2+} accumulation by hog heart mitochondria. Correlation with – – – (Leblanc, Clauser) (347) 87
Energy coupling
Electromechanochemical model for – – – in mitochondria (Green) (346) 27
Enolase isoenzymes
– – – in rat tissues: Electrophoretic, chromatographic, immunological and kinetic properties (Rider, Taylor) (365) 285
Enterokinase
Subcellular localisation of – – – in human small intestine, I. (Schmitz et al.) (343) 435
Enteropeptidase
Active site of porcine – – –. Selective inactivation of the peptidase activity (Barns, Elmslie) (350) 495
Enterotoxin B
Microheterogeneity of Staphylococcal – – – (Spero et al.) (336) 79
Enterotoxin B
Stabilization of native structure by the closed disulfide loop of Staphylococcal – – – (Warren et al.) (359) 351
Enterotoxin polymerization

The pH dependence of – – – by formaldehyde (Warren et al.) (365) 434
Enzyme development
Nature of 5-bromodeoxyuridine inhibition of muscle – – – in vitro (Mochan et al.) (335) 408
Enzyme insolubilisation
New and convenient method for – – – using diazotized m-diaminobenzene (Gray et al.) (341) 457
Enzyme reactor
Enzymes immobilized on a magnetic support. Preliminary study of a fluidized bed – – – (Gellf, Boudrant) (334) 467
Enzyme secretion
Effect of isoproterenol on – – – from the isolated perfused cat pancreas (Pederson, Schulz) (338) 440
Enzyme system
Effect of ATP on the intermediary steps of the reaction of the ($Na^+ + K^+$)-dependent – – –. I. Studied by the use of N-ethylmaleimide inhibition as a tool (Skou) (339) 234
Enzyme system
Effect of ATP on the intermediary steps of the reaction of the ($Na^+ + K^+$)-dependent – – –. II. Effect of a variation in the ATP/magnesium ratio (Skou) (339) 246
Enzyme system
Effect of ATP on the intermediary steps of the reaction of the ($Na^+ + K^+$)-dependent – – –. III. Effect on the p-nitrophenylphosphatase activity of the system (Skou) (339) 258
Enzyme thermistor
An – – – (Mosbah, Danielsson) (364) 140
Epidermal growth factor
Biological assay of – – – in neonatal mice (Blosse, Fenton) (354) 57
Erythrocyte
– – – fragility in aging (DeTraglia et al.) (345) 213
Erythrocyte
Changes of membrane permeability due to extensive cholesterol depletion in mammalian – – – (Grunze, Deuticke) (356) 125
Erythrocyte
Disk to sphere transformation of – – –, induced by 1-anilino-8-naphthalenesulfonate (Yoshida, Ikegami) (367) 39
Erythrocyte
Dynamics of – – – lipids in intact cells, in ghost membranes and in liposomes (Aloni et al.) (348) 438
Erythrocyte
Effect of temperature on sulphate movements across chemically or enzymatically modified membranes of human – – – (Schwoch et al.) (339) 126
Erythrocyte
Effects of calcium on potassium transport and water transport in human – – – ghosts (Colombe, Macey) (363) 226
Erythrocyte
Exchange and maximal net flux of glucose across the human – – –. II. The effect of two sulphydryl enzyme inhibitors, chlormerodrin and p-chloromercuribenzene sulfonic acid (Zipper, Mawe) (356) 207
Erythrocyte
Factors influencing Na^+ transport in dog red cells (Elford, Solomon) (373) 253
Erythrocyte
Fractionation of chicken – – – whole histone into the six main components by gel exclusion chromatography (van der Westhuyzen et al.) (359) 341
Erythrocyte ghost membranes
Freeze-etch localization of concanavalin A receptors to the membrane-intercalated particles of human – – – (Pinto da Silva, Nicolson) (363) 311
Erythrocyte
Interaction of concanavalin A with sheep – – – (Shore, Shore) (373) 313
Erythrocyte
Measured and calculated NAD^+/NADH ratios in human – – – (Marshall, Omachi) (354) 1
Erythrocyte
Mediated transport of nucleosides in human – – –. Specific binding of the inhibitor nitrobenzylthioinosine to nucleoside transport sites in the erythrocyte membrane (Cass et al.) (345) 1
Erythrocytes
K^+-dependent phosphatase in the membranes of low-K^+-type – – – (Ellory, Lew) (332) 215
Erythrocyte
Role of membrane-bound magnesium in the permeability of – – – ghosts to K^+ (Romero) (339) 116
Erythrocyte
(Na^+-K^+)-activated ATPase activity in cattle – – – (Ellory, Carleton) (363) 397
Erythrocyte membrane
Acetylcholine esterase as a probe for – – –

intactness (Aloni and Livne) (339) 359
Erythrocyte membrane
Apparent viscosity of human – – – (Solomon) (373) 145
Erythrocyte membrane
Blue dextran excluded volume of the human – – – (Frey, Bryan) (356) 156
Erythrocyte membranes
Complement-induced changes in the core structure of sheep – – –: A study by freeze-etch electron microscopy (Bhakdi et al.) (356) 300
Erythrocyte membranes
Effect of mechanical modifiers of passive permeability on the conformation of spin-labeled – – – (Rigaud et al.) (373) 211
Erythrocyte membrane
Immunological heterogeneity of the proteins extracted from Bos taurus – – – by EDTA (Green et al.) (373) 51
Erythrocyte membrane
Interaction between – – – proteins and complement components. II. The identification and peptide composition of complement components C3 and C4 desorbed from erythrocyte membranes (Bhakdi et al.) (373) 295
Erythrocyte membranes
Interaction between proteases and bovine – – –. II. Binding of fibrinolytic components (Burkholder, Brecher) (332) 201
Erythrocyte membrane
Is lipid lost during preparation of – – –? (Hanahan et al.) (363) 283
Erythrocyte membrane
Lecithinase activities at the external surface of ruminant – – – (Zwaal et al.) (373) 416
Erythrocyte membrane
Lysine-derived cross links in the proteins of the human – – – (Langdon) (342) 229
Erythrocyte membrane
Microfluorimetric study of translational diffusion in – – – (Peters et al.) (367) 282
Erythropoietin
Molecular heterogeneity of human – – – (Espada et al.) (359) 369
Erythrocyte membranes
Nonelectrolyte diffusion through lecithin–water lamellar phases and – – – (Lange et al.) (339) 347
Erythrocyte membrane
Phase transitions in – – – and extracted membrane lipids (Gottlieb, Eares) (373) 519
Erythrocyte membrane
Preferential incorporation of fatty acids at the inside of human – – – (Renooij et al.) (363) 287
Erythrocyte membrane
Serum lipoprotein apoproteins as major protein constituents of the human – – – (342) 213
Erythrocyte membrane glycoprotein
Dissimilar nature of two forms of the major human – – – (Slutzky, Ji) (373) 337
Erythrocyte membrane proteins
High affinity calcium binding sites on – – –. Use of lanthanides as fluorescent probes (Mikkelsen, Wallach) (363) 211
Erythrocyte stability
A sugar-dependent increase in – – – (Naftalin et al.) (352) 146
Erythropoietin
Stimulation of porphyrin accumulation in chick embryo liver cell cultures by partially purified – – – (Rifkind) (338) 164
Erucic acid
Oxidation of – – – by rat heart mitochondria (Swarttouw) (337) 13
Erwinia
Effects of temperature on extraction and electrophoretic migration of envelope proteins from – – – species (Rice, Grula) (342) 125
ESR signal B1
Flash photolysis-electron spin resonance study of the effect of o-phenanthroline and temperature on the decay time of the – – – in reaction-center preparations and chromatophores of mutant and wild strains of Rhodopseudomonas spheroides and Rhodospirillum rubrum (Hsi, Bolton) (347) 126
Esterase
– – – from the midgut and gastric caecum of the American cockroach, Periplaneta americana (L): isolation and characterization (Hipps, Nelson) (341) 421
Esterase isozyme
Studies of substrate hydrolysis by an – – – of rat serum (Choudhury) (350) 484
Estradiol
Role of – – – in the equilibrium binding of oestrogen receptor to rabbit uterine chromatin (Chatkoff et al.) (343) 480
Estradiol
Specific binding of – – – to the liver chromatin of oestrogenized roosters (Gschwendt, Kittstein) (361) 84
Estradiol receptor
Association of an – – – with the DNA-

dependent RNA polymerase I from immature quail oviduct (Müller et al.) (366) 224
Estradiol receptor
Binding of the – – – from calf uterus to the chromatin: Active forms (Sala-Trepat, Vallet-Strouvé) (371) 186
Estradiol receptor
Protection, stabilization and reactivation of – – – in human myometrial cytosol (Hähnel, Ratajczak) (338) 104
Estradiol-receptor complex
Dissociation studies of different forms of the – – – from calf uterus: higher stability of the complex bound to chromatin (Sala-Trepat, Reti) (338) 92
Ethanolamine-ammonia lyase
Coenzyme B_{12}-dependent enzyme reactions. I. Emission Mössbauer spectroscopic study of – – –, a coenzyme B_{12}-dependent enzyme (Cardin et al.) (371) 44
Ethanol metabolism
In vitro inhibition of protein synthesis in rat liver as a consequence of – – – (366) 101
1,N^6-ethenoadenosine monophosphate
Interactions of – – – with amino acids and nucleotides studied by fluorescence (Penzer, Robertson) (336) 1
Ethinylestradiol
Effects of – – – and norethisterone on liver microsomal metabolism of steroids in male and female rats (Einarsson et al.) (369) 278
Ethionine poisoning
Biochemical studies on the mechanism of action of liver poisons. III. Depletion of liver glutathione in – – – (Glaser, Mager) (372) 237
Ethyl anthranilate azo derivatives
A study of the – – – of bilirubin sulphate: Confirmation of the existence of bilirubin sulphate conjugates in bile (Noir, Nanet) (372) 230
Europium (III) ion
Interaction of – – – with nucleotides (Ellis, Morrison) (362) 201
Excitable membrane
Studies of – – – formed on the surface of protoplasmic droplets isolated from Nitella. V. Effect of the chemical modification of membrane proteins with SH reagents on excitability (Inoue et al.) (367) 24
Excitation energy transfer
– – – and chlorophyll orientation in the green alga Chlamydomonas reinhardi (Whitmarsh, Levine) (368) 199

F

F-695 emission band
Mechanism of activation and spectral shift of the – – – in chloroplasts as induced by 1,10-phenanthroline (Satoh) (333) 107
F_1 inhibitor
Effects of quercetin and – – – on mitochondrial ATPase and energy linked reactions in submitochondrial particles (Lang, Racker) (333) 180
Factor VIII
Separation of human – – – activity from the Von Willebrand's antigen and ristocetin platelet aggregating activity (Baugh et al.) (371) 360
Factor X
Activation of bovine – – – by the venom coagulant protein of Vipera russelli: Complex formation of the activation fragments (Furie et al.) (365) 121
Fatty acid
– – – and metabolism in the in vitro haemoglobinfree perfused rat liver (Hulsmann, Kurpershoek-Davidov) (354) 39
Fatty acid
– – – biosynthesis in vitro by homogenate of developing rat brain. Desaturation and chain-elongation (Cook, Spence) (369) 129
Fatty acid
– – – present in the lipopolysaccharide of Vibrio cholerae 569B (Inaba) (Armstrong, Redmond) (348) 302
Fatty acid
– – – uptake and fatty acid esterification by proximal and distal intestine in bile fistula rats (Brand, Morgan) (369) 1
Fatty acid
Changes in cell permeability following a marked reduction of saturated – – – content of Escherichia coli K-12 (Davis, Silbert) (373) 224
Fatty acid
Effect of prolonged fasting on – – – re-esterification in rat intestinal mucosa (Powell, McElveen) (369) 8
Fatty acid
ATP balance and the effect of 2,4-dinitrophenol on – – – synthesis (Katz et al.) (337) 313
Fatty acid
Effects of – – – on the oxidative metabolism of leukocytes (Kakinuma) (348) 76
Fatty acid
Effect of dietary fractose on in vitro and in vivo – – – synthesis in the rat (Romsos, Leveille) (360) 1
Fatty acid
Effect of tryptophan administration on – – – synthesis in the liver of the fasted normal rat (Sakurai et al.) (360) 275
Fatty acid
Factors involved in the synthesis of cyclopropane – – – by Streptococcus faecalis (Jungkind, Wood) (337) 286
Fatty acid
Feeding studies designed to determine whether competitive reactions between acids of the oleate and linoleate families for desaturation chain elongation or incorporation, regulate the – – – composition of rat liver lipids (Sprecher) (369) 34
Fatty acid
Identification of methoxyester artifacts produced by methanolic-HC1 solvolysis of the – – – of the genus Yersinia (Vulliet et al.) (348) 299
Fatty acid
Influence of dietary alterations, fasting and competitive interactions on the microsomal chain elongation of – – – elongation (Sprecher) (360) 113
Fatty acid
In vitro and in vivo fate of saturated and unsaturated – – – during development of insects (Municio et al.) (360) 289
Fatty acid
Occurrence of saturated and mono-unsaturated – – – with unusually-long-chains (C_{20}-C_{30}) in Lactobacillus heterohiochii, an alcoholophilic bacterium (Uchida) (348) 86
Fatty acid
On the origin of rumen protozoan – – – (Emmanuel) (337) 404
Fatty acid
Phospholipid and – – – composition of outer and inner membranes of plant mitochondria (Moreau et al.) (345) 294

Fatty acid
Preferential incorporation of – – – at the inside of human erythrocyte membranes (Renooij et al.) (363) 287
Fatty acid
Specificity of 5- and 6- – – – desaturases in rat and fish (Ninno et al.) (360) 124
Fatty acid
Studies on the biosynthesis of cyclopropane – – – in Escherichia coli (Cronan et al.) (348) 63
Fatty acid methyl esters
Occurrence of – – – and cholesterol in a molecular complex with riboflavin (Lewis) (360) 270
Ferredoxin
– – – circular dichroism at 3600 cm^{-1} (Hosein et al.) (368) 18
Ferredoxin
Light-induced reactions of – – – and P700 at low temperatures (Visser et al.) (368) 235
Ferredoxin
Role of 3-mercaptopyruvate sulphurtransferase in the formation of the iron–sulphur chromophore of adrenal – – – (Taniguchi, Kimura) (364) 284
Ferricytochrome c
One-electron reactions in biochemical systems as studied by pulse radiolysis. VI. Stages in the reduction of – – – (Land, Swallow) (368) 86
Ferricytochrome c
Reduction of – – – by hydrogen atoms: Evidence for intramolecular transfer of reducing equivalent (Lichtin et al.) (357) 386
Ferricytochrome c′
Magnetic studies on the changes in the iron environment in Chromatium – – – (Maltempo et al.) (342) 290
Ferritin
High resolution negative staining of – – – molecules on vermiculite single crystal supports (Hahn, Baumeister) (371) 267
Ferritin
Spectral studies of the – – – core and related iron (III) polymers (Webb, Gray) (351) 224
Ferroxidase
Serum azide-resistant – – – activity (Williams et al.) (350) 129
Fetuin
Studies on – – – from foetal bovine serum. The composition and amino acid sequences of glycopeptides from fetuin (Begbie) (371) 549
Fibrin
Cross-linking reactions of lamprey fibrinogen and – – – (Murtaugh et al.) (359) 415
Fibrin
On the interaction of F-actin with – – – (Laki, Muszbek) (371) 519
Fibrin
Subunit structure of lamprey fibrinogen and – – – (Doolittle, Wooding) (371) 277
Fibrinogen
Cold-insoluble – – – fraction of bovine and human plasma (Ströder and Hörmann) (351) 396
Fibrinogen
Cross-linking reactions of lamprey – – – and fibrin (Murtaugh et al.) (359) 415
Fibrinogen
Distribution of carbohydrate in the plasmin-resistant core fragments (D, E) of human – – – (Pepper et al.) (365) 203
Fibrinogen
Phosphorus-rich Aα polypeptide chains of pig and sheep – – – (Cierniewski, Krajewski) (351) 372
Fibrinogen
Subunit structure of lamprey – – – and fibrin (Doolittle, Wooding) (371) 277
Fibrinogen
Structural changes of subunit polypeptides of bovine – – – during proteolysis Nakamura et al.) (336) 86
Fibrinogen
Structure-activity relationships of the peptides released from canine – – – by thrombin (Osbahr and Colman) (336) 273
Fibroblasts
Crosslink patterns of collagens synthesized by cultures of 3T6 and 3T3 – – – and by fibroblasts of various granulation tissues (Jackson and Mechanic) (336) 228
Ficin
Evidence that – – – is a glycoprotein (Friedenson, Liener) (342) 209
Flagellin
Differences in the primary structure of phase-I – – – of two strains of Salmonella typhimurim (Joys et al.) (351) 301
Flagellin
Flagellin from Escherichia coli K12: polymerization and molecular weight in comparison with Salmonella – – – (Kondoh, Hotani) (336) 117

Flavin-nicotinamide biscoenzymes
Some novel – – – and their reactivities (Proffitt et al.) (362) 534
Flavin-phosphates
Specificity of pyridoxine (Pyridoxamine) 5′-phosphate oxidase for flavin-phosphates (Kazarinoff, McCormick) (359) 282
Fluorescence
Interactions of 1,N^6-ethenoadenosine monophosphate with amino acids and nucleotides studied by – – – (Penzer, Robertson) (336) 1
Fluorescence
Relations between – – – and thylakoid structure in Porphyridium cruentum (Clement-Metral, Lefort-Tran) (333) 560
Fluorescence parameters
The effect of salt concentration on the – – – of isolated chloroplasts (Malkin, Siderer) (368) 422
Fluorescence yield
– – – kinetics in the microsecond-range in Chlorella pyrenoidosa and spinach chloroplasts in the presence of hydroxylamine (den Haan et al.) (368) 409
Fluorescence yield
Light-induced changes of C-550 and – – – in ultraviolet-irradiated chloroplasts at room temperature (Katoh, Kimimura) (333) 71
Fluorescent pigments
Studies on the incorporation of – – – into bilayer membranes (Trissl) (367) 326
Fluorocarbon emulsion
Long-term perfusion of the isolated rat liver: Maintenance of its functional state by use of a – – – (Krone et al.) (372) 55
Foetal calf serum factor (FF_2)
Regulation of cell growth. II. Some characteristics of a – – – stimulating ornithine decarboxylase in mouse liver (Morley) (362) 480
α-Foetoprotein
Binding of oestrogens by – – – in rat amniotic fluid (Swartz et al.) (338) 480
Folate coenzyme biosynthesis
Hyperproduction of dihydrofolate reductase in Diplococcus pneumoniae by mutation in the structural gene. The absence of an effect on other enzymes of – – – (McCuen, Sirotnak) (338) 540
Folch–Lees protein
Interaction of the – – – with lipids at the air–water interface (London et al.) (332) 69
Formiminotransferase
Hormonal regulation of hepatic and jejunal – – – activity in man and rat (Stifel et al.) (354) 194
Formyltetrahydrofolate synthetase
Effects of temperature and ammonium ions on – – – from Clostridium thermoaceticum (Shoaf et al.) (334) 448
Forssman hapten
Biosynthesis of globoside and – – – from trihexosylceramide and properties of β-N-acetylgalactosaminyltransferase of guinea pig kidney (Ishibashi et al.) (337) 92
Fraction I protein
Multiple peptide composition of the large and small subunits of Nicotiana tabacum – – – ascertained by fingerprinting and electrofocusing (Kung et al.) (365) 138
Fraction I protein
Similarities and differences in the primary structure of – – – in the genus Nicotiana (Kawashima et al.) (371) 417
Freeze-etch electron microscopy
Complement-induced changes in the core structure of sheep erythrocyte membranes: A study by – – – (Bhakdi et al.) (356) 300
Frog egg
Diffusion and permeation of water in the – – –. The effect of temperature (Mild, Løvtrup) (373) 383
Frog rod
Biochemical aspects of the visual process. XXV. Light-induced calcium movements in isolated – – – outer segments (Hendriks et al.) (345) 468
Fructose
Effect of dietary – – – on in vitro and in vivo fatty acid synthesis in the rat (Romsos, Leveille) (360) 1
Fructose
Regulation of – – – metabolism in the perfused rat liver. Interrelation with inorganic phosphate, glucose, ketone body and ethanol metabolism (Sestoft) (343) 1
5-keto-D-fructose
– – – VII. Synthesis of 5-keto-D-fructose 1, 6-bisphosphate and some of its properties (Avigad and Englard) (343) 330
Fructose-bisphosphate aldolase
– – – from rabbit muscle. A thermodynamic study on the formation of the enzyme–dihydroxyacetone phosphate complex (Grazi, Trombetta) (364) 120
Fructose-bisphosphate aldolase
Molecular aging of – – – in tissues of rabbit and man (Mennecier, Dreyfus) (364) 320

Fructose-1, 6-diphosphatase
– – – from rat liver. Purification and properties (Traniello) (341) 129
D-Fructose transport
Distinct – – – system in isolated brush border membrane (Sigrist-Nelson, Hopfer) (367) 247
α-L-Fucosidase
Studies on human polymorphonuclear leukocyte enzymes. IV. Intracellular distribution and properties of – – – (Avilla, Convit) (358) 308
Fucoxanthinol
Neoxanthin and – – – in Fucus vesiculosus (Nitsche) (338) 572
Furanoterpenoids
Lung-toxico – – – produced by sweet potatoes (Ipomoea batatas) following microbial infection (Boyd et al.) (337) 184

G

D-Galactose
The role of Na as a determinant of the asymmetric permeability of rabbit ileal brush-border to – – – (Naftalin, Holman) (373) 453
Galactose biogenesis
– – – and disposal in galactosemics (Gitzelmann, Hansen) (372) 374
Galactose influx
Effect of phlorizin on – – – in rabbit intestine (Estep, Goldner) (367) 371
Galactosemic rat lens
Sorbitol pathway in diabetic rat lens and – – – (Varma, Kinoshita) (338) 632
D-galactose uptake
Nature of – – –, D-glucose uptake and α-methyl-D-glucoside uptake by Saccharomyces cerevisiae (Kotyk, Michaljanicová) (332) 104
α-Galactosidase
Purification of coffee bean – – – by affinity chromatography (Harpaz et al.) (341) 213
α-Galactosidase
Separation and preparation of – – – and β-galactosidase from Cajanus indicus (Dey, Dixon) (370) 269
α-Galactosidase A
Purified human – – –: Stabilization to heat and protease degradation by complexing with antibody and by chemical modification (Snyder et al.) (350) 432
β-Galactosidase
Separation and preparation of α-galactosidase and – – – from Cajanus indicus (Dey, Dixon) (370) 269
β-galactoside
Activation of the – – – transport system in Escherichia coli ML-308 by n-alkanols: Modification of lipid–protein interaction by a change in bilayer fluidity (Sullivan et al.) (352) 287
Galactosyldiglycerides
Biochemical changes in Bifidobacterium bifidum var. pennsylvanicus after cell-wall inhibition. VI. Biosynthesis of the – – – (Veerkamp) (348) 23
Galactosyldiglycerides
Structures of biological membranes: Localisation of – – – in chloroplasts by means of specific antibodies. II. Treatment with peroxidase electron microscope study (Billecocq) (352) 245
Galactosyltransferase
Structure of trihexosylceramide biosynthesized in vitro by rat kidney – – – (Stoffyn et al.) (360) 174
Gangliosides
Composition and synthesis of – – – in mammary gland and milk of the bovine (Keenan) (337) 255
Gangliosides
Studies on the interaction between – – –, protein and divalent cations (Hayashi, Katagiri) (337) 107
Gastric mucosal membranes
Characterisation of – – –. VI. The presence of channel-forming substances (Sachs et al.) (332) 233
Gelatin gels
The mechanism of sugar-dependent stabilisation of – – – (Naftalin, Symons) (352) 173
Genes
In vivo transcription of baseplate – – – 9, 10, and 11 of bacteriophage T4 (Witmer) (335) 424
α_2-Gliadin
N-terminal sequence of – – – (Kasarda et al.) (351) 290
ω-Gliadin
Isolation and characterisation of – – – fractions (Charbonnier) (359) 142
Globin synthesis
Control of – – – by hemin. An intermediate form of the translational repressor in rabbit reticulocyte lysates (Gross) (366) 319
Globin synthesis
Control of – – – by hemin regulation by hemin of the formation and inactivation of a translational repressor of globin synthesis in rabbit reticulocyte lysates (Gross) (340) 484
Globin synthesis
Messenger ribonucleoprotein directed – – – in an embryonic brain cell-free system (Hendrick et al.) (340) 278
Globoside
Biosynthesis of – – – and Forssman hapten from trihexosylceramide and properties of

β-N-acetylgalactosaminyltransferase of guinea pig kidney (Ishibashi et al.) (337) 92
Globulin
Testosterone-estradiol-binding – – – of human plasma: Denaturation and protection (Rosner et al.) (351) 92
Globular protein
Statistical behaviour and suitability of protein-derived circular dichroic-basis spectra for determination of – – – conformation (Grosse et al.) (359) 33
α_2-Globulins
Characterization of the "pregnancy zone protein" in relation to other – – – of pregnancy (von Schoultz, Stigbrand) (359) 303
Glucagon
– – – control of cyclic AMP accumulation in isolated intact rat liver parenchymal cells in vitro (Christoffersen, Berg) (338) 408
Glucagon
Activation of glycogenolysis in perfused rat livers by – – – and metabolic inhibitors (Jakob, Diem) (362) 469
Glucagon
Actions of insulin and – – – on glucose metabolism and on related enzyme activities in the isolated perfused rat liver (Wimhurst et al.) (372) 72
Glucagon
Effects of – – – on cyclic AMP and carbohydrate metabolism in livers from diabetic rats (Pilkis et al.) (343) 250
Glucagon
Hormonal regulation of amino acid accumulation in human foetal liver explants. Effects of dibutyryl cyclic AMP, – – – and insulin (Schwartz) (362) 276
Glucagon
Inhibitors of – – – inactivation: effect on glucagon–receptor interactions and glucagon-stimulated adenylate cyclase activity in liver cell membranes (Desbuquois et al.) (343) 101
Glucagon
Non-equivalence of the carboxyl groups of – – – in the carbodiimide-promoted reaction with nucleophiles, and the role of carboxyl groups in the ability of glucagon to stimulate the adenyl cyclase of rat liver (Wheeler et al.) (372) 440
Glucalogues
Further evidence for the multiplicity of carriers for free – – – in hamster small intestine (Honegger, Gershon) (352) 127
β-Glucanase
Purification and properties of a specific, inducible – – –, succinoglucan depolymerase from Flavobacterium (Amemura et al.) (334) 398
α-Glucan phosphorylase b
– – – from Indocibium guttattam: A kinetically different phosphorylase (Soman, Philip) (341) 301
Glucocorticoid binding
– – – in the chicken liver cytosol (Cochet, Chambaz) (362) 37
Gluconeogenesis
Absence of significant rates of – – – in intestinal mucosa of starved guinea pigs (Lamers et al.) (343) 427
Gluconeogenesis
Autoregulation of glycolysis, respiration, – – – and glycogen synthesis in isolated parenchymal rat liver cells under aerobic and anaerobic conditions (Seglen) (338) 317
Gluconeogenesis
Inhibition of – – – in the kidney cortex by γ-hydroxyglutamate and γ-hydroxy-α-ketoglutarate (Rognstad) (338) 78
Gluconeogenesis
Regulation of – – – by alanine (Friedrichs and Schoner) (343) 341
Gluconeogenesis
Renal – – –. Influence of diet and hydrogen ions (Schoolwerth et al.) (372) 274
Glucosamine
Laser raman scattering of – – –, N-acetyl-glucosamine, and glucuronic acid (She et al.) (372) 345
Glucosamine
Metabolism of – – – in bovine retina (Tesoriere et al.) (338) 641
Glucosamine
Nonspecific incorporation of – – – into rat brain synaptosomes and endoplasmic reticulum (Ramirez) (338) 337
Glucosamine
Release of glycoconjugates by rat parathyroid glands in tissue culture. II. Studies on uptake and incorporation of isotopically-labelled – – – and characterization of secreted material (Licata, Raisz) (343) 17
Glucosamine
Synthesis of intestinal glycoprotein inhibition of [1-^{14}C] – – – incorporation by phenylbutazone in vitro (Lukie, Forstner) (338) 345
Glucosamine binding

– – – to serum proteins. Its possible relevance to cell surface and conditioned medium studies (Angello, Hauschka) (367) 148
Glucosaminephosphate isomerase
Comparison of the properties of – – – (glutamineforming) from rat liver and a hepatoma (Miyagi, Tsuiki) (358) 144
Glucose
Daily rhythmic change of L-histidine and – – – absorptions in rat small intestine in vivo (Furuya, Yugari) (343) 558
Glucose
Regulation of fructose metabolism in the perfused rat liver. Interrelation with inorganic phosphate, – – –, ketone body and ethanol metabolism (Sestoft) (343) 1
D-Glucose
Transport of – – – by brush border membranes isolated from the renal cortex (Aronson, Sacktor) (356) 231
D-Glucose binding site
Evidence for a single kind of – – – on renal brush borders (Chertok, Lake) (339) 202
Glucose carrier
Anomalous transport kinetics and the – – – hypothesis (Regen, Tarpley) (339) 218
Glucose metabolism
Actions of insulin and glucagon on – – – and on related enzyme activities in the isolated perfused rat liver (Wimhurst et al.) (372) 72
Glucose metabolism
Aflatoxin formation, lipid synthesis, and glucose metabolism by Aspargillus parasiticus during incubation with and without agitation (Shih, Marth) (338) 286
Glucose 6-phosphate
– – – solubilized hexokinase: some electrophoretic properties (Craven, Basford) (338) 619
Glucose 6-phosphate
Evidence that – – – is transported intact in Escherichia coli (Grover, Winkler) (363) 428
Glucose-6-phosphatase
Effect of dibutyryl cyclic AMP on – – – activity in human foetal liver explants (Schwartz et al.) (343) 500
Glucose 6-phosphatase
Inhibition by saccharin and cyclamate of phosphotransferase and phosphohydrolase activities of – – – (Lygre) (341) 291
Glucose-6-phosphatase
Nature of modifications by various anions of synthetic and hydrolytic activities of multifunctional – – – (Colilla et al.) (364) 78
Glucose-6-phosphate dehydrogenase
– – – from Caulobacter crescentus (Shedlarski) (358) 33
Glucose-6-phosphate dehydrogenase
Effects of ^2H_2O on mammary – – – (Nevaldine, Levy) (358) 44
Glucose-6-phosphate dehydrogenase
Isoenzyme pattern of – – – in blood cells, bone marrow and other human tissues (Rozenszajn, Joseph) (364) 38
Glucose-6-phosphate dehydrogenase
Purification of – – – from red blood cells and from human leukocytes (Kahn, Dreyfus) (334) 257
Glucose-6-phosphate dehydrogenase
Sex differences in – – – activity in the submandibular gland of mice (Nakamura et al.) (362) 110
Glucose-6-phosphate dehydrogenase
Stabilization and activation of a human – – – variant with enzyme deficiency by specific antibody (Kahn et al.) (343) 431
Glucose transport
– – – in isolated brush border and lateral–basal plasma membrane vesicles from intestinal epithelial cells (Murer et al.) (345) 170
Glucose transport
Test for non-specific diffusion steps in transport across cell membranes, and its application to red cell – – – (Edwards) (345) 373
D-glucose uptake
Nature of D-galactose uptake, – – – and α-methyl-D-glucoside uptake by Saccharomyces cerevisiae (Kotyk, Michaljanicová) (332) 104
Glucose utilisation
Adrenergic α-receptor-mediated stimulation of the – – – by isolated rat diaphragm (Saitoh et al.) (343) 492
β-Glucosidase
Solubilization of membrane-associated tumour specific antigens by – – – (Baldwin et al.) (367) 47
Glucuronic acid
Laser raman scattering of glucosamine, N-acetylglucosamine, and – – – (She et al.) (372) 345
β-glucuronidase
Comparison of two inhibitors of – – – from

porcine sublingual and submaxillary glands (Sakamoto et al.) (343) 409
Glucuronide
Activation energy of – – – biosynthesis (Norling, Hänninen) (350) 183
Glutamate dehydrogenase
– – – of Tetrahymena (Hooper et al.) (358) 14
Glutamate dehydrogenase
Immobilized – – –: some catalytic and structural aspects (Havekes et al.) (334) 272
Glutamate dehydrogenase
Induction of conformational changes in bovine liver – – – by a steroid analogue I (Yeates) (334) 45
Glutamate dehydrogenase
Induction of conformational changes in bovine liver – – – by a steroid analogue II (Yeates) (334) 58
Glutamate dehydrogenase
Nicotinamide nucleotide specificity of – – – in intact rat-liver mitochondria (Hoek et al.) (333) 546
L-(+)-Glutamate oxidoreductase
Non-pyridine nucleotide dependent – – – in Azotobacter vinelandii (Jurtshuk, McManus) (368) 158
Glutamate synthase
– – – from Escherichia coli – an iron–sulphur flavoprotein. Separation and analysis of non-identical subunits (Miller) (364) 243
Glutamic acid
Physico chemical and proenzyme properties of NH_2-terminal – – – and NH_2-terminal lysine human plasminogen. Influence of 6-aminohexanoic acid (Claeys, Vermylen) (342) 351
Glutamic acid binding
High-affinity – – – to brain synaptic membranes (Michaelis et al.) (367) 338
L-Glutaminase
Reinvestigation of the physicochemical and enzymic properties of – – – from Pseudomonas (Abe et al.) (358) 113
Glutaminase isoenzymes
Distribution of – – – in kidney cells (Kovacević) (334) 199
Glutamine synthetase
Conformational change with temperature and thermo-stability of – – – from Bacillus stearothermophilus (Matsunaga, Nosoh) (365) 208
Glutamine synthetase
Purification and properties of – – – from Bacillus stearothermophilus (Hachimori et al.) (350) 461
Glutamine synthetase
Spectroscopic probes of Escherichia coli – – –: Rare earth ions by difference absorption (Wedler, D'Aurora) (371) 432
γ-Glutamyltransferase
Purification of – – – of rat kidney by affinity chromatography using concanavalin A conjugated with Sepharose 4B (Takahashi et al.) (371) 71
Glutathione
Acquirement of fetal properties in hepatoma on – – – metabolism (Taniguchi et al.) (354) 161
Glutathione
Biochemical studies on the mechanism of action of liver poisons. III. Depletion of liver – – – in ethionine poisoning (Glaser, Mager) (372) 237
Glutathione-insulin transhydrogenase
Insulin degradation. XII. The amino acid composition, aminoterminal, and carbohydrate content of beef pancreatic – – – (Varandani) (371) 577
Glutathione peroxidase
Purification and properties of rat liver – – – (Nakamura et al.) (358) 251
Glutathione reductase
– – – in the sea urchin egg. I. Purification and general properties (Ii, Sakai) (350) 141
Glutathione reductase
– – – in the sea urchin egg. II. Cleavage-associating fluctuation of the activity and its possible regulatory mechanism (Ii, Sakai) (350) 151
Glyceraldehyde-phosphate dehydrogenase
Comparaitive immunochemical studies on – – – isolated from rabbit and rat skeletal muscle (Nagradova, Grozdova) (342) 105
Glyceraldehyde-3-phosphate dehydrogenase
Fluorescent probe for the coenzyme-induced structural changes in – – – from rabbit muscle (Price, Radda) (371) 102
Glycerolipid formation
– – – from sn-glycerol-3-phosphate by rat liver cell fractions. The role of phosphatidate phosphohydrolase (Lamb, Fallon) (348) 166
Glycerolipid metabolism
Enzymatic explanation for dietary induced alterations in hepatic – – – (Lamb, Fallon) (348) 179
sn-Glycerol 3-phosphate

Control of – – – oxidation in brown adipose tissue mitochondria by calcium and acyl CoA (Bukowiecki, Lindberg) (348) 115
Glycerol phosphate dehydrogenase
Purification and characterization of rat brain – – – (McGinnis, de Vellis) (364) 17
α-Glycerol phosphate dehydrogenase
Dihydroxyacetone sulfate as substrate analogue for – – – (Grazi et al.) (341) 248
L-glycerol-3-phosphate dehydrogenase
Rabbit muscle – – –. Substrate activity of 3, 4-dihydroxybutyl-1-phosphonate and 4-hydroxy-3-oxobutyl-1-phosphonate (Cheng et al.) (341) 85
Glycerophosphate acyltransferase
Pulmonary phospholipid biosynthesis. Properties of a stable microsomal – – – preparation from rabbit lung (Hendry, Possmayer) (369) 156
Glycogenolysis
Activation of – – – in perfused rat livers by glucagon and metabolic inhibitors (Jakob, Diem) (362) 469
Glycogen phosphorylase
– – – activity impermeabilized cells of Saccharomyces cerevisiae (Acevedo et al.) (358) 363
Glycogen phosphorylase
– – – of potatoes: Purification and thermodynamic properties of the adsorption on glycogen (Gerbrandy) (370) 410
Glycogen phosphorylase b
Aromatic compounds as allosteric inhibitors of – – – (Soman, Philip) (358) 359
Glycogen phosphorylase b
Binding sites for substrate and effectors on – – – (Soman, Philip) (341) 447
Glycogen synthase
Glycogen synthesis in mouse Ehrlich ascites carcinoma cells. The presence of an endogenous inhibitor for activation of – – – (Baba, Tsuiki) (370) 419
Glycogen synthesis
– – – in mouse Ehrlich ascites carcinoma cells. The presence of an endogenous inhibitor for activation of glycogen synthase (Baba, Tsuiki) (370) 419
Glycogen synthesis
Action of insulin on – – – in rat diaphragm muscle from intracellular and extracellular glucose (Haugaard, Haugaard) (338) 309
Glycogen synthesis
Autoregulation of glycolysis, respiration, gluconeogenesis and – – – in isolated parenchymal rat liver cells under aerobic and anaerobic conditions (Seglen) (338) 317
Glycogen synthase D phosphatase
Studies on – – – of rat liver–Multiple nature (Abe, Tsuiki) (350) 383
Glycogen synthase D phosphatase
Influence of ATP on – – – activity in liver (Gilboe, Nuttall) (338) 57
Glycolipid
Glycoproteins and – – – of oxyntic cell microsomes. II. Glycopeptides and glycolipids (Beesley, Forte) (356) 144
Glycolipid biosynthesis
– – – in virus-transformed cells (Brady, Fishman) (355) 121
Glycolysis
Aerobic – – – in vascular smooth muscle: Relation to isometric tension (Peterson, Paul) (357) 167
Glycolysis
Autoregulation of – – –, respiration, gluconeogenesis and glycogen synthesis in isolated parenchymal rat liver cells under aerobic and anaerobic conditions (Seglen) (338) 317
Glycolysis
Regulation of erythrocyte – – –. Membrane-mediated activation induced in low-electrolyte medium (Tsuboi) (352) 307
Glycolytic components
On the association of – – – in skeletal muscle extracts (Clarke, Masters) (358) 193
Glycopeptide
Affinity of concanavalin A and Lens culinaris haemagglutinin for – – – (Young, Leon) (365) 418
Glycopeptide
Isolation and partial characterization of – – – from human parotid amylase A (Watanabe, Keller) (336) 62
Glycopeptide
Neutral and acidic – – – in adult and developing rat brain (Krusius et al.) (365) 80
Glycopeptide
Studies on fetuin from foetal bovine serum. The composition and amino acid sequences of – – – from fetuin (Begbie) (371) 549
Glycopeptide
Turnover of sulphate in – – – from egg shell membranes and hen oviduct sulfated glycoproteins (Paul-Gardais et al.) (354) 11
Glycopeptide
Vitamin A-dependent fucose – – – from

rat tracheal epithelium (Bonanni, DeLuca) (343) 632
Glycoprotein
– – – and glycolipids of oxyntic cell microsomes. II. Glycopeptides and glycolipids (Beesley, Forte) (356) 144
Glycoprotein
Biosynthesis of a fucose-containing – – – from intestinal mucosa of normal and vitamin A-deficient rats (Kleiman, Wolf) (354) 17
Glycoprotein
Extraction and characterisation of a "native" vitamin A-sensitive – – – from rat intestine (Kleinman, Wolf) (359) 90
Glycoprotein
Isolation and partial characterization of a – – – isolated from human gastric aspirates and from extracts of gastric mucosae (Schrager, Oates) (372) 183
Glycoprotein
Localization of – – – within erythrocyte membranes of sheep. A freeze-etching and biochemical study (Di Pauli, Brdiczka) (352) 252
Glycoprotein
Membrane – – – of the rat small intestine. Chemical composition of membrane glycoproteins (Kim, Perdomo) (342) 111
Glycoprotein
Polyacrylamide gel electrophoresis of – – – on single concentration and gradient gels (Voyles, Moskowitz) (351) 178
Glycoprotein
Synthesis of intestinal – – – inhibition of [1-^{14}C] glucosamine incorporation by phenylbutazone in vitro (Lukie, Forstner) (338) 345
Glycoprotein biosynthesis
– – – in liver mitochondria. II. Mitochondrial localization of mannosyltransferase (Morelis et al.) (373) 10
Glycoprotein glycosyltransferase
– – – levels during spermatogenesis in mice (Letts et al.) (342) 192
Glycoprotein glycosyltransferases
Localization of – – – in the Golgi apparatus of rat and mouse testis (Letts et al.) (372) 304
Glycosaminoglycan
– – – composition of human amniotic fluid (Lee, Schafer) (354) 264
Glycosaminoglycan
Characterization of – – – in rabbit plasma and leukocytes at disaccharide subunit level (Taniguchi, Nanba) (354) 130
Glycosidases
– – – with unusual specificities. IV. A hydrolase that splits p-nitrophenyl-2-deoxy-2-glycylamido-β-D-glucopyranoside: Properties of the purified enzyme (Molodtsov, Vafina) (364) 296
Glycosphingolipids
Hepatic neutral lipids, phospholipids and – – – of a patient with histiocytosis X (Taketomi et al.) (369) 315
Glycosphingolipid β-galactosidases
– – – in rat brain: Properties and the standard assay procedures of the enzymes in whole homogenate (Miyatake, Suzuki) (337) 333
Glycosyltransferases
Cell plasma membrane external surface – – –: Activity in the cell mitotic cycle (Bosmann) (339) 438
Glycylglycine
Crystal and molecular structure of a complex formed by guanidine hydrochloride and – – – $[C(NH_2)_3]Cl.\ C_4N_2O_3H_8$ (Cotton et al.) (359) 7
GMP Reductase
– – – in Artemia salina (Renart and Sillero) (341) 178
GMP synthetase
– – – from Escherichia coli B-96: Interactions with substrate analogs (Spector et al.) (370) 585
Gonadotropin
Disulphide groups of – – – receptors are essential for specific binding of human chorionic gonadotropin (Dufau et al.) (343) 417
Gramicidin A
Temperature-dependent properties of – – – channels (Bamberg, Läuger) (367) 127
Gramicidin S formation
On the enzyme system obtained from some mutants of Bacillus brevis deficient in – – – (Shimura et al.) (338) 577
Growth
Regulation of – – – in vitro. I. Control of ornithine decarboxylase levels in untransformed and transformed mouse fibroblasts by serum (Lembach) (354) 88
Growth hormone
Biosynthesis of – – – in the rat anterior pituitary gland. Control of biosynthesis in vitro by glucose (Betteridge, Wallis) (362) 66

Growth hormone
Effect of bovine – – – on rat liver plasma membranes as studied by circular dichroism and fluorescence using the extrinsic probe 7,12-dimethylbenzanthracene (Postel-Vinay et al.) (332) 156
GSSG reductases
CoAS–Sglutathione and – – – from rat liver. Two disulfide oxidoreductase activities in one protein entity (Ondarza et al.) (341) 162
GTP
Studies on binding of – – – to the microtubule protein (Levi et al.) (365) 450
GTPase
Role of aminoacyl-tRNA binding site on the factor EF-T in uncoupled – – – reaction (Sedlácek et al.) (349) 78
Guanidine thiocyanate
Thermodynamics of the unfolding of α-lactalbumin by – – – (Takase et al.) (371) 352
Guanosine 3′-diphosphate 5′-diphosphate
Control of RNA synthesis in Escherichia coli. IV. Effect of levallorphan on – – – metabolism in spoT$^+$ and spoT$^-$ strains (Raué, Gruber) (366) 279
Guanosine 3′,5′-monophosphate
The effect of isoproterenol and its analogues upon adenosine 3′,5′-monophosphate and – – – levels in mouse parotid gland in vivo (Durham et al.) (372) 196
Guanosine 3′,5′-phosphate
Effects of decapitation, ether and pentobarbital on – – – and adenosine 3′,5′-phosphate levels in rat tissues (Kimura et al.) (343) 519
Guanyl nucleotides
Effect of – – – on the stimulation of adenyl cyclase activity in human thyroid plasma membranes by thyroid-stimulating hormone and prostaglandin E_2 (Sato et al.) (332) 166

H

Haem
δ-Aminolevulinic acid transport and synthesis, porphyrin synthesis and – – – catabolism in chick embryo liver and heart cells (Israels et al.) (372) 32

Haem
Cytochrome b-561 as the single – – – protein of the bovine adrenal chromaffin granule membrane (Terland et al.) (359) 253

Haem
Hepatic uptake of – – – and hemopexin but not albumin (Liem) (343) 546

Haem
Physical chemistry of – – – and hemopeptides. III. Synthesis and physicochemical properties of cytochrome c-related heme–pentapeptide soluble in organic solvents (Momenteau, Loock) (343) 535

Haem
Studies on – – – environment of oxidized cytochrome b_5 (Ikeda et al.) (336) 15

Haemagglutination
Factors affecting – – – by concanavalin A and soybean agglutinin (Gordon, Marquardt) (332) 136

Haemagglutinin
Affinity chromatography of Clostridium perfringens sialidase: Non-specific adsorption of – – – haemolysin and phospholipase C to sepharosyl-glycyl-tyrosyl-N-(p-aminophenyl) oxamic acid (Rood, Wilkinson) (334) 168

Haemagglutinin
Affinity of concanavalin A and Lens culinaris – – – for glycopeptides (Young, Leon) (365) 418

Haemagglutinin
Studies on phytohaemagglutinins. XX. Isolation and characterization of – – – from scarlet runner seeds (Phaseolus occineus L.) (359) 320

Haem–haem interactions
– – – in cytochrome aa_3 during the anaerobic transition (Nicholls, Petersen) (357) 462

Haemoglobin
220 MHz proton NMR studies of haemoproteins: High-spin-low-spin equilibrium in ferric myoglobin and – – – derivatives (Iizuka, Morishima) (371) 1

Haemoglobin
– – – F Auckland G γ 7 Asp → Asn: Further evidence for multiple genes for the gamma chain (Carrell et al.) (365) 323

Haemoglobin
– – – J Meerut: α 120 Ala → Glu (Blackwell et al.) (351) 7

Haemoglobin
– – – Iyon (β 17-18(A 14-15) Lys-Val → 0): Determination by sequenator analysis (Cohen-Solat et al.) (351) 306

Haemoglobin
– – – Ottawa: $\alpha_2$15 (A13) Gly → Arg β_2 (Vella et al.) (336) 25

Haemoglobin
– – – of Biomphalaria glabrata: Chemical composition and some physicochemical properties (Almeida, Neves) (371) 140

Haemoglobin
– – – of the electric Atlantic Torpedo, Torpedo nobiliana, a cooperative haemoglobin without Bohr effects (Bonaventura et al.) (371) 147

Haemoglobin
– – – St. Claude or α_2 127 (H10) Lys → Thr β_2 (Vella et al.) (365) 318

Haemoglobin
Bohr effect of pyridoxylated – – – (Suzuki et al.) (351) 442

Haemoglobin
Chicken definitive erythrocyte – – – (Moss, Hamilton) (371) 379

Haemoglobin
Functional properties of – – – Porto Alegre ($\alpha_2{}^{A}\beta_2{}^{9}$ Ser→Cys) and the reactivity of its extra cysteinyl residue (Tondo et al.) (342) 15

Haemoglobin
Isoleucine-valine substitution in the β chain of rabbit – – – (Bricker, Garrick) (351) 437

Haemoglobin
Low temperature photodissociation of haemoproteins: Carbon monoxide complex of myoglobin and – – – (Iizuka et al.) (371) 126

Haemoglobin
Mechanical instability of sickle – – –:

further evidence as to cause and clinical implications. (J.M. White) (336) 505
Haemoglobin
N-terminal amino acid sequences of the α and β chains of the two chicken – – – components (Paul et al.) (371) 155
Haemoglobin
New – – – J-Habana -α71 (E20) alanine → glutamic acid (Colombo et al.) (351) 1
Haemoglobin
New – – – variant: J-Rovigo alpha 53 (E-2) alanine → aspartic acid (Alberti et al.) (342) 1
Haemoglobin
New δ chain variant, – – – A_2-Melbourne or $\alpha_2\delta_2$ 43 Glu → Lys (CD2) (Sharma et al.) (359) 233
Haemoglobin
Nuclear magnetic resonance quadrupole relaxation study of chloride binding to – – – Abruzzo ($\alpha_2{}^{A}\beta_2$ 143 His → Arg) (Chiancone et al.) (336) 403
Haemoglobin
Physical and chemical properties of opossum – – –: a hemoglobin containing glutamine at position 58 (E7) in the alpha subunit (Waterman, Stenzel) (359) 401
Haemoglobin
Polymerization of oxygenated and deoxygenated bullfrog – – – (Araki et al.) (351) 427
Haemoglobin
Role of cysteine residues in – – – structure and function: Transfer of p-mercuribezoate from α subunits to β subunits during tetramer formation (Waterman) (371) 159
Haemoglobin
Structural characterization of – – – J-Buda [a61(E10)Lys → Asn] and G-Pest [a74(EF 3) Asp → Asn] (Brimhall et al.) (336) 344
Haemoglobin
Structure-volume relationships for proteins. Dilatometric study of the reaction of bovine – – – with sodium dodecylsulfate, hydrogen and hydroxyl ions (Katz et al.) (342) 5
Haemoglobin
Studies on the NADH oxidizing activity in polymorphonuclear leucocytes: the mode of association with the granule membrane, the relationship to myeloperoxidase and the interference of – – – with NADPH oxidase determination (Patriarca et al.) (362) 221
Haemoglobin
Three cysteine residues in the α chain of rat – – – (albino Rattus norvegicus): 13(A 11), 104(G 11) and 111 (G 18) (Chua, Carrell) (365) 328
Haemoglobin A
Separation of α- and β-chains of – – – by acetylphenylhydrazine (Rachmilewitz et al.) (371) 402
Haemocyanin
Computer simulation of the EPR spectra of mononuclear and dipolar coupled Cu(II) ions in nitric oxide- and nitrite-treated – – – and tyrosinase (Schoot Uiterkamp et al.) (372) 407
Haemocyanin
Isotopic copper exchange in Pila – – – with three radioactive cuprous complexes (Cox, Elliott) (371) 392
Haemolysin
Affinity chromatography of Clostridium perfringens sialidase: Non-specific adsorption of haemaglutinin – – – and phospholipase C to sepharosyl-glycyl-tyrosyl-N-(p-aminophenyl) oxamic acid (Rood, Wilkinson) (334) 168
Haemolysis
Kinetics of malonamide-induced – – – of human erythrocytes, an autocatalytic effect (DeTraglia et al.) (345) 305
Haemopeptides
The physical chemistry of hemes and – – –. III. Synthesis and physicochemical properties of cytochrome c-related heme–pentapeptide soluble in organic solvents (Momenteau, Loock) (343) 535
Haemopexin
Hepatic uptake of heme and – – – but not albumin (Liem) (343) 546
Haemopoietic cells
Organization and communication in populations of normal and leukaemic – – – (McCulloch et al.) (355) 260
Haemoproteins
220 MHz proton NMR studies of – – –: High-spin–low-spin equilibrium in ferric myoglobin and haemoglobin derivatives (Iizuka, Morishima) (371) 1
Haemoproteins
Low temperature photodissociation of – – –: carbon monoxide complex of myoglobin and haemoglobin (Iizuka et al.) (371) 126
Haemoproteins
Low temperature photodissociation of – – –: oxygenated cobalt-myoglobin and

hemoglobin (Iizuka et al.) (351) 182
Harmaline
– – –, a potent inhibition of sodium-dependent transport (Sepúlveda, Robinson) (373) 527
Helices
Effect of electrostatic interactions on the prediction of – – – in proteins: The histones (Lewis and Bradbury) (336) 153
Heparin
– – – as inhibitor of mammalian protein synthesis. II. Degree of sulphation, related sulphated mucopolysaccharides (Waldman et al.) (343) 324
Heparitin
Fractionation and properties of four – – – sulphates from beef lung tissue. Isolation and partial characterization of a homogeneous species of heparitin sulphate (Dietrich, Nader) (343) 34
Hepatic metabolism
– – – in normal and genetically obese mice (Elliott et al.) (343) 307
Hepatic sulphite oxidase
– – –: effect of anions on interaction with cytochrome c (Kessler, Rajagopalan) (370) 389
Hepatic sulphite oxidase
– – –: identification of the molybdenum center as the site of irreversible inactivation by ferricyanide (Kessler, Rajagopalan) (370) 399
Hepatocyte
Effect of diabetes on the ultrastructure of the – – – and on the distribution and activity of the ribosomes in the free and membrane-bound populations (Pain et al.) (353) 487
Hepatocyte
Highly purified plasma membranes from rat – – – following rate-isopycnic zonal centrifugation (Gavard et al.) (332) 145
Hexokinase
Glucose 6-phosphate solubilized – – –: some electrophoretic properties (Craven, Basford) (338) 619
Hexokinase
Immunological specificity of the isoenzymes I and III of human – – – (ATP-D-hexose 6-phosphotransferase EC 2.7.1.1): Estimation of isoenzyme pattern by quantitative immunotechniques (Neumann, Pfleiderer) (334) 343
Hexokinase
Purification and immunological characterization of the human – – – isoenzymes I and III (ATP-D-hexose 6-phosphotransferase EC 2.7.1.1) (Neumann et al.) (334) 328
Hexokinase
Rat brain – – – of two different molecular sizes. (Kimura and Gourley) (341) 157
Hexokinase
Regulatory kinetics of yeast – – – in situ (Reitzer and Neet) (341) 201
Hexosaminidase
Conversion of human – – – A to hexosaminidase "B" by crude Vibrio cholerae neuraminidase preparations: merthiolate is the active factor (Carmody, Rattazzi) (371) 117
Hexose
Structural requirement for C_1-OH for the active transport of D-mannose and 2-deoxy-D-hexoses – – – by renal tubular cells (Kleinzeller et al.) (373) 397
Hexose-1-phosphate uridylyltransferase
Presence of isozymes of – – – from post-mortem human liver, heart and kidney (Connellan, Buchanan) (364) 68
Hexose transport
Effect of ATP on the – – – and amino acid transport in everted sacs of rat small intestine (Hardcastle) (332) 114
Hexosediphosphatase
– – – from spinach chloroplasts: purification, crystallization and some properties (El-Badry) (333) 366
Histamine
Formation, accumulation and release of adenosine 3′,5′-monophosphate induced by – – – in the superior cervical ganglion of the rat in vitro (Lindl, Cramer) (343) 182
Histidine
Characterization of porcine malate dehydrogenase. II. Amino acid sequence of a peptide, containing the active center – – – residue (Foster, Harrison) (351) 295
Histidine
Cross pathway regulation of tyrosine and – – – synthesis in Bacillus subtilis: Biochemical, genetic and transfer RNA studies (Nester et al.) (361) 59
L-Histidine
Daily rhythmic change of – – – and glucose absorptions in rat small intestine in vivo (Furuya, Yugari) (343) 558
Histidine metabolism
Biostereochemistry of – – –. II. The steric

course of ammonia elimination from L-histidine (Sawada et al.) (350) 354
Histidinolphosphatase
Effect of sulphydryl reagents on the activity of – – – from Salmonella typhimurium and bakers' yeast (Houston, Millay) (370) 216
Histiocytosis X
Hepatic neutral lipids, phospholipids and glycosphingolipids of a patient with – – – (Taketomi et al.) (369) 315
Histone kinase
– – – and casein kinase of lactating bovine mammary gland (Chew, Mackinlay) (359) 73
Histone kinase
– – – and cyclic AMP-binding capacity of nuclei of human tonsillar lymphocytes (Faragó et al.) (370) 459
Histones
Effect of electrostatic interactions on the prediction of helices in proteins: The – – – (Lewis and Bradbury) (336) 153
Histones
Electrophoresis of avian erythroid – – – (Moss) (359)
Histones
Fractionation of chicken erythrocyte whole – – – into the six main components by gel exclusion chromatography (Van der Westhuyzen et al.) (359) 341
Histones
Purification and characterisation of glycine-, arginine-– – –, lysine-rich and alanine, leucine, glycine-rich – – – from sea urchin gonad (Wouters-Tyrou et al.) (342) 360
Histones
Salt treatment of chromatin induces redistribution of – – – (Varshavsky and Ilyin) (340) 207
Histones
Synthesis of – – – during sea urchin oogenesis (Cognetti et al.) (349) 447
Histones
Theoretical consideration of the abnormal behavior of – – – on sodium dodecylsulfate gel electrophoresis (Hayashi et al.) (342) 185
Homocysteine thiolactone
Conversion of methionine to – – – in liver (Spindel, McCully) (343) 687
Horseradish peroxidases
Substrate profiles of the acidic and slightly basic – – – (Marklund et al.) (350) 304
Host RNA
Heterogeneity of host gene transcription and transport of – – – to the cytoplasm in Polyoma virus-induced rat kidney tumours (Shearer, Mayer) (335) 437
Host-virus interactions
– – – in murine mammary carcinogenesis (Bentvelzen) (355) 236
Human Clq
Isolation and characterisation of subunits of – – – (Bhattacharyya et al.) (342) 343
Hyaluronate
On the carbohydrate-protein linkage group in vitreous humor – – – (Varma et al.) (362) 584
Hyaluronic acid
Absence of arabinose in bovine brain – – – as analysed by gas-liquid chromatography and mass spectrometry (Katzman) (372) 52
Hyaluronic acid
Quasi-elastic light scattering studies of – – – solutions (Hallett, Gray) (343) 648
Hyaluronic acid synthetase
– – – in cultured mammalian cells producing hyaluronic acid: oscillatory change during the growth phase and suppression by 5-bromodeoxyuridine (Tomida et al.) (338) 352
Hydration of phospholipids
– – – (Jendrasiak, Hasty) (337) 79
Hydrogenase
Purification and properties of – – – from Clostridium pasteurianum W5 (Chen, (Mortenson) (371) 283
Hydrogen ion-uptake
– – – by chromatophores from Rhodopseudomonas spheroides; the relation between rapid H^+-uptake and the H^+-pump (Cogdell, Crofts) (347) 264
Hydrogen peroxide
Concerning the formation of singlet O_2 during the decomposition of – – – by catalase (Porter, Ingraham) (334) 97
Hydrogen transfer mechanisms
Transfer of reducing equivalents across the mitochondrial membrane. I. – – – involved in the reduction of pyruvate to lactate in isolated liver cells (Meijer, Williamson) (333) 1
Hydrophilic proteins
Molecular weight determinations of – – – by cationic detergent electrophoresis: Application to membrane proteins (Marjanen, Ryrie) (371) 442
β-Hydroxybutyrate dehydrogenase

Affinity chromatography of – – – on NAD and hydrophobic chain derivatives Sepharose (Grover, Hammes) (356) 309
25-Hydroxycholecalciferol
The metabolism of – – – by isolated renal tubules in vitro as studied by a new chromatographic technique (Bikle, Rasmussen) (362) 425
γ-Hydroxyglutamate
Inhibition of gluconeogenesis in the kidney cortex by – – – and γ-hydroxy α ketoglutarate (Rognstad) (338) 78
γ-Hydroxy-α-ketoglutarate
Inhibition of gluconeogenesis in the kidney cortex by γ-hydroxyglutamate and – – – (Rognstad) (338) 78
Hydroxylamine
Fluorescence yield kinetics in the microsecond-range in Chlorella pyrenoidosa and spinach chloroplasts in the presence of – – – (den Haan et al.) (368) 409
Hydroxylapatite
Adsorption of some proteins on – – – and other absorbents used for chromatographic separations (Glueckauf, Patterson) (351) 57
Hydroxylase
Age-dependent induction and repression of rat liver microsomal – – – systems by estradiol (Gustafsson, Ingelman-Sundberg) (354) 172
Hydroxylation system
The resolution and reconstitution of the liver microsomal – – – (Lu, Levin) (344) 205
3-Hydroxy-3-methylglutaryl-CoA reductase
Micro assay for – – – in rat liver and in L-cell fibroblasts (Shapiro et al.) (370) 369
1-(16-Hydroxy-phenoxymethyl)-3,4-dihydroisoquinoline hydrochloride monohydrate
The structure of – – –, a topical anti-viral agent (Neidle, Rogers) (338) 601
3β-Hydroxysteroid dehydrogenase
– – – in rat testis tissue. Inter- and subcellular localization and inhibition by cyanoketone and nagarse (Van der Vusse et al.) (348) 404
3(17)β-Hydroxysteroid dehydrogenase
– – – in rat erythrocytes: conversion of 5α-dihydrotestosterone into 5α-androstane-3β,17β-diol and purification of the enzyme by affinity chromatography (Heyns, de Moor) (358) 1
20-hydroxysteroid dehydrogenase
Studies of the human testis. IV. Testicular – – – and steroid 17-hydroxylase (Fan et al.) (360) 88
25-Hydroxyvitamin D-3
A comparison of the metabolism of – – – by chick renal tubules, homogenates and mitochondria (Bikle, Rasmussen) (362) 439
Hyperbilirubinemia
Evidence of detective protein synthesis in liver in rats with congenital – – – (Gunn) (Majumdar, Greenfield) (335) 260
Hypoxanthine transport
Cycloheximide inhibition of – – – in cultured cells (Dybing) (373) 100

I

L-Iditol dehydrogenase
Stereochemistry of the – – – catalyzed hydrogen transfer to NAD (Alizade et al.) (370) 354
IgA-myeloma proteins
Studies on Fd-fragments of human immunoglobulins. II. The preparation and characterization of peptic $(Fab')_2$-fragments and a Fd'-fragment of – – – (Zegers et al.) (351) 261
Immobilized enzymes
Mechanochemistry of – – –. How to steer a chemical process at the molecular level by a mechanical device (Berezin et al.) (364) 193
Immobilized enzymes
Pellicular – – – (Horvath) (358) 164
Immune response
– – – to virally determined tumor-associated antigens (Lamon) (355) 149
Immunochemical evidence
– – – for the cytoplasmic origin of some chromosomal nonhistone proteins of sea urchin embryos (Sevaljević) (335) 102
Immunoglobulins
Molecular properties of isolated surface – – – of human chronic lymphocytic leukemia cells (Marchalonis et al.) (351) 99
Immunoglobulin
Porcine – – – $F_{c\mu}$ polymer that has no J chain (Beale) (351) 13
Immunoglobulins
Studies on Fd-fragments of human – – –. II. The preparation and characterization of peptic $(Fab')_2$-fragments and a Fd' fragment of IgA-myeloma proteins (Zegers et al.) (351) 261
IMP dehydrogenase
Human – – –: Kinetic and regulatory properties (Holmes et al.) (364) 209
Incorporation
Sulphate diffusion and – – – into human articular cartilage (Maroudas, Evans) (338) 265
Indole-3-carboxaldehyde
Isolation and identification of – – –: A major new urinary metabolite of D-tryptophan (Chen et al.) (343) 167
Induction
Effects of 3-methylcholanthrene and phenobarbital – – – on the structure of the rat liver endoplasmic reticulum (Welton, Aust) (373) 197
Innermembrane-matrix
Identification of the palmitoyl-CoA synthetase present in the – – – fraction of rat liver mitochondria (Groot et al.) (337) 1
Inorganic phosphate
Inosine permeability and purine nucleoside phosphorylase activity as limiting factors for the synthesis of 2,3-diphosphoglycerate from inosine, pyruvate, and – – – in erythrocytes of various mammalian species (Duhm) (343) 89
Inorganic phosphate
Regulation of fructose metabolism in the perfused rat liver. Interrelation with – – –, glucose, ketone body and ethanol metabolism (Sestoft) (343) 1
Inorganic phosphate carrier
Mechanism of inhibition of the – – – and the dicarboxylate carrier of mitochondria by thiol reagents (Palmieri et al.) (333) 195
Inorganic phosphate metabolism
Divalent cations and – – – in starved Tetrahymena (Kaneshiro et al.) (338) 554
Inorganic pyrophosphatase
– – – in cultured cells (Reichert et al.) (370) 556
Inosine
– – – permeability and purine nucleoside phosphorylase activity as limiting factors for the synthesis of 2,3-diphosphoglycerate from inosine, pyruvate, and inorganic phosphate in erythrocytes of various mammalian species (Duhm) (343) 89
Inosine triphosphate
Isolation and identification of – – – from human erythrocytes (Zachara, Lewandowski) (353) 253
Inositol
The Mn^{2+}-activated incorporation of – – – into molecular species of phosphatidylinositol in rat liver microsomes (Holub) (369) 111
myo-Inositol deficiency

Effect of – – – on lipid metabolism in rats. I. The alteration of lipid metabolism in myo-inositol-deficient rats (Hayashi et al.) (360) 134
myo-Inositol deficiency
Effect of – – – on lipid metabolism in rats. II. The mechanism of triacylglycerol accumulation in the liver of myo-inositol-deficient rats (Hayashi et al.) (360) 146
myo-Inositol transport
– – – in plasma membrane of rat kidney (Takenawa, Tsumita) (373) 106
Insulin
– – – receptors in murine mammary cells: Comparison in pregnant and nonpregnant animals (O'Keefe, Cuatrecasas) (343) 64
Insulin
Action of – – – on amino acid uptake by the immature rat uterus in vitro (Mohri et al.) (363) 249
Insulin
Action of – – – on glycogen synthesis in rat diaphragm muscle from intracellular and extracellular glucose (Haugaard, Haugaard) (338) 309
Insulin
Actions of – – – and glucagon on glucose metabolism and on related enzyme activities in the isolated perfused rat liver (Wimhurst et al.) (372) 72
Insulin
Biosynthesis of – – – in rabbit islets of Langerhans (Parry, Taylor) (353) 340
Insulin
Breakdown of exogenous – – – by Langerhans islets of the pancreas in vitro (Kohnert et al.) (338) 68
Insulin
Effect of – – – on ^{32}Pi incorporation into rat fat cell phospholipids (Stein, Hales) (337) 41
Insulin
Hormonal regulation of amino acid accumulation in human foetal liver explants. Effects of dibutyryl cyclic AMP, glucagon and – – – (Schwartz) (362) 276
Insulin
Metabolites and the incorporation of L-leucine into rabbit – – –, in vitro (Parry, Taylor) (353) 344
Insulin
Nonelectrolyte distribution in mouse diaphragm muscle. I. The pattern of non-electrolyte distribution and reversal of the – – – effect (Miller) (339) 71
Insulin
Nonelectrolyte distribution in mouse diaphragm muscle. II. Cell volume, D-xylose distribution, and the effect of – – – in hypertonic solutions (Miller) (339) 85
Insulin
Osmotic alterations of the lysomal system during rat liver perfusion: reversible suppression by – – – and amino acids. (Neely et al.) (338) 458
Insulin
Preparation of several trifluoroacetyl – – – derivatives (Paselk, Levy) (359) 215
Insulin
Regulation of amino acid transport in chick embryo heart cells. IV. Site and mechanism of – – – action (Guidotti et al.) (356) 219
Insulin
Stimulus-secretion coupling of glucose-induced – – – release. XVI. A glucose-like and calcium-independent effect of cyclic AMP (Malaisse et al.) (362) 121
Insulin degradation
– – – XII. The amino acid composition, aminoterminal, and carbohydrate content of beef pancreatic glutathione-insulin transhydrogenase (Varandani) (371) 577
Insulin secretagogues
Pancreatic β-cell recognition of – – –. XIII. Effects of sulphydryl reagents on cyclic AMP (Hellman et al.) (372) 127
Intercalation
On the possibility of – – – of aromatic amino acid residues into double-stranded DNA helix (Jacobsen, Wang) (335) 49
Interferon
Protective effects of anionic detergents on – – –: Reversible denaturation (Stewart II et al.) (359) 364
Interferon
Selectivity of – – – action: Hormonal induction of tyrosine amino-transferase in rat hepatoma cells is much less sensitive to interferon than the replication of vesicular stomatitis virus or reovirus (Vassef et al.) (353) 115
Intrinsic factor receptor
Evidence for the solubilization of the intestinal – – – by sonication of ileal brush borders (Schneider et al.) (373) 58
Iodination of chloroplast membranes
Lactoperoxidase-catalyzed – – –. II. Evidence for surface localization of Photosystem II reaction centres (Arntzen et al.) (368) 39

Iodoamino acid
Comparison of – – – distribution in various preparations of hog thyroglobulin with different iodine content and subunit structure (Sorimachi, Ui) (342) 30
Ionic transport
– – – through model membranes. III. Contrasting effects of testosterone and 5-α-dihydrotestosterone. Dependence on temperature and bound water (Horton, Schuff) (373) 76
Ionophore A23187
Evidence for divalent cation movement within isolated whole chloroplasts from studies with – – – (Barber et al.) (357) 161
Ion transport
Effect of catecholamines on – – – in the toad bladder (Wood, Tomlinson) (367) 375
Iron exchange
Mechanism of – – – between synthetic iron chelators and rabbit reticulocytes (Hemmaplardh, Morgan) (373) 84
Iron–sulphur chromophore
Role of 3-mercaptopyruvate sulphurtransferase in the formation of the – – – of adrenal ferredoxin (Taniguchi, Kimura) (364) 284
Iron–sulphur flavoprotein
Glutamate synthase from Escherichia coli - an – – –. Separation and analysis of non-identical subunits (Miller) (364) 243
Iron–sulphur protein
Bovine adrenal steroid hydroxylase system. III. Reconstitution of adrenal – – – (309) 336
Iron–sulfur protein
Kinetics of appearance and disappearance of light-induced EPR signals of $P700^+$ and – – – at low temperature (Ke et al.) (368) 401
Iron–sulphur protein
Studies on adrenal steroid hydroxylases: chemical and enzymatic properties of selenium derivatives of adrenal – – – (Mukai et al.) (336) 427
Iron-transferrin
Iron transport intermediates in human reticulocytes and the membrane binding site of – – – (Fielding, Speyer) (363) 387
Iron transport
– – – in Mycobacterium smegmatis: A restricted role for salicylic acid in the extracellular environment (Ratledge et al.) (372) 39
Iron transport
– – – intermediates in human reticulocytes and the membrane binding site of iron-transferrin (Fielding, Speyer) (363) 387
Iron transport
Model for carrier-mediated – – – (Emery) (363) 219
Iso acids
Structure of phospholipids and triacylglycerols containing – – – in the porpoise (Tursiops gilli) (Varanasi, Malins) (348) 55
Isocitrate dehydrogenase
Kinetics of NAD-linked – – – from calf heart (Sikiski, Colman) (370) 1
Isocitrate dehydrogenase
$NADP^+$-specific – – – of Escherichia coli. II. Subunit structure (Burke et al.) (351) 333
Isocitrate dehydrogenase
Properties of the nicotinamide adenine dinucleotide-specific – – – from Blastocladiella emersonii (Ingebretsen, Sanner) (358) 25
Isocitrate dehydrogenase
Specific development of – – – in rat brain (Watanabe et al.) (358) 240
Isocitrate lyase
– – – from Neurospora crassa. I. Purification, kinetic mechanism, and interaction with inhibitors (Johanson et al.) (364) 327
Isocitrate lyase
– – – from Neurospora crassa. II. Composition, quaternary structure, C-terminus, and active-site modification (Johanson et al.) (364) 341
Isoelectric focusing
Transient state – – –: measurement of minimal focusing time (Catsimpoolas et al.) (351) 196
Isoenzymes
Genes and – – – controlling the first step in the aromatic amino acid biosynthesis in Schizosaccharomyces pombe (Schweingruber, Wyssling) (350) 319
Isoenzymes
Regulatory and physicochemical properties of two – – – of malate dehydrogenase from Schizosaccharomyces pombe (Flury et al.) (341) 465
Isolectins
– – – of Phaseolus vulgaris. A comprehensive study of fractionation (Pusztai, Watt) (365) 57
Isoleucine biosynthesis
Three pathways of – – – in mutant strains

of Saccharomyces cerevisiae (Vollbrecht) (362) 382
Isoleucine transport
– – – by cultured human fibroblasts. II. Selection of a cell line with reduced isoleucine uptake (Hillman, Otto) (367) 81
Isometric tension
Aerobic glycolysis in vascular smooth muscle: Relation to – – – (Peterson, Paul) (357) 167
Isophytohemagglutinins
Studies on phytohemagglutinins. XVI. Subunit structure of the pea – – – (Marik et al.) (336) 53
Isoprenoid compounds
Stereochemical studies of acyclic – – –. IV. Microbial oxidation of 2,6,10,14-tetramethylpentadecane (pristane) (Cox et al.) (360) 166
Isoproterenol
Effect of – – – and its analogues upon adenosine 3′,5′-monophosphate and guanosine 3′,5′-monophosphate levels in mouse parotid gland in vivo (Durham et al.) (372) 196
Isoproterenol
Effect of – – – on enzyme secretion from the isolated perfused cat pancreas (Pederson, Schulz) (338) 440
Isoproterenol
Effects of prostaglandin E_1 and – – – on cyclic AMP content of human fibroblasts modified by time and cell density in subculture (Mangeniello, Breslow) (362) 509
Isozymes
Presence of – – – of hexose-1-phosphate uridylyl-transferase from postmortem human liver, heart and kidney (Connellan, Buchanan) (364) 68
Isozymes
Separation of – – – of horse liver alcohol dehydrogenase and purification of the enzyme by affinity chromatography on an immobilized AMP-analogue (Andersson et al.) (364) 1

K

Ketogenesis
– – – in isolated rat-liver mitochondria. IV. Oxalo-acetate decarboxylation: Consequences for metabolic calculations (Lopes-Cardozo, van den Bergh) (357) 193
α-Ketoisocaproate
Inhibition of mitochondrial pyruvate transport by phenylpyruvate and – – – (Halestrap et al.) (367) 102
Ketones
Studies on the metabolism of the odoriferous – – –, 5α-androst-16-en-3-one and 4,16-androstadien-3-one by the nasal epithelium of the mature and immature sow (Gennings et al.) (369) 294
Kidney
In vivo localisation of high-affinity phlorizin receptors to the brush border surface of the proximal tubule in dog – – – (Silverman) (339) 92
Kidney
Serum-induced inhibition of isotinic fluid absorption by the – – – proximal tubule. I. Mechanism of inhibition (Ullrich, Sato) (343) 609
Kidney cortex
Effect of extracellular sodium concentration on α-methyl-D-glucoside transport by rat – – – slices (Segal, Rosenhagen) (332) 278
Kinetic study
Convenient electrochemical preparation of reduced methylviologen and – – – of the reaction with oxygen using an anaerobic stopped-flow apparatus (Thorneley) (333) 487
Kinetoplastida
Evidence for the functioning of cytochrome o in – – – (Kronick, Hill) (368) 173

L

Laccase
Anion binding to Rhus vernicifera – – – (Morpurgo et al.) (336) 324

Laccase
Magnetic susceptibility of lacquer tree – – – (Moss, Vänngard) (371) 39

α-Lactalbumin
Thermodynamics of the unfolding of – – – by guanidine thiocyanate (Takase et al.) (371) 352

Lactase
Enzymatic properties of rat – – – –phlorizin hydrolase (Birkenmeier, Alpers) (350) 100

Lactate
Transfer of reducing equivalents across the mitochondrial membrane. 1. Hydrogen transfer mechanisms involved in the reduction of pyruvate to – – – in isolated liver cells (Meijer, Williamson) (333) 1

Lactate dehydrogenase
– – – and pyruvate kinase in rat heart during sideropenic anemia (Penney et al.) (334) 24

Lactate dehydrogenase
– – – subunit and activity changes in hypertrophied heart of the hypoxically exposed rat (Penney) (358) 21

Lactate dehydrogenase
Comparison of purified – – – from normal rat liver and Morris hepatomas in rats and in culture (Carlotti et al.) (341) 357

Lactate dehydrogenase
Effect of temperature upon inhibition by substrate of – – – isoenzymes from a poikilotherm (Gerez de Butgos et al.) (341) 505

Lactate dehydrogenase
Maleimide inactivation of – – – isozymes (Anderson et al.) (350) 135

Lactate dehydrogenase
Purification of porcine heart – – – by affinity chromatography (Eventoff et al.) (341) 327

Lactate dehydrogenase
Quaternary structure of – – –. II. The mechanisms, kinetics and thermodynamics of dissociation, denaturation and hybridization in ethylene glycol (Millar) (359) 152

Lactate dehydrogenase
Relaxation spectra of rabbit muscle lactate dehydrogenase and tetraiodofluorescein (Johnson) (359) 288

Lactate dehydrogenase
Surface-bound – – –: Preparation and study of the effect of matrix microenvironment on kinetic and structural properties (Cho, Swaisgood) (334) 243

Lactoferrin
Amino acid sequence of cysteic peptides of – – – and demonstration of similarities between lactoferrin and transferrin (Bluard-Deconinck et al.) (365) 311

Lactoferrin
Characterisation of an additional protein in pancreatic juice of men with chronic calcifying pancreatitis. Identification to – – – (Colomb et al.) (342) 306

β-Lactoglobulin
Solvation of lysozyme and – – – in aqueous guanidine hydrochloride solutions (Span et al.) (350) 311

Lactoperoxidase
– – – catalyzed iodination of chloroplast membranes. I. Analysis of surface-localized proteins (Arntzen et al.) (347) 329

Lactoperoxidase labelling
– – – of erythrocyte membranes from the inside and outside (Shin, Carraway) (345) 141

Lactose repressor protein
Ultraviolet difference spectra of the – – –. II. Trypsin core protein (Matthews) (359) 334

Lamellar phases
Nonelectrolyte diffusion through lecithin–water – – – and erythrocyte membranes (Lange et al.) (339) 347

Laser Raman scattering
– – – of two double-helical forms of poly-(dG–dC) (Pohl et al.) (335) 85

Lectin
Effects of various – – – on platelet aggregation and release (Greenberg, Jamieson) (345) 231

Lectin

Interaction of Ricinus communis – – – with plant amyloids (Wauwe et al.) (354) 148
Lectin
Molecular weight and subunit structure of the – – – of Dolichos biflorus (Pere et al.) (365) 40
Lectin
Separation and purification of Robinia – – – and concanavalin A binding sites from the surface of normal and transformed hepatic cells (Zajdéla's hepatoma) (Dievard, Bourrillon) (345) 198
Lectin
Studies on the interaction of immobilized – – – from Ricinus communis with a simple sugar and a polysaccharide (Surolia et al.) (371) 491
Lecithin
Composition of black lipid membranes formed from egg-yolk – – –, cholesterol and n-decane (Bunce, Hidler) (363) 423
Lecithin
NMR investigations of the interaction of water with – – – in benzene solutions (Klose, Stelzner) (363) 1
Lecithin
Influence of the alkyl chain length of – – – and lysolecithins on their interaction with α_{s1}-Casein (Barratt et al.) (348) 126
Lecithin
Interaction of amphotericin B with monolayers of egg – – – and cholesterol: Polarized absorption spectra (Ockman) (345) 263
Lecithinase
– – – activities at the external surface of ruminant erythrocyte membranes (Zwaal et al.) (373) 416
Lecithin–cholesterol
Stoichiometry and dynamics of – – – clusters in bilayer membranes (Phillips, Finer) (356) 199
Lecithin–water
Nonelectrolyte diffusion through – – – lamellar phases and erythrocyte membranes (Lange et al.) (339) 347
Lecithin–water system
Stability of the liquid–crystalline lamellar – – –. (Colbow, Jones) (345) 91
Lens protein
Synthesis of – – – in vitro. The lens cell-free system (Strous et al.) (353) 89
Leucine
Incorporation of radioactive – – – and fucose in brain plasma membrane proteins fractionated by polyacrylamide gel electrophoresis (Hemminki) (359) 83
Leukaemia viruses
Antigens of murine – – – (Lilly, Steeves) (355) 105
Leukocyte
Effects of fatty acids on the oxidative metabolism of – – – (Kakinuma) (348) 76
Leukocyte
Studies on human polymorphonuclear – – – enzymes. III. Differential activation of primary and specific granules by phospholipase C and deoxycholate (Avila, Convit) (345) 11
Levallorphan
Control of RNA synthesis in Escherichia coli. IV. Effect of – – – on guanosine 3′-diphosphate 5′-diphosphate metabolism in spoT$^+$ and spoT$^-$ strains (Raué, Gruber) (366) 279
Limulin
Purification and properties of – – –: A lectin (agglutinin) from haemolymph of Limulus polyphemus (Roche, Monsigny) (371) 242
Luminal membrane
The binding of phloridzin to the isolated – – – of the renal proximal tubule (Chesney et al.) (332) 263
Linoleate
Feeding studies designed to determine whether competitive reactions between acids of the oleate and – – – families for desaturation chain elongation or incorporation, regulate the fatty acid composition of rat liver lipids (Sprecher) (369) 34
α-Linolenate
Comparison of – – – and oleate in lowering activity of lipogenic enzymes in rat liver: Evidence for a greater effect of dietary linolenate independent of food and carbohydrate intake (Musch et al.) (337) 343
Linolenic acid deficiency
The (n–6) pentaene:(n–3) hexaene fatty acid ratio as an index of – – – (Galli et al.) (369) 142
Lipase
Action of pancreatic – – – on monomeric tripropionin in the presence of water-miscible organic compounds (Entressangles, Desnuelle) (341) 437
Lipase
Changes in lipid composition of Triton-

filled lysosomes during lysis: Association with activation of acidactive – – – and phospholipases (Weglicki et al.) (337) 145
Lipase
Comparative study of post-hepatin lipolytic activity and a purified human plasma triacylglycerol – – – (Ehnholm et al.) (360) 68
Lipase
Human milk – – – II. Bile salt-stimulated lipase (Hernell, Olivecrona) (369) 234
Lipase
Identification of an achylcholesterol – – – activity in human adipose tissue (Arnaud, Boyer) (337) 165
Lipase
Liver and extrahepatic contributions to post-heparin serum – – – activity of the rat (Jansen, Hülsmann) (369) 387
Lipase
Studies on the lipase of Chromobacterium viscosum. III. Purification of a low molecular weight – – – and its enzymatic properties (Sugiura and Isobe) (341) 195
Lipase
Studies on the assay of clearing factor – – – (Lipoprotein lipase) (Riley, Robinson) (369) 371
Lipase activity
– – – of detergent-resistant phospholipase A in Escherichia coli (Doi, Nojima) (369) 64
Lipid
– – – of alcoholophilic lactobacilli. II. Occurrence of polar lipids with unusually long acyl chains in Lactobacillus heterochiochii (Uchida) (369) 146
Lipid
Effect of chronic ethanol-feeding on the major – – – of red blood cells, liver and heart of rhesus monkey (Vasdev et al.) (369) 323
Lipid
Interactions of membrane phospholipids with fusogenic – – – (Howell et al.) (332) 1
Lipid
Interaction of the "Folch–Lees" protein with – – – at the air–water interface (London et al.) (332) 69
Lipid
Irregular bilayer structure in vesicles prepared from Halobacterium cutirubrum – – – (Lanyi) (356) 245
Lipid
Membrane modification through the cooperative action of vitamin A and – – – (Wirtz, Westfall) (332) 131
Lipid
Structural role of – – – in mitochondrial and sarcoplasmic reticulum membranes. Freeze-fracture electron microscopy studies (Packer et al.) (363) 159
Lipid absorption
Dependence of – – – in vivo on solubilized concentration (Lee et al.) (337) 214
Lipid alkyl chains
Perturbations of the dynamics of – – – in membrane systems: Effect on the activity of membrane-bound enzymes (Eletr et al.) (339) 190
Lipid bilayer
Acetylcholine receptor. Isolation of a brain nicotinic receptor and its preliminary characterization in – – – membranes (Romine et al.) (367) 316
Lipid bilayer
Effect of oxygen on the photoconductivity of – – – containing magnesium-porphyrin (Lutz et al.) (345) 257
Lipid biosynthesis
– – – in Golgi complex and other subcellular fractions from rat liver (Van Golde et al.) (360) 179
Lipid biosynthesis
Effect of geometric isomersof Δ^9-octadecenoic acid on liver – – – by essential fatty acid-deficient rats (Guo, Alexander) (369) 411
Lipid components
– – – of two different regions of an intestinal epithelial cell membrane of mouse (Kawai et al.) (369) 222
Lipid composition
– – – of salt (rectal) gland of spiny dogfish (Karlsson et al.) (337) 356
Lipid composition
Changes in – – – of Triton-filled lysosomes during lysis: Association with activation of acid-active lipases and phospholipases (Weglicki et al.) (337) 145
Lipid composition
Isolation of the plasma membrane of a trypanosomatid flagellate: General characterisation and – – – (Hunt, Ellar) (339) 173
Lipid membranes
Potential generation in bilayer – – – in the NADH–flavin mononucleotide–ubiquinone-6–O_2 system (Yaguzhinsky et al.) (368) 22
Lipid membranes
Response of artificial – – – containing a cholinergic hydrophobic protein from

Electrophorus electroplax (Reader, De Robertis) (352) 192
Lipid metabolism
Effect of myo-inositol deficiency on – – – in rats. I. The alteration of lipid metabolism in myo-inositol-deficient rats (Hayashi et al.) (360) 134
Lipid metabolism
Effect of myo-inositol deficiency on – – – in rats. II. The mechanism of triacylglycerol accumulation in the liver of myo-inositol-deficient rats (Hayashi et al.) (360) 146
Lipid mixtures
Lateral phase separation in binary – – –. Correlation between spin label and freeze-fracture electron microscopic studies (Grant et al.) (363) 151
Lipid monolayers
Interaction of polyamino acids with – – – (Shafer) (373) 425
Lipid monolayers
Interfacial pH at electrically charged – – – investigated by the lipoid pH-indicator method (Fromherz, Masters) (356) 270
Lipid phase transitions
– – – and drug interactions (Carter et al.) (363) 54
Lipid synthesis
Aflatoxin formation – – –, and glucose metabolism by Aspergillus parasiticus during incubation with and without agitation (Shih, Marth) (338) 286
Lipid systems
The location of spin probes in two phase mixed – – – (Butler et al.) (363) 351
Lipoamide dehydrogenase
– – – of the phytopathogenic fungi Pythium ultimum and Phytophthora erythroseptica: Differences in conformation and kinetics (Fehrmann, Veeger) (350) 292
Lipoamide dehydrogenase
Isolation, characterization, and partial sequencing of cystine and thiol peptides of pig heart – – – (Green Matthews et al.) (370) 26
Lipoamide dehydrogenase
Identification of the thiol residues involved in modifications of pig heart – – – by cupric ion and by iodoacetamide (Green Matthews, Williams Jr) (370) 39
Lipogenesis
– – – in aminonucleoside-induced nephrotic syndrome (Diamant, Shafrir) (360) 241
Lipogenesis
– – – from lactate in rat adipose tissue (Katz, Wals) (348) 344
Lipogenesis
Hormonal regulation of cutaneous – – –. Effects of hypophysectomy, posterior-hypophysectomy and α-melanocyte-stimulating hormone treatment (Cooper et al.) (360) 193
Lipogenic enzymes
Comparison of α-linolenate and oleate in lowering activity of – – – in rat liver: Evidence for a greater effect of dietary linolenate independent of food and carbohydrate intake (Musch et al.) (337) 343
Lipoic acid
Studies on the – – – free radical (Chan et al.) (338) 213
Lipolysis
Adenosine 3′:5′-cyclic phosphate, – – – and oxygen consumption in brown adipose tissue from newborn rabbits. Effect of cervical sympathectomy and of noradrenalin and theophylline in vitro, and the partial purification of an adenosine 3′:5-cyclic phosphate-dependent protein kinase (Knight) (343) 287
Lipolysis
[^{3}H] Norepinephrine binding and – – – by isolated fat cells (Aprille et al.) (373) 502
Lipopolysaccharide
Fatty acids present in the – – – of Vibrio cholerae 569B (Inaba) (Armstrong, Redmond) (348) 302
Lipopolysaccharide
New class of – – – from Thermoplasma acidophilum (Mayberry-Carson et al.) (360) 217
Lipolytic activity
– – – of adipose tissue. IV. The diacylglycerol lipase activity of human adipose tissue (Giudicelli et al.) (369) 25
Lipolytic activity
Comparative study of post-heparin – – – and a purified human plasma triacylglycerol lipase (Ehnholm et al.) (360) 68
Lipoprotein
Apoproteins of various size classes of human chylous fluid – – – (Glickman, Kirsch) (371) 255
Lipoprotein
Chimpanzee (P. troglodytes) serum high density – – –: Isolation and properties of their two major apoliproteins (Scanu et al.) (351) 341

Lipoprotein
Interaction of 1-anilino-8-naphthalene sulphonate with human serum low-density – – – (Ghosh et al.) (337) 395
Lipoprotein
Localization of low density – – – in atherosclerotic lesions from human normolipenics employing a purified fluorescent labeled antibody (Hoff et al.) (351) 407
Lipoprotein
Metabolic interrelationships between the lipids of very low, low and high density – – – in the squirrel monkey (Illingworth et al.) (369) 304
Lipoprotein
Metabolism of iodinated very low density – – – in the rat. Autoradiographic localization in the liver (Stein et al.) (360) 205
Lipoprotein
Phosphorus-31 nuclear magnetic resonance: Application to the study of human serum high density – – – (Glonek et al.) (348) 155
Lipoprotein
Preparative isoelectric focusing of human serum high density – – – (HDL_3) (Sundaram et al.) (337) 196
Lipoprotein
Purification of Clostridium perfringens phospholipase C (α-toxin) by affinity chromatography on agarose-linked egg-yolk – – – (Takahashi et al.) (351) 155
Lipoprotein
Regulation of cellular sterol flux and synthesis by human serum – – – (Bates, Rothblat) (360) 38
Lipoprotein
Studies of the composition and structure of human serum – – –. Isolation and partial characterization of apolipoprotein AIII (Kostner) (336) 383
Liposomal membranes
Effect of exogenous lysolecithin on – – –. Its relation to membrane fluidity (Inoue, Kitagawa) (363) 361
Liposomes
Chloride diffusion from – – – (Nicholls, Miller) (356) 184
Liposomes
Chlorophyll b-containing – – –. Effect of thermal transitions on catalytic and spectral properties (Nicholls et al.) (363) 190
Liposomes
Diffusion coefficients of mixed micelles of Triton X-100 and sphingomyelin and of sonicated sphingomyelin – – –, measured by autocorrelation spectroscopy of Rayleigh scattered light (Cooper et al.) (363) 86
Liposomes
Hydrolysis of phosphatidylcholine – – – by pancreatic phospholipase A_2 at the transition temperature (Op den Kamp et al.) (345) 253
Liposomes
Influence of retinal on complement-dependent immune damage to – – – (Conrad et al.) (332) 36
Liposomes
Interaction of a hydrophobic protein with – – –: Evidence for particles seen in freeze fracture as being proteins (Vail et al.) (345) 463
Liposomes
Kinetics of the valinomycin-induced potassium ion leak from – – – with potassium thiocynate enclosed (Blok et al.) (367) 210
Liposomes
Osmotic fragility of – – – as affected by antihaemolytic compounds (Alhanaty, Livne) (339) 146
Liposomes
Permeability properties of – – – prepared from dipalmitoyllecithin, dimyristoyllecithin, egg lecithin, rat liver lecithin and beef brain sphingomyelin (Inoue) (339) 390
Liposomes
Polyene antibiotic–sterol interactions in membranes of Acholeplasma laidlawii cells and lecithin – – –. I. Specificity of the membrane permeability changes induced by the polyene antiobiotics (de Kruijff et al.) (339) 30
Liposomes
Polyene antibiotic–sterol interactions in membranes of Acholeplasma laidlawii cells and lecithin – – –. II. Temperature dependence of the polyene antiobiotic–sterol complex formation (de Kruijff et al.) (339) 44
Liposomes
Polyene antibiotic–sterol interactions in membranes of Acholeplasma laidlawii cells and lecithin – – –. III. Molecular structure of the polyene antibiotic–cholesterol complexes (de Kruijff, Demel) (339) 57
Liposomes
Some factors affecting the valinomycin-induced leak from – – – (Blok et al.) (367) 202

Liposome model
– – – experiment for the study of assumed membrane damage in porphyria cutanea tarda (Kószó et al.) (363) 182
Liver-S-adenoTsylmethionine
Urinary excretion of 5-methyltetrahydrofolate and – – – levels of rats fed a vitamin B-12-deficient diet (Vidal, Stokstad) (362) 245
Lung surfactant
– – – (Goerke) (344) 241
Luteinizing hormone
Tritium labeling of – – – by reductive methylation (Ascoli, Puett) (371) 203
Lymphocyte
– – – plasma membranes. I. Thymic and splenic membranes from inbred rats (Ladoulis et al.) (356) 27
Lymphocyte
Isolation and fractionation of porcine peripheral – – – (Parkes, Bradley) (362) 527
Lymphoblasts
Characterization of the steady state in mouse – – – cultured in hypotonic medium (Shank, Smith) (367) 59
Lysin
Studies on the egg-membrane – – – of Tegula pfeifferi: The reaction mechanism of the egg membrane lysin (Fukushima) (352) 179
Lysine
Chemical modification of – – – residues in ovine luteinizing hormone. Effect on biological activity (De la Llosa et al.) (342) 97
Lysine
Interaction of poly (L– – –) and Ca^{2+} with stearic acid monolayers (Hammerstein, Barnett) (332) 125
Lysine
Physicochemical and proenzyme properties of NH_2– – – terminal glutamic acid and NH_2-terminal – – – human plasminogen. Influence of 6-aminohexanoic acid (Claeys, Vermylen) (342) 351
Lysolecithin
Effect of exogenous – – – on liposomal membranes. Its relation to membrane fluidity (Inoue, Kitagawa) (363) 361
Lysolecithin
Metabolism of – – – in vivo and in vitro with particular emphasis on the arterial wall (Portman, Illingworth) (348) 136
Lysolecithin acyl-hydrolase
Possible identity of – – – with lysolecithin–lysolecithin acyl-transferase in rat-lung soluble fraction (Abe et al.) (369) 361
Lysolecithin–lysolecithin acyl-transferase
Possible identity of lysolecithin acyl-hydrolase with – – – in rat-lung soluble fraction (Abe et al.) (369) 361
Lysophospholipases
Studies on – – –. III. The complete purification of two proteins with lysophospholipase activity from beef liver (De Jong et al.) (369) 50
Lysosomal acid hydrolases
Interaction between concanavalin A and brain – – – (Bishayee, Bachhawat) (334) 378
Lysosomal isozymes
Plasma membrane bound and – – – in amino acid naphthylamidase (Lundgren, Roos) (358) 208
Lysosomal system
Osmotic alterations of the – – – during rat liver perfusion: reversible suppression by insulin and amino acids (Neely et al.) (338) 458
Lysosomes
Changes in lipid composition of Triton-filled – – – during lysis: Association with activation of acid-active lipases and phospholipases (Weglicki et al.) (337) 145
Lysosomes
Isolation of rat liver – – – by loading with colloidal gold (Henning, Plattner) (354) 114
Lysosomes
Permeation and stereospecificity of hydrolysis of peptide esters within intact – – – in vitro (Goldman, Naider) (338) 224
Lysosome
S-p zonal fractionation studies of rat skeletal muscle – – – rich fractions (Stauber, Bird) (338) 234
Lysozyme
– – – in preosseous cartilage. VI. Purification, characterization and localization of mammalian cartilage lysozyme. (Guenther et al.) (372) 321
Lysozyme
– – – in preosseous cartilage. VII. Evidence for physiological role of lysozyme in normal and endochondral calcification (Kuettner et al.) (372) 335
Lysozyme
Complex formation between – – – and cartilage proteoglycans (Greenwald, Schwartz) (359) 66

Lysozyme
Effect of – – – on DNA–membrane association in Escherichia coli (Silberstein, Inouye) (366) 149
Lysozyme
Phase transition in a protein crystal: the example of hen – – – (Berthou and Jolles) (336) 222
Lysozyme
Solvation of – – – an β-lactoglobulin in aqueous guanidine hydrochloride solutions (Span et al.) (359) 311
Lysozyme
Structural damage in γ-irradiated – – – (Marciani, Tolbert) (351) 387
Lysozyme
Study of the N⇌D transition in – – –. I. Detection of the transition by product analyses of protease digests (Imoto et al.) (336) 264
Lysyl oxidase
Catalytic activity of aortic – – – in an insoluble enzyme–substrate complex (Kagan et al.) (365) 223
Lysyl oxidase
Connective tissue amine oxidase. II. Purification and partial characterization of – – – from chick aorta (Harris et al.) (341) 332
Lysyl residues
3-Diazoquinoline trifluoroborate as a reagent for specific modification of – – –: unique structure of the reaction product (Kanazawa, Ishii) (343) 155

M

α_2-Macroglobulin
Studies on the structure of human – – – IV. Analysis of the microheterogeneity by isoelectric focusing (Frénoy, Bourrillon) (371) 168

Magnesium
Red blood cell calcium and – – –: Effects upon sodium and potassium transport and cellular morphology (Dunn) (352) 97

Malate dehydrogenase
Blocking of the tetrachloroplatinate (II) inhibition of – – – by sulfur-containing amino acids (Friedman and Teggins) (341) 277

Malate dehydrogenase
Inhibitions of – – – by chlorammine platinum complexes (Teggine, Friedman) (350) 273

Malate dehydrogenase
– – – in Zea mays: Properties and inhibition by sulfite (Ziegler) (364) 28

Malate dehydrogenase
Regulatory and physicochemical properties of two isoenzymes of – – – from Schizosaccharomyces pombe (Flury et al.) (341) 465

Malate transport
– – – in bovine adrenal cortex mitochondria (Launay et al.) (347) 70

Maleylation
The effects of – – – on the properties of concanavalin A (Young) (336) 46

Malic enzyme
Mechanism of pigeon liver – – – subunit structure (Nevaldine et al.) (336) 283

Malic enzyme reaction
Role of the – – – in plant roots. Utilization of [2,3-^{14}C] malate, [4-^{14}C] malate and [1-^{14}C] pyruvate by pea root apices, and measurements of enzyme activity (Fowler) (372) 245

Manganese
– – – in photosynthetic oxygen evolution. I. Electron paramagnetic resonance study of the environment of manganese in Tris-washed chloroplasts (Blankenship, Sauer) (357) 252

Manganese(II) carbonic anhydrase
NMR studies of the two binding sites of acetate ions to – – – (Lanir and Navon) (341) 75

Mannan
Metabolism of 2-deoxy-D-glucose by baker's yeast. VI. A study on cell wall – – – (Biely et al.) (352) 268

Mannan
Structure of cell wall and exocellular – – – from the yeast Hansenula holstii. I. Mannans produced in phosphate-containing medium (San Blas, Cunningham) (354) 233

Mannan
Structure of cell wall and exocellular – – – from the yeast Hansenula holstii. II. Mannans produced in phosphate-limited medium (San Blas, Cunningham) (354) 247

Mannose
Effect of – – – on the synthesis of the glycoprotein acid phosphatase in a mannose-deficient mutant of Schizosaccharomyces pombe (Schmidt, Jannsen) (362) 13

D-Mannose
Structural requirement for C_1-OH for the active transport of – – – and 2-deoxy-D-hexoses by renal tubular cells (Kleinzeller et al.) (373) 397

β-Mannosidase
Purification and properties of – – – from malted barley (Houston et al.) (370) 276

Mannosyltransferase
Glycoprotein biosynthesis in liver mitochondria. II. Mitochondrial localization of – – – (Morelis et al.) (373) 10

Mannosyltransferase
Membrane-bound – – – in yeast glycoprotein biosynthesis (Lehle, Tanner) (350) 225

Maxwell-Wagner impedance dispersion
Molecular organisation of bimolecular lipid membranes. A study of the low frequency – – – (Coster, Smith) (373) 151

Mechanochemical process
Possible uncoupling of the – – – in the actomyosin system by covalent cross-linking of F-actin (Gadasi et al.) (333) 161
Melanin
Oxidation of NADH by – – – and melano-proteins (Gan et al.) (370) 62
Melanoproteins
Oxidation of NADH by melanin and – – – (Gan et al.) (370) 62
Melittin
Action of – – – on phosphatide multi-bilayers as studied by infrared dichroism and spin labelling. A model approach to lipid–protein interactions (Verma et al.) (345) 129
Membrane
Calcium binding to placental plasma – – –s as measured by rate of diffusion in a flow dialysis system (Shami et al.) (339) 323
Membrane
Cell plasma – – – external surface glycosyl-transferases: Activity in the cell mitotic cycle (Bosmann) (339) 438
Membrane
Comparison of the properties of – – –s isolated from bovine skim milk and cream (Kitchen) (356) 257
Membrane
Correlation between calcium ion binding to chloroplast – – –s and divalent cation-induced structural changes and changes in chlorophyll a fluorescence (Gross and Hess) (339) 334
Membrane
Effect of aging on renal – – – -bound enzyme activities (O'Bryan, Lowenstein) (339) 1
Membrane
Effect of glucose on the biosynthesis of the – – –s of Bacillus (Kusaka) (345) 62
Membrane
Effect of temperature on sulphate movements across chemically or enzymatically modified – – – s of human erythrocytes (Schwoch et al.) (339) 126
Membrane
Immunological properties of – – – fractions from wild type and dnaA mutants of Escherichia coli (Smith, Shapiro) (356) 331
Membrane
Influence of diffusion potentials across liposomal – – –s on the fluorescence intensity of l-anilinonaphthalene-8-sulphonate (Bakker, van Dam) (339) 157
Membrane
Interactions between – – –s and cytolytic bacterial toxins (Bernheimer) (344) 27
Membrane
Lateral diffusion in the hydrophobic region of – – –s. Use of pyrene excimers as optical probes (Gall, Sackmann) (339) 103
Membrane
Lateral phase separations in Escherichia coli – – –s (Kleeman, McConnell) (345) 220
Membrane
Polyene antibiotic–sterol interactions in – – – s of Acholeplasma laidlawii cells and lecithin liposomes. I. Specificity of the membrane permeability changes induced by the polyene antiobiotics (de Kruijff et al.) (339) 30
Membrane
Polyene antibiotic–sterol interactions in – – –s of Acholeplasma laidlawii cells and lecithin liposomes. II. Temperature dependence of the polyene antibiotic–sterol complex formation (de Kruijff et al.) (339) 44
Membrane
Polyene antibiotic–sterol interactions in – – –s of Acholeplasma laidlawii cells and lecithin liposome's. III. Molecular structure of the polyene antibiotic–cholesterol complexes (de Kruijff, Demel) (339) 57
Membrane
Protein components of sarcoplasmic reticulum – – –s from different animal species (Louis, Irving) (365) 193
Membrane
Role of – – –-bound magnesium in the permeability of ghosts to K^+ (Romero) (339) 116
Membrane-bound enzymes
Perturbations of the dynamics of lipid alkyl chains in membrane systems: Effect activity of – – – (Eletr et al.) (339) 190
Membrane-bound polyribosomes
Studies on the metabolism of ribosomal RNA and proteins of free and – – – of rat liver (Murty, Sidransky) (335) 226
Membrane-bound ribosomal protein
In vivo phosphorylation of free and – – – (Barela, Kizer) (335) 218
Membrane damage
Liposome model experiment for the study of assumed – – – in porphyria cutanea tarda (Kószó et al.) (3[illegible]3) 182
Membrane fractions
Immunological properties of – – – from

wild type and dnaA mutants of Escherichia coli (Smith, Shapiro) (356) 331
Membrane lipids
– – – of rat liver lysosomes prepared by free-flow electrophoresis (Henning, Heidrich) (345) 326
Membrane lipids
Staining and fixation of unsaturated – – – by osmium tetroxide: crystal structure of a model osmium (VI) di-ester (Collin et al.) (354) 152
Membrane mobility agents
– – –. A new class of biologically active molecules (Kosower et al.) (363) 261
Membrane phospholipids
Interactions of – – – with fusogenic lipids (Howell et al.) (332) 1
Membrane polypeptides
– – – of some higher plant chloroplasts (Anderson, Levine) (333) 378
Membrane pores
New theory of transport for cell – – –. I. General theory and application to red cell (Levitt) (373) 115
Membrane pores
New theory of transport for cell – – –. II. Exact results and computer simulation (molecular dynamics) (Levitt, Subramanian) (373) 132
Membrane potential
Substrate-induced – – – changes in the perfused rat liver (Dambach, Friedmann) (367) 366
Membrane protein
Crossed immunoelectrophoresis of human erythrocyte – – –. Immunoprecipitation patterns for fresh and stored samples of membranes extensively solubilized with non-ionic detergents (Bjerrum, Lundahl) (342) 69
Membrane protein
Interaction between erythrocyte – – – and complement components. I. The role of –S–S linkages as revealed by two-dimensional sodium dodecylsulfate–polyacrylamide gel electrophoresis (Bhakdi et al.) (363) 39
Membrane protein
Kinetics of Ca^{2+} adsorption and cationic selectivity with a synaptic – – – (Abood, Hoss) (332) 85
Membrane protein
Protein synthesis in chloroplasts. II. Light-driven synthesis of – – – by isolated pea chloroplasts (Eaglesham, Ellis) (335) 396
Membrane protein
Separation of EDTA-extractable erythrocyte – – –s by isoelectric focussing linked to electrophoresis in sodium dodecylsulfate (Bhakdi et al.) (345) 448
Membrane structural changes
Relation of – – – to energy spillover in oat and spinach chloroplasts: Use of fluorescence probes and light scattering (Vandermeulen, Govindjee) (368) 61
Membrane structure
The – – – of lipid-containing viruses (Lenard, Compans) (344) 51
6-Mercaptopurine
Delayed cytotoxic effect of – – –. Characterization of the unbalanced growth in HeLa cells produced by 6-mercaptopurine (Horáková et al.) (366) 333
3-Mercaptopyruvate sulphurtransferase
Role of – – – in the formation of the iron–sulphur chromophore of adrenal ferredoxin (Taniguchi, Kimura) (364) 284
p-Mercuribenzoate
Role of cysteine residues in haemoglobin structure and function: Transfer of – – – from α subunits to β subunits during tetramer formation (Waterman) (371) 159
Meromyosin
Direct fluorimetric measurement on hydrolysis of β-naphthyl triphosphate, a fluorescent ATP analogue by heavy – – – (Kagawa et al.) (338) 496
Meromyosin
Dynamic viscoelastic study of acto-heavy – – – in solution (Abe, Maruyama) (342) 160
Meromyosin
Light-beating study of the effect of β-actinin on the interaction between F-actin and heavy – – – (Maeda et al.) (336) 445
Messenger system
Second – – – of mouse epidermis. IV. Cyclic AMP-phosphodiesterase and cyclic GMP-phosphodiesterase (Marks, Raab) (334) 368
Methanesulphonyl fluoride
– – – inactivation of acetylcholinesterase in the presence of substrates and reversible inhibitors (Krupka) (370) 197
Methionine
Conversion of – – – to homocysteine thiolactone in liver (Spindel and McCully) (343) 687

Methionine
Effect of chloroplatinite on the ^{1}H NMR spectrum of ribonuclease. Solvent accessibility of – – – residues (Sadler et al.) (359) 13
Methionine
Isolation from ribonucleic acid of substituted uridines containing α-aminobutyrate moieties derived from – – – (Saponara et al.) (349) 61
Methionine influx
Effect of theophylline and Na^+ on – – – in Na^+-depleted intestine (Burrill et al.) (373) 265
Methotrexate
Initiation of mammalian mitochondrial protein synthesis: The effect of – – – (Wallace, Freeman) (366) 466
Methylase
Identification of a soluble protein – – – in chicken embryo nuclei (Greenaway, Levine) (350) 374
Methylated bases
– – – in DNA from Paramecium aurelia (Cummings et al.) (374) 1
5-Methylcytosine
Physical studies on synthetic DNAs containing – – – (Gill et al.) (335) 330
α,β-Methylene-adenosine-5′-diphosphate
Effects of – – – on blood platelet aggregation (Horak, Barton) (373) 471
α-Methyl-D-glucoside accumulation
Effect of pH on – – – by rat kidney cortex slices (Rea and Segal) (345) 162
α-methyl-D-glucoside transport
Effect of extracellular sodium concentration on – – – by rat kidney cortex slices (Segal, Rosenhagen) (332) 278
α-Methyl-D-glucoside uptake
Nature of D-galactose uptake, D-glucose uptake and – – – by Saccharomyces cerevisiae (Kotyk, Michaljanicová) (332) 104
N^τ-methylhistidine
Isolation and quantitation of – – – in actin and myosin of rat skeletal muscle: Use of pyridine elution of protein hydrolysates on ion-exchange resins (Haverberg et al.) (371) 226
N-Methyl oxidation
– – – in liver mitochondria of triiodothyronine-treated and thyroidectomized rats (Frisell, Randolph) (347) 145
Methylpsoralens
Studies on the photoreactions (365 nm) between DNA and some – – – (Dall'Acqua et al.) (353) 267
5-Methyltetrahydrofolate
Urinary excretion of – – – and liver S-adenosylmethionine levels of rats fed a vitamin B-12-deficient diet (Vidal, Stokstad) (362) 245
Metrizamide
Reversible interaction of – – – with protein (Rickwood et al.) (342) 367
Micelles
Molecular weight, shape and structure of mixed – – – of Triton X-100 and sphingomyelin (Yedgar et al.) (363) 98
Micelle structure
Comparative – – –. III. The isolation and chemical characterization of caprine β_1-casein and β_2-casein (Richardson, Creamer) (365) 133
Microsomes
Androgen receptors in rat ventral prostate – – – (Robel et al.) (373) 1
Microsomes
Enzyme-catalyzed formation of bilirubin diglucuronide by a solubilized preparation from cat liver – – – (Jansen) (338) 170
Microsomes
Glycoproteins and glycolipids of oxyntic cell – – –. II. Glycopeptides and glycolipids (Beesley, Forte) (356) 144
Microsomes
Protein kinase activity of bovine thyroid – – – (Kozyreff, Visscher) (362) 17
Microsomes
Purification of pig heart mitochondrial membranes. Enzymatic and morphological characterization as compared to – – – (Maïsterrena et al.) (367) 115
Microspectrofluorimetry
Rapid – – – for biochemical and metabolic studies in single living cells (Kohen et al.) (362) 575
Microtubule protein
Studies on binding of GTP to the – – – (Levi et al.) (365) 450
Microsomal enzyme activities
Reversal of age-related changes in – – – following the administration of triamcinolone, triiodothyronine and phenobarbital (Gold, Widnell) (334) 75
Mitochondria
Electromechanochemical model for energy

coupling in – – – (Green) (346) 27
Mitochondria
Energy-dependent accumulation of iron by isolated rabbit reticulocyte – – – (Romslo) (357) 34
Mitochondria
Energy-dependent accumulation of iron by isolated rat liver – – –. III. Submitochondrial localisation of the iron accumulated (Romslo, Flatmark) (347) 160
Mitochondria
Ketogenesis in isolated rat liver – – –. II. Factors affecting the rate of β-oxidation (Lopez-Cardozo, Van den Bergh) (357) 43
Mitochondria
Ketogenesis in isolated rat liver – – –. III. Relationship with the rate of β-oxidation (Lopez-Cardozo, Van den Bergh) (357) 53
Mitochondria
Mechanism of inhibition of the inorganic phosphate carrier and the dicarboxylate carrier of – – – by thiol reagents (Palmieri et al.) (333) 195
Mitochondria
Metabolic significance of anion transport in – – – (Meijer, van Dam) (346) 213
Mitochondria
Nicotinamide nucleotide specificity of glutamate dehydrogenase in intact rat liver – – – (Hoek et al.) (333) 546
Mitochondria
Oscillatory systems in – – – (Gooch, Packer) (346) 245
Mitochondrial ATPase
Effects of quercetin and F_1 inhibitor on – – – and energy linked reactions in submitochondrial particles (Lang, Racker) (333) 180
Mitochondrial ATPase
Interaction of beef-heart – – –, coupling factor F_1, with aurovertin (Yeates) (333) 173
Mitochondrial DNA
Analysis by electron microscopy of intermediates in the replication of linear Tetrahymena – – – (Arnberg et al.) (361) 266
Mitochondrial DNA
Intermediates in the replication of the – – – of Tetrahymena pyriformis (Clegg et al.) (361) 277
Mitochondrial DNA
Molecule contour length of partially single-stranded circular – – – from new-born rat liver (Koike, Kobayashi) (335) 14
Mitochondrial DNA
Novel properties of two classes of nascent – – – formed in vitro (Koike et al.) (361) 144
Mitochondrial energy coupling
Biochemical mutants: An approach to – – – (Kovác) (346) 101
Mitochondrial functions
– – – under hypoxic conditions: The steady states of cytochrome c reduction and of energy metabolism (Sugano et al.) (347) 340
Mitochondrial membrane
Inhibition of anion transport across the – – – by amytal (Swierczyński, Aleksandrowicz) (373) 66
Mitochondrial membranes
Purification of pig heart – – –. Enzymatic and morphological characterization as compared to microsomes (Maîsterrena et al.) (367) 115
Mitochondrial membranes
Two temperature-induced changes in – – – detected by spin labelling and enzyme kinetics (Raison, McMurchie) (363) 135
Mitochondrial oxidative phosphorylation
Spegazzinine, a new inhibitor of – – – (Roveri, Vallejos) (333) 187
Mitochondrial phosphate carrier
Study of the – – – in the course of calcium phosphate accumulation: a requirement for Mg^{2+} and ADP of its sensitivity to thiol reagents (Leblanc, Clauser) (347) 193
Mitochondrial proteins
Studies on – – –. II. Localization of components in the inner membrane. Labeling with diazobenzenesulfonate, a non-penetrating probe (Tinberg et al.) (345) 118
Mitochondrial ribosomes
– – – of Neurospora crassa. I. On the occurrence of 80-S ribosomes (Datema et al.) (335) 386
Model membranes
Ionic transport through – – –. III. Contrasting effects of testosterone and 5-α-dihydrotestosterone. Dependence on temperature and bound water (Horton, Schuff) (373) 76
Monoacylglycerol lipase
The tissue distribution of triacylglycerol lipase, – – – and phospholipase A in fed and fasted rats (Pykälistö et al.) (369) 254
Monoacylglycerols
– – – and diacylglycerols in human adipose tissue (Arner, Ostman) (369) 209

Monoamine oxidase
Effect of foetal decapitation on the antenatal development of the enzymes – – – and catechol-O-methyl transferase in rabbit foetuses (Parvez, Parvez) (338) 21
Monoamine oxidase
Pig liver – – –. I. Isolation and characterization (Carper et al.) (334) 287
Monoglycerides
Mass spectra of trimethylsilyl ethers of ^{2}H-labelled – – – and diglycerides (Curstedt) (360) 12
Monolayers
Reflection spectra from – – – of amphotericin B and amphotericin B–cholesterol spread on water (Ockman) (373) 481
Monosaccharides
Characterisation of – – – in human placental alkaline phosphatase by gas-liquid chromatography (Ghosh et al.) (343) 638
Mössbauer spectroscopy
– – – studies of beef-heart cytochrome c oxidase (Lang et al.) (336) 6
Mucidin
Mode of action of – – –, a new antifungal antibiotic produced by the basidiomycete Oudemansiella mucida (Subik et al.) (343) 363
Mucopolysaccharides
The effect of cations in equilibrium gradient centrifugation of – – – (Mashburn Jr. et al.) (362) 366
Murein
Conversion of – – – to nonreducing fragments by enzymes from phage λ and Vi II lysates (Taylor, Gorazdowska) (342) 133
Muscle
Apparent P/O ratio and chemical energy balance in frog sartorius – – – in vitro (Paul, Kushmerick) (347) 483
Muscle
Nonelectrolyte distribution in mouse diaphragm – – –. I. The pattern of nonelectrolyte distribution and reversal of the insulin effect (Miller) (339) 71
Muscle
Nonelectrolyte distribution in mouse diaphragm – – –. II. Cell volume, D-xylose distribution, and the effect of insulin in hypertonic solutions (Miller) (339) 85
Muscle
Non-freezable water and spin-lattice relaxation time in – – – containing a growing tumor (Fung) (362) 209
Muscle
State of water in – – – as studied by pulsed NMR (Fung, McGaughy) (343) 663
Muscle cell membranes
Isolation and characterisation of smooth – – – (Oliveira, Holzhacker) (332) 221
Mycoplasma membrane
Characterization of the – – – proteins. IV. Disposition of proteins in the membrane (Amar et al.) (352) 228
Myelin
Polypeptide components of – – – from rat peripheral nerve (Singh, Spritz) (351) 379
Myeloperoxidase
Studies on the NADPH oxidizing activity in polymorphonuclear leucocytes: The mode of association with the granule membrane, the relationship to – – – and the interference of haemoglobin with NADPH oxidase determination (Patriarca et al.) (362) 221
Myoglobin
– – – of primates. VI. Tupaia glis belangeri (Common treeshrew) (Herrera, Lehmann) (359) 236
Myoglobin
Immunochemistry of sperm-whale – – –. XIX. Accurate delineation of the single reactive region in sequence 54–85 by immunochemical study of synthetic peptides (Koketsu, Atassi) (342) 21
Myoglobin
Low temperature photodissociation of haemoproteins: Carbon monoxide complex of – – – and haemoglobin (Iizuka et al.) (371) 126
Myoglobin
220 MHz proton NMR studies of haemoproteins: High-spin–low-spin equilibrium in ferric – – – and haemoglobin derivatives (Iizuka, Morishima) (371) 1
Myoglobin
Primary sequence of badger – – – (Tetaert et al.) (351) 317
Myoglobin
Residue 122 of sperm whale and horse – – – (Herrera and Lehmann) (336) 318
Myosin
Reaction of – – – with N-ethylmaleimide in the presence of ADP (Daniel, Hartshorne) (347) 151
Myosin
Studies on the substructure of – – – in cardiac hypertrophy. Characterisation of light chains (Katagiri, Morkin) (342) 262
Myosin light chains
Immunological evidence for the existence of two kinds of L_2 components in – – – (Katoh, Kubo) (365) 301

N

NAD
Affinity chromatography of β-hydroxybutyrate dehydrogenase on – – – and hydrophobic chain derivatives of Sepharose (Grover, Hammes) (356) 309

NAD
Stereochemistry of the L-iditol dehydrogenase catalyzed hydrogen transfer to – – – (Alizade et al.) (370) 354

NAD
Stereospecificity of the hydrogen transfer from (R)-carnitine to – – –, catalyzed by (R)-carnitine dehydrogenase from Pseudomonas aeruginosa (Alizade et al.) (364) 204

NAD^+
Application of immobilized – – – in an enzyme electrode and in model enzyme reactors (Davies, Mosbach) (370) 329

NADH
Inactivation of nitrate reductase by – – – in Nitrobacter agilis (Herrera, Nicholas) (368) 54

NADH
Oxidation of – – – by melanin and melanoproteins (Gan et al.) (370) 62

NADH
Pigeon liver diacetyl reductase: Kinetic and thermodynamic studies with – – – as coenzyme (Burgos et al.) (364) 9

NAD(H)
Studies of – – – conformations in solution: A new method using the PMR spectra of cobalt ion · dinucleotide complexes (Torreilles, Crastes de Paulet) (362) 375

NADH–flavin mononucleotide–ubiquinone–6–O_2 system
Potential generation in bilayer lipid membranes in the – – – (Yaguzhinsky et al.) (368) 22

NADP-isocitrate dehydrogenase
Molecular weight of Escherichia coli – – – (Reeves and Burke) (336) 396

NADPH oxidase
Studies on the NADPH oxidizing activity in polymorphonuclear leucocytes. The mode of association with the granule membrane, the relationship to myeloperoxidase and the interference of haemoglobin with – – – determination (Patriarca et al.) (362) 221

β-Naphthyl triphosphate
Direct fluorimetric measurement on hydrolysis of – – –, a fluorescent ATP analogue by heavy meromyosin (Kagawa et al.) (338) 496

Negamycin
– – – inhibits termination of protein synthesis directed by phage f2 RNA in vitro (Uehara et al.) (374) 82

Neoxanthin
– – – and fucoxanthinol in Fucus vesiculosus (Nitsche) (338) 572

Neuraminidase
– – – in pig gastric mucus (Allen, Starkey) (338) 364

Neuraminidase
Effect of – – – on the synthesis of collagen and other proteins (Aalto et al.) (342) 247

Neuraminidase
Production of microbial – – –s induced by colominic acid (Uchida et al.) (350) 425

Neuraminidase
Relative susceptibilities to – – – of the glycoproteins of the human erythrocyte (Singer, Morrison) (343) 598

Neuraminidase
Studies on brain membrane-bound – – –. I. General properties of the enzyme prepared from calf brain (Preti et al.) (350) 406

Neuraminidase
Studies on brain membrane-bound – – –. II. Effect of detergents on the kinetics of the enzyme prepared from calf brain (Tettamanti et al.) (350) 415

Neurohypophyses
Accumulation of cyclic AMP in – – – in response to angiotensin (Gagnon, Heisler) (338) 394

Neurospora crassa
Uptake and efflux of sulfate in – – – (Marzluf) (339) 374

Neurotoxin
Amino acid sequence of oxiana α, the main neurotoxin of the venom of Naja naja oxiana (Arnberg et al.) (359) 222

Neurotoxins
Fluorescence of – – – from Middle-Asian cobra venom (Bukolova-Orlava et al.) (342) 275

Neutral lipids
Hepatic – – –, phospholipids and glycosphingolipids of a patient with histiocytosis X (Taketomi et al.) (369) 315
Neutral proteinase
– – – of rabbit skin: An enzyme capable of degrading skin protein and inducing an inflammatory response (Lazarus, Barrett) (350) 1
Nicotinamide nucleotide transhydrogenase
Comparative studies on – – – from different sources (Hoek et al.) (333) 237
Nicotinic cholinergic receptor
– – – in brain detected by binding of α-[^{3}H]bungarotoxin (Eterović, Bennett) (362) 346
Nicotinic receptor
Acetylcholine receptor. Isolation of a brain – – – and its preliminary characterization in lipid bilayer membranes (Romine et al.) (367) 316
Nitrate reductase
Inactivation of – – – by NADH in Nitrobacter agilis (Herrera, Nicholas) (368) 54
Nitrate reductase
Inhibitor of – – – in the roots of rice seedlings and its effect on the enzyme activity in the presence of NADH (Kadam et al.) (350) 162
Nitrate reductase
Purification and properties of a – – – inactivating enzyme (Wallace) (341) 265
Nitrate reductase
Regulation of – – – activity by NADH and cyanide (Solomonson) (334) 297
Nitrate reductase
Regulation of – – – in suspension cultures of soybean cells (Oaks) (372) 122
Nitrate reductase
Role of molybdenum in the synthesis of – – – in cauliflower (Brassica oleracea L. var. botrytis L.) and spinach (Spinacea oleracea L.) (Notton et al.) (364) 45
Nitrogenase
– – – of Klebsiella pneumoniae: Inhibition of acetylene reduction by adenosine triphosphate (Thorneley) (358) 247
Nitrogenase
– – –. V. The effect of Mo, W and V on the synthesis of nitrogenase components in Azotobacter vinelandii (Nagatani, Brill) (362) 160
Nitrogenase
Legume root nodule – – –: Purification, properties and studies on its genetic control (Whiting, Dilworth) (371) 337
Nitrogenase activity
Deletion mutants of nitrogen fixation in Klebsiella pneumoniae: mapping of a cluster of nif genes essential for – – – (Shanmugam et al.) (338) 545
Nitrogen fixation
Deletion mutants of – – – in Klebsiella pneumoniae: mapping of a cluster of nif genes essential for nitrogenase activity (Shanmugam et al.) (338) 545
Nitrotyrosine
The effect of detergents on the basicity of – – – in proteins (York, Roberts) (371) 582
NMR
– – – quadrupole relaxation study of chloride binding to hemoglobin Abruzzo ($\alpha_2^A\beta_2$ 143 His→Arg) (Chiancone et al.) (336) 403
NMR
Pulsed – – – studies of water in straited muscle. III. The effects of water content (Belton, Packer) (354) 305
NMR relaxation
Effects of temperature and field strength on the – – – times of ^{23}Na in frog straited muscle (Shporer, Civan) (354) 291
NMR studies
Pulsed – – – of ^{17}O from $H_2{}^{17}O$ in frog striated muscle (Civan and Shporer) (343) 399
Nodes of Ranvier
Effect of several "specific" chemical reagents on the Na^+, K^+ and leakage currents in voltage-clamped single – – – (Keana, Stämpfli) (373) 18
Nogalamycin
Interaction of – – – with DNA (Das et al.) (353) 274
Nonactin
Energy barriers to ion transport by – – – across thin lipid membranes (Hladky) (352) 71
Non-histone protein
Binding of nuclear – – – to DNA (Sheehan, Olins) (353) 438
Norepinephrine binding
[^{3}H] – – – and lipolysis by isolated fat cells (Aprille et al.) (373) 502
Norethisterone
Effects of ethinylestradiol and – – – on liver microsomal metabolism of steroids in male and female rats (Einarsson et al.) (369) 278
Bis-noryangonin
Styrylpyrone biosynthesis in Polyporus hispidus. II. Enzymatic hydroxylation of p-coumaric acid and – – – (Nambudiri et al.) (343) 148

Nuclear chromatin
Separation of multiple dihydrotestosterone receptors in rat ventral prostate by a novel micromethod of electrofocusing: Blocking action of cyproterone acetate and uptake by – – – (Katsumata, Goldman) (359) 112
Nuclear lipids
– – – of bovine hypertrophic thyroid (Hilderson et al.) (337) 385
Nuclear membrane
Differential effects of temperature on the – – – and plasma membrane of lymphoid cells. A study by freeze-etch electron microscopy (Wunderlich et al.) (373) 34
Nuclease
Extracellular – – – from suspension cultures of tobacco (Oleson et al.) (366) 89
Nuclease
Extracellular – – –s of Bacillus subtilis. I. Purification and properties (Kanamori et al.) (335) 155
Nuclease
Extracellular – – –s of Bacillus subtilis. II. The nucleases as 5′-end-group reagents (Kanamori et al.) (335) 173
Nuclease
– – –s in HeLa cell nucleoplasm and nucleoli (Kwan et al.) (349) 428
Nuclease
Specificity of the natural rat liver ribonuclease inhibitor towards – – – activities of subcellular fractions (Gagnon et al.) (353) 323
Nuclei
Isolation of – – – and characterization of nuclear DNA of Acanthamoeba castellanii (Marzzoco, Colli) (374) 293
Nucleic acids
Electro-optical properties of – – – and nucleoproteins. IV. Influence of base composition and methylation on the properties of DNA and DNA–proflavine complexes (Ramstein et al.) (335) 54
Nucleic acids
Electro-optical properties of – – – and nucleoproteins. V. Study of sonicated DNA and nucleohistone solutions (Colson et al.) (340) 244
Nucleic acids
Immunologic studies on – – – and their components. II. Reversible inhibition of anti-nucleoside antibodies in aqueous pyridine and its application in antibody purification. (Humayn, Jacob) (349) 84
Nucleic acids
Molecular orbital calculations on the conformation of – – – and their constituents. IX. The geometry of the phosphate group: key to the conformation of polynucleotides (Perahia et al.) (340) 299
Nucleic acids
Molecular orbital calculations on the conformation of – – – and their constituents. X. Conformation of β-D-arabinosyl nucleosides (Saran et al.) (349) 189
Nucleic acids
Molecular orbital calculations on the conformation of – – – and their constituents. XI. The backbone structure of (3′-5′) and (2′-5′)-linked diribose monophosphates with different sugar puckers (Perahia et al.) (353) 16
Nucleic acids
Nucleotide-specific antibodies as potential blocking agents in the structural analysis of – – – (Eichler, Glitz) (335) 303
Nucleohistone
Soluble – – – of compact configuration (Rees et al.) (361) 97
Nucleophiles
Stability of 11-cis-retinal and reactivity toward – – – (Futterman, Futterman) (337) 390
Nucleoprotein
Effects of phenobarbital on the phosphorylation of acidic nuclear proteins of rat liver (Blankenship and Bresnick) (340) 218
Nucleoprotein
Electro-optical properties of nucleic acids and – – –. IV. Influence of base composition and methylation on the properties of DNA and DNA–proflavine complexes (Ramstein et al.) (335) 54
Nucleoprotein
Electro-optical properties of nucleic acids and – – –. V. Study of sonicated DNA and nucleohistone solutions (Colson et al.) (340) 244
Nucleoprotein
Nuclear acidic protein of the developing Oncopeltus embryos (Teng) (366) 385
Nucleoside conformations
– – –. XIV. Conformation of adenosine monophosphates in aqueous solution by proton magnetic resonance spectroscopy (Son, Chachaty) (335) 1
Nucleoside conformations
– – –. 16. NMR and CD studies on pyrim-

idine-2′-fluoro-2′-deoxyribonucleosides (Blandin et al.) (361) 249
Nucleoside metabolism
Effect of cyclic AMP on – – –. III. Effect on uridine incorporation in monkey (CV-1) cells (Roller et al.) (366) 402
Nucleosides
Conformation of – – –. Circular dichroism study of solvent effect on the syn-anti conformational equilibrium of pyrimidine nucleosides (Rabczenko et al.) (353) 1
Nucleosides
Conformation of – – –. Dipole moments of pyrimidine nucleosides (Kuakowska, Rabczenko) (361) 131
Nucleosides
Modified – – – in undermethylated phenylalanine tRNA from Escherichia coli (Isham and Stulberg) (340) 177
Nucleosides
Theoretical contribution to the mechanism of hydrolysis of the – – – (Mely, Claverie) (353) 28
Nucleoside transport
Effect of ethanol on – – – into primary chick fibroblasts (Scholtissek) (335) 290
5′-Nucleotidase
– – – from Neurospora crassa (Olson, Fraser) (334) 156
5′-Nucleotidase
Interactions of lectins with membrane glycoproteins. Effects of concanavalin A on – – – (Riordan, Slavik) (373) 356
Nucleotide
Fluorescence studies of – – – binding to diphtheria toxin (Michel, Dirkx) (365) 15
Nucleotide
Mercuration of modified – – –s. Chemical methods toward nucleic acid sequencing by electron microscopy (Rose) (361) 231
Nucleotide phosphodiesterase
Cyclic – – – of Chlamydomonas reinhardtii (Fischer, Amrhein) (341) 412
Nucleotide phosphodiesterase
Cyclic 3′,5′ – – – distribution and developmental changes of the enzyme and its protein activator in mammalian tissues and cells (Smoake et al.) (341) 402
Nucleotide sequences
Ribosomal-RNA homologies in flowering plants; comparison of the – – – in 5.8 S rRNA from broad bean, dwarf bean, tomato, sunflower and rye (Woledge et al.) (349) 339
Nucleotide-specific antibodies
– – – as potential blocking agents in the structural analysis of nucleic acids (Eichler, Glitz) (335) 303

O

II-Octadecanoic acid (vaccenic acid)
Mechanism of production of – – – by yeast (Southwell-Keely, Lynen) (337) 22

Δ^9-octadecenoic acid
Effect of geometric isomers of – – – on liver lipid biosynthesis by essential fatty acid-deficient rats (Guo, Alexander) (369) 411

Oestrogens
Binding of – – – by α-fetoprotein in rat amniotic fluid (Swartz et al.) (338) 480

Oestrogens
High affinity of mouse embryo serum for – – –. (Savu et al.) (359) 273

Oestrogen sulphotransferase
Enzymic synthesis of steroid sulphates. IX. Physical and chemical properties of purified – – – from bovine adrenal glands, the nature of its isoenzymatic forms and a proposed model to explain its wave-like kinetics (Adams et al.) (370) 160

Oestrogen sulphotransferase
Enzymic synthesis of steroid sulphates. X. Isolation of – – – from bovine placenta and comparison of its properties with adrenal oestrogen sulphotransferase (Adams, Low) (370) 189

Oleate
Comparison of α-linolenate and – – – in lowering activity of lipogenic enzymes in rat liver: Evidence for a greater effect of dietary linolenate independent of food and carbohydrate intake (Musch et al.) (337) 343

Oleate
Feeding studies designed to determine whether competitive reactions between acids of the – – – and linoleate families for desaturation chain elongation or incorporation, regulate the fatty acid composition of rat liver lipids (Sprecher) (369) 34

Oleic acid
Biosynthesis of – – – and decosahexaenoic acid by a heterotrophic marine dinoflagellate, Crypthecodinium cohnii (Beach et al.) (369) 16

Oligomycin
Mechanism of inhibition by – – – of oxidative phosphorylation in mitochondria (Bertina et al.) (368) 279

Oncornavirus polypeptides
Biochemical properties of – – – (Bolognesi et al.) (355) 220

One-electron reactions
– – – in biochemical systems as studied by pulse radiolysis. VI. Stages in the reduction of ferricytochrome c (Land, Swallow) (368) 86

Ornithine aminotransferase
Turnover of hepatic mitochondrial – – – and cytochrome oxidase using [^{14}C] carbonate as tracer (Ip et al.) (354) 29

Ornithine decarboxylase
Effect of protease inhibitors on protein degradation in rat hepatoma cells. II. Effects on – – – and tyrosine aminotransferase (McIlhinney, Hogan) (372) 366

Ornithine decarboxylase
Regulation of cell growth. II. Some characteristics of a foetal calf serum factor (FF_2) stimulating – – – in mouse liver (Morley) (362) 480

Oscillatory systems
– – – in mitochondria (Gooch, Packer) (346) 245

Ouabain
– – – binding and Na^+–K^+ transport in rat muscle cells and adipocytes (Clausen, Hansen) (345) 387

Ouabain
– – – binding to($Na^+ + K^+$)-ATPase. Effects of nucleotide analogues and ethacrynic acid (Tobin et al.) (345) 102

Ouabain
Fibroblastoid and epithelioid cells in tissue culture: Differences in sensitivity to – – – and phospholipid composition (Hülser et al.) (372) 85

Ovalbumin
Fluorescence study of the interactions between K- and α_{s1}-casein and between lysozyme and – – – (Nakai, Kason) (351) 21

Oxaloacetate decarboxylase
Mitochondrial – – – from rat liver (Wojtczak, Walajtys) (347) 168

Oxaloacetate decarboxylation
Ketogenesis in isolated rat-liver mitochondria IV. – – –: Consequences for metabolic calculations (Lopes-Cardozo, van den Bergh) (357) 193

Oxiana α
Amino acid sequence of – – –, the main neurotoxin of the venom of Naja naja oxiana (Arnberg et al.) (359) 222
Oxidative metabolism
Interactions between – – – and acid secretion in gastric mucosa (Hersey) (344) 157
Oxidative phosphorylation
Binding of uncouplers of – – – to rat-liver mitochondria (Bakker et al.) (333) 12
Oxidative phosphorylation
Cooperativity in the inhibition of – – – by chlorophenoxyisobutyrate (Panini, Ramakrishna Kurup) (368) 29
Oxidative phosphorylation
Mechanism of inhibition by oligomycin of – – – in mitochondria (Bertina et al.) (368) 279
Oxidative phosphorylation
Spegazzinine, a new inhibitor of mitochondrial – – – (Roveri, Vallejos) (333) 187
Oxidoreductase
Intranuclear and intermicrosomal distributions of 3-oxo-5α-Steroid: NADP + Δ^4- – – – in rat ventral prostate (Nozu, Tamaoki) (348) 321
Oxoglutarate aminotransferase
Multiple forms of plurispecific aromatic: 2– – – (Oxaloacetate) – – – (transaminase A) in Escherichia coli and selective repression by L-tyrosine (Mavrides, Orr) (336) 70
Oxygen evolution
Manganese in photosynthetic – – – I. Electron paramagnetic resonance study of the environment of manganese in Tris-washed chloroplasts (Blankenship, Sauer) (357) 252

P

P700+
Kinetics of appearance and disappearance of light-induced EPR signals of – – – and iron–sulfur protein(s) at low temperature (Ke et al.) (368) 401

P700
Light-induced reactions of ferredoxin and – – – at low temperatures (Visser et al.) (368) 235

Pactamycin
In vivo rates of deaggregation of polyribosomes in normal and regenerating liver after the injection of – – – (Scornik) (374) 76

Palmitate synthetase
Rabbit liver – – –. Purification; physicochemical properties of the native enzyme; study of subunits; study of the secondary and tertiary structure as a function of ionic strength (Demassieux, Lachance) (348) 94

Palmitoyl-CoA synthetase
Identification of the – – – present in the innermembranematrix fraction of rat liver mitochondria (Groot et al.) (337) 1

Pancreatic β-cells
Glucose oxidation and contents of free amino acids in – – – stimulated by a non-metabolizable leucine analogue (Gylfe) (343) 584

Pancreatic juice
Characterisation of an additional protein in – – – of men with chronic calcifying pancreatitis. Identification to lactoferrin (Colomb et al.) (342) 306

Pancreozymin
Effect of actinomycin D, – – – and secretin on RNA synthesis and protein synthesis measured in vivo in rat pancreas (Reggio, Cailla) (338) 37

Papain
Effect of – – – inhibitor from chicken egg white on cathepsin B_1 (Keilová, Tomásek) (334) 179

Papain
Self-association of – – – (Pandit, Narasinga Rao) (371) 211

Peptidases
Partial purification and characterization of two – – – from Neurospora crassa (Johnson, Brown) (360) 530

Peptide
Immunochemistry of sperm-whale myoglobin. XIX. Accurate delineation of the single reactive region in sequence 54–85 by immunochemical study of synthetic – – –s (Koketsu, Atassi) (342) 21

Peptide chain
Interference of virginiamycin M with the initiation and the elongation of – – –s in cell-free systems (Cocito et al.) (340) 285

Peptide chain
Isolation and characterisation of a – – – initiation factor from Krebs II ascites tumour cells (Eich, Drews) (340) 334

Peptide chain initiation
Inhibition of – – – in Escherichia coli by thermorubin (Pirali et al.) (366) 310

Peptide esters
Permeation and stereospecificity of hydrolysis of – – – within intact lysosomes in vitro (Goldman, Naider) (338) 224

Peptide hydrolases
Studies on the properties of – – – in the brush border and soluble fractions of small intestinal mucosa of rat and man (Kim et al.) (370) 283

Peptide synthesis
Aminoacyl transfer: – – – and other properties of an amino acid imidazolide (Weber, Lacey) (349) 226

Peptide unit
Mean geometry of the – – – from crystal structure data (Ramachandran et al.) (359) 298

Peptide uptake
Intestinal absorption of peptides. – – – by small intestine of Rama pipiens (Cheeseman, Parsons) (373) 523

Peptidoglycan
Some hydrodynamic properties of spore – – – (Baillie, Murrell) (372) 23

Peptidyl transferase
Studies on – – – in free ribosomes derived from rat liver (Innanen, Nicholls) (361) 221

Peptidyl-tRNA hydrolase
Metabolic role of – – –. II. Peptidyl-tRNA hydrolase activity on washed rat liver ribosomes (Menninger et al.) (335) 185
Permeability
Changes in cell – – – following a marked reduction of saturated fatty acid content of Escherichia coli K-12 (Davis, Silbert) (373) 224
Permeability
Electrically and osmotically induced changes in – – – and structure of toad urinary bladder (Bindslev et al.) (332) 286
Permeation
– – – and stereo-specificity of hydrolysis of peptide esters within intact lysosomes in vitro (Goldman, Naider) (338) 224
Peroxidase
EPR studies of nitric oxide complexes of turnip and horseradish – – – (Henry, Mazza) (371) 14
Peroxidase
Non-enzymatic formation of sulphenyl iodide by solubilized thyroid particulate protein with – – – activity (Fawcett) (338) 297
Peroxidase
Study of – – – mechanisms by pulse radiolysis. II. Reaction of horseradish-peroxidase compound I with O_2^- (Bielski et al.) (350) 113
Peroxidase mechanisms
Study of – – – by pulse radiolysis. III. The rate of reaction of O_2^- and HO_2 radicals with horseradish peroxidase compound (Bielski, Gebicki) (364) 233
Phase transition
– – –s in the yeast cell membrane: The influence of temperature on the reconstitution of active dry yeast (van Steveninck, Ledeboer) (352) 64
Phase transition
Effect of thermotropic – – –s of dipalmitoylphosphatidylcholine on the formation of mixed micelles with Triton X-100 (Ribeiro, Dennis) (332) 26
Phase transition
New method for the demonstration of – – –s in lipid films (Fiedler) (345) 321
Phase transition
On – – –s in erythrocyte membranes and extracted membrane lipids (Gottlieb, Eanes) (373) 519
Phase transition
Pressure-induced elevation of phase transition temperature in dipalmitoylphosphatidylcholine bilayers. An electron spin resonance measurement of the enthalpy of – – – (Trudell et al.) (373) 436
1,10-phenanthroline
Action of some derivatives of – – – on electron transport in chloroplasts (Satoh) (333) 127
1,10–phenanthroline
Mechanism of activation and spectral shift of the F-695 emission band in chloroplasts as induced by – – – (Satoh) (333) 107
Phenobarbital
Reversal of age-related changes in microsomal enzyme activities following the administration of triamcinolone, triiodothyronein and – – – (Gold, Widnell) (334) 75
Phenolsulphophthalein dyes
Protein binding of small molecules. IV. Relation between binding of – – – and other ligands with a high affinity for human serum albumin (Kragh-Hansen et al.) (365) 360
Phenylalanine
Free and membrane-bound ribosomes. III. Analysis by twodimensional gel electrophoresis of proteins from liver ribosomal subunits of rats with different dietary intakes of – – – (Hanna, Godin) (374) 342
Phenylalanine ammonia-lyase
Density labelling evidence for the phytochrome-mediated activation of – – – in mustard cotyledons (Attridge et al.) (343) 440
Phenylalanine ammonia-lyase
Density labelling evidence for the blue-light mediated activation of – – – in Cucumis sativus seedlings (Attridge, Smith) (343) 452
Phenylbutazone
Synthesis of intestinal glucoprotein inhibition of [1-^{14}C] glucosamine incorporation by – – – in vitro (Lukie, Forstner) (338) 345
Phenylpropanoid metabolism
Coordinated changes in enzyme activities of – – – during the growth of soybean cell suspension cultures (Ebel et al.) (362) 417
Phenylpyruvate
Inhibition of mitochondrial pyruvate transport by – – – and α-ketoisocaproate (Halestrap et al.) (367) 102
Phlorizin
Binding of – – – to the isolated luminal membrane of the renal proximal tubule (Chesney et al.) (332) 263

Phlorizin
Effect of – – – on galactose influx in rabbit intestine (Estep, Goldner) (367) 371
Phlorizin hydrolase
Enzymatic properties of rat lactase– – – – (Birkenmeier, Alpers) (350) 100
Phorbol esters
On the biochemical mechanism of tumorigenesis in mouse skin. VI. Early effects of growth-stimulating – – – on phosphate transport and phospholipid synthesis in mouse epidermis (Balmin, Hecker) (362) 457
Phosphatase
K^+-dependent – – – in the membranes of low-K^+-type erythrocytes (Ellory, Lew) (332) 215
Phosphate
Distributional changes of ^{32}P-labeled acid-soluble – – –s and phospholipids among subcellular fractions during early vertebrate embryonic development (Pechen et al.) (372) 388
Phosphate
Photosynthesis inhibition in isolated spinach chloroplasts by inorganic – – – or inorganic pyrophosphatase in the presence of pyrophosphate and magnesium ions (Levine, Bassham) (333) 136
Phosphate
Theoretical treatment of the turnover of protein-bound – – – in the presence of both protein kinase and phosphatase activities (Weller) (343) 565
Phosphate-binding protein
Relationship between the – – – and a regulator gene product from Escherichia coli (Gerdes, Rosenberg) (351) 77
Phosphate transfer
– – – from trans-farnesyl triphosphate to AMP in Gibberella fujikuroi (Shechter) (362) 233
Phosphate transport
– – – in Neurospora. Kinetic characterization of a constitutive, low-affinity transport system (Lowendorf et al.) (373) 369
Phosphate transport
On the biochemical mechanism of tumorigenesis in mouse skin. VI. Early effects of growth-stimulating phorbol esters on – – – and phospholipid synthesis in mouse epidermis (Balmin, Hecker) (362) 457
Phosphatidate phosphohydrolase
Glycerolipid formation from sn-glycerol-3-phosphate by rat liver cell fractions. The role of – – – (Lamb, Fallon) (348) 166
Phosphatidic acid
Calcium-induced lateral phase separations in – – – –phosphatidylcholine membranes (Ito, Ohnishi) (352) 29
Phosphatidylcholines
Analysis of molecular species of ^2H-labelled – – – by liquid-gel chromatography and gas chromatography-mass spectrometry (Curstedt, Sjövall) (360) 24
Phosphatidylcholines
Biosynthesis of molecular species of – – – in bile, liver and plasma of rats given [1,1-$^2H_2$]ethanol (Curstedt) (369) 196
Phosphatidylcholines
Biosynthetic pathways and turnover of individual biliary – – – during metabolism of [1,1-$^2H_2$]ethanol in the rat (Curstedt, Sjövall) (369) 173
Phosphatidylcholine
Calcium-induced lateral phase separations in phosphatidic acid– – – – membranes (Ito, Ohnishi) (352) 29
Phosphatidylglycerol
Effect of ATP and Mg^{2+} on the synthesis of – – – in Escherichia coli preparations (Benns, Proulx) (337) 318
Phosphatidylglycerol
Identification of – – – in the rat, rabbit, monkey and human lung (Rooney et al.) (360) 56
Phosphatidylglycerol
Influence of pH, Ca^{2+} and proteins on the thermotropic behaviour of the negatively charged phospholipid, – – – (Verkleij et al.) (339) 432
Phosphatidylinositol
Adrenergic stimulation of – – – labelling in rat vas deferens (De Scarnati, Lapetina) (360) 298
Phosphatidylinositol
Influence of calcium on the molecular mobility of fatty acid spin labels in phosphatidylserine and – – – structures (Schnepel et al.) (367) 67
Phosphatidylinositol
Mn^{2+}-activated incorporation of inositol into molecular species of – – – in rat liver microsomes (Holub) (369) 111
Phosphatidylserine
Influence of calcium on the molecular mobility of fatty acid spin labels in – – – and phosphatidylinositol structures (Schnepel et al.) (367) 67

Phosphatidylserine
Structure and morphology of – – – dispersions (Atkinson et al.) (339) 10
Phosphatidylserine
Studies on decarboxylation of – – – (Suda, Matsuda) (369) 331
Phosphatidylserine bilayers
Interaction of vasopressin with – – – (Bach and Miller) (339) 367
Phosphatidylserine synthetase
An extremely labile – – – of an Escherichia coli mutant with the temperature-sensitive formation of phosphatidylethanolamine (Ohta et al.) (348) 449
Phosphodiesterase
Light activation of – – – activity in retinal rod outer segments (Chader et al.) (347) 491
Phosphodiesterase
Ribonuclease and – – – activities in rat hepatocyte plasma membranes (Gavard et al.) (374) 207
Phosphofructokinase
ADP-induced binding of – – – to the brain mitochondrial membrane (Craven, Basford) (354) 49
Phosphofructokinase
Concentrations of various effectors and substrates of – – – in the jejunum of rat and their relation to the lack of Pasteur effect in this tissue (Tejwani et al.) (370) 120
1-Phosphofructokinase
Different pathways for fructose and glucose utilization in Rhodopseudomonas capsulata and demonstration of – – – in phototrophic bacteria (Conrad, Schlegel) (358) 221
6-Phosphofructokinase
Human platelet – – –: Purification, kinetic parameters and the influence of sulphate ions on enzyme activity (Akkerman et al.) (370) 102
Phosphofructokinase
Influence of Mg^{2+}, ITP^{4-} and ATP^{4-} on human platelet – – – (Akkerman et al.) (370) 113
Phosphogalactolipids
Biochemical changes in Bifidobacterium bifidum var. Pennsylvanicus after cell wall inhibition. VII. Structure of the – – – (Veerkamp, van Schaik) (348) 370
Phosphoglucomutase
Effect of diabetes, insulin, magnesium ions, and ATP on the multiple forms of – – – from rat adipose tissue (Beitner, Haberman) (334) 237
Phosphoglucomutase
Nuclear magnetic resonance studies on substrate binding to – – – (Gadian et al.) (358) 57
6-Phosphogluconate dehydrogenase
Isolation and some properties of – – – from Bacillus stearothermophilus (Veronese et al.) (334) 31
3-Phosphoglycerate
Reduction of – – – by reconstituted chloroplasts and by chloroplast extracts (Lilley, Walker) (368) 269
Phosphohydrolase
Inhibition by saccharin and cyclamate of phosphotransferase and – – – activities of glucose 6-phosphatase (Lygre) (341) 291
Phospholipase
– – –s in human seminal plasma (Kunze et al.) (348) 35
Phospholipase
Changes in lipid composition of Triton-filled lysosomes during lysis: Association with activation of acid-active lipases and – – –s (Weglicki et al.) (337) 145
Phospholipase
Effect of – – – on the binding of asialoglycoproteins by rat liver plasma membranes (Lunney, Ashwell) (367) 304
Phospholipase A
– – – activity in growing E. coli cells (Audet et al.) (348) 334
Phospholipase A
Lipase activity of detergent-resistant – – – in Escherichia coli (Doi, Nojima) (369) 64
Phospholipase A
On the activation of microsomal UDP-glucuronyltransferase by – – – (Graham, Wood) (370) 431
Phospholipase A
Tissue distribution of triacylglycerol lipase, monoacylglycerol lipase and – – – in fed and fasted rats (Pykälistö et al.) (369) 254
Phospholipase A_1
Isolation and properties of a – – – activity from beef pancreas (Van den Bosch et al.) (348) 197
Phospholipase A_2
Activity of pure – – – from Crotalus atrox venom on myelin and on pure phospholipids (Coles et al.) (337) 68
Phospholipase A_2
Bitis gabonica venom. A kinetic analysis of the hydrolysis by – – – of 1,2-dipalmitoyl-sn-glycero-3-phosphorylcholine (Viljoen et al.) (360) 156

Phospholipase A_2
Haemolysis of intact human erythrocytes by purified Cobra venom – – – in the presence of albumin and Ca^{2+} (Gul, Smith) (367) 271
Phospholipase A_2
Some characteristics of a – – – from sheep red cell membranes (Kramer et al.) (373) 404
Phospholipase B
Substrate specificity of a highly purified – – – from Penicillium notatum (Saito, Kates) (369) 245
Phospholipase C
Affinity chromatography of Clostridium perfringens sialidase: Non-specific adsorption of haemaglutinin, haemolysin and – – – to sepharosyl-glycyl-tyrosyl-N-(p-aminophenyl) oxamic acid (Rood, Wilkinson) (334) 168
Phospholipase C
Fusion of chicken erythrocytes by – – – (Cl. perfringen): The requirement for hemolytic and hydrolytic factors for fusion (Sabban, Loyter) (362) 100
Phospholipase D
– – – from peanut seeds. IV. Final purification and some properties of the enzyme (Heller et al.) (369) 397
Phospholipase D
Cardiolipin specific – – – activity in Escherichia coli extracts (Cole et al.) (337) 325
Phospholipase D
Effect of – – – on Escherichia coli membrane vesicles. A re-examination (Long, Dittmer) (367) 295
Phospholipid
Activity of pure phospholipase A_2 from Crotalus atrox venom on myelin and on pure – – – (Coles et al.) (337) 68
Phospholipid
– – – and fatty acid composition of outer and inner membranes of plant mitochondria (Moreau et al.) (345) 294
Phospholipid
Binding of a solubilized membrane ATPase to – – – bilayers (Redwood, Patel) (363) 70
Phospholipid
– – – composition of mitochondria and microsomes from regenerating rat liver and hepatomas of different growth rate (Bergelson et al.) (360) 361
Phospholipid
Diol lipids. XXVI. Identification of a threo-butane-2,3-diol – – – from Actinomyces olivaceus (Batrakov et al.) (337) 29
Phospholipid
Distributional changes of ^{32}P-labeled acid-soluble phosphates and – – –s among subcellular fractions during early vertebrate embryonic development (Pechen et al.) (372) 388
Phospholipid
Effect of insulin on $^{32}P_i$ incorporation into rat fat cell – – – (Stein, Hales) (337) 41
Phospholipid
Effect of partial degradation of mitochondrial – – – by phospholipase A on the temperature dependence of succinate-cytochrome c reductase and cytochrome c oxidase (Wilschut, Scherphof) (356) 91
Phospholipid
Effects of ions on vesicles and – – – dispersions studied by polarization of fluorescence (Lussan, Faucon) (345) 83
Phospholipid
Electrical conductivity of hydrated – – – (Jendrasiak, Hasty) (348) 45
Phospholipid
Fibroblastoid and epithelioid cells in tissue culture: Differences in sensitivy to ouabain and – – – composition (Hülser et al.) (372) 85
Phospholipid
Hepatic neutral lipids, – – –s and glycosphingolipids of a patient with histiocytosis X (Taketomi et al.) (369) 315
Phospholipid
Hydration of – – – (Jendrasiak, Hasty) (337) 79
Phospholipid
Influence of pH, Ca^{2+} and protein on the thermotropic behaviour of the negatively charged – – –, phosphatidylglycerol (Ver-Kleij et al.) (339) 432
Phospholipid
Interactions of membrane – – – with fusogenic lipids (Howell et al.) (332) 1
Phospholipid
In vitro incorporation of [^{3}H]-serine into – – – of proliferating and clacifying epiphyseal cartilage and liver (Wuthier, Cummins) (337) 50
Phospholipid
– – –s of the cone-rich chicken retina and its photoreceptor outer segment membranes (Johnston, Hudson) (369) 269
Phospholipid biosynthesis
Pulmonary – – –. Properties of a stable microsomal glycerophosphate acyltransferase

preparation from rabbit lung (Hendry, Possmayer) (369) 156
Phospholipid composition
– – – of mitochondria and microsomes from regenerating rat liver and hepatomas of different growth rate (Bergelson et al.) (360) 361
Phospholipid composition
Changes in the – – – in the differentiating cellular slime mold, Dictyostelium discoideum (Ellington) (337) 60
Phospholipid membranes
Movement of monocarboxylic acids across – – –: Evidence for an exchange diffusion between pyruvate and other monocarboxylate ions (Bakker, Van Dam) (339) 285
Phospholipid peroxidation
Effect of ferrous ions on microsomal – – – and related light emission (Noguchi, Nakano) (368) 446
Phospholipid synthesis
Control of – – – and viral assembly by bacteriophage PM2 (Snipes et al.) (363) 340
Phospholipid synthesis
On the biochemical mechanism of tumorigenesis in mouse skin. VI. Early effects of growth-stimulating phorbol esters on phosphate transport and – – – in mouse epidermis (Balmin, Hecker) (362) 457
Phospholipid synthesis
Pathways of de novo – – – in reticulocytes (Ballas, Burka) (337) 239
Phospholipid synthesis
Sources of diacylglycerols for – – – in rat liver (Sundler et al.) (337) 248
Phospholipid transfer
– – – between membranes (Wirtz) (344) 95
Phospholipid vesicles
Cellular uptake of cyclic AMP captured within – – – and effect on cell growth behaviour (Papahadjopoulos et al.) (363) 404
Phospholipid vesicles
Membrane fusion and molecular segregation in – – – (Papahadjopoulos et al.) (352) 10
N,N-Bis(phosphonomethyl)glycine
Inhibition of chloroplast ribosome formation by – – – (Croft et al.) (335) 211
Phosphoprotein phosphatase
Multiple molecular forms of – – –. II. Dissociation and activation of phosphorylase phosphatase from rabbit skeletal muscle (Kato et al.) (371) 89
Phosphoprotein phosphatase
Multiple molecular forms of – – – from rabbit skeletal muscle (Kato, Sato) (358) 299
^{32}Phosphorus incorporation
Effect of insulin on – – – into rat fat cell phospholipids (Stein, Hales) (337) 41
Phosphorylase
Partial phosphorylation of muscle – – –. I. Formation of a hybrid phosphorylase in vitro (Bot et al.) (370) 70
Phosphorylase
Partial phosphorylation of muscle – – –. II. Formation of a hybrid phosphorylase in vivo (Gergely et al.) (370) 78
Phosphorylase a
Conformational changes in – – –, studied by a spin-label probe (Griffiths et al.) (358) 275
Phosphorylating particles
EPR studies by ^{57}Fe isotopic substitution on the nature of an unknown electron acceptor in Azotobacter vinelandii – – – (DerVartanian et al.) (347) 497
Phosphorylation
– – – of muscle plasma membrane protein by a membrane-bound protein kinase (Pinkett, Perlman) (372) 379
Phosphorylation
– – – of rat-liver cell sap protein in incubation with [^{32}P]ATP (Ljungström, Engström) (336) 140
O-Phosphoserine phosphatase
– – – from bovine brain and kidney: High molecular weight forms occurring during the purification (Paoli et al.) (370) 487
Phosphotransferase
Inhibition by saccharin and cyclamate of – – – and phosphohydrolase activities of glucose 6-phosphatase (Lygre) (341) 291
Photoaddition products
– – – of uracil and cysteine (Varghese) (374) 109
Photochemical activity
– – – and components of membrane preparations from blue-green algae. I. Coexistence of two photosystems in relation to chlorophyll α and removal of phycocyanin (Arnon et al.) (357) 231
Photochemical activity
– – – and components of membrane preparations from blue-green algae. II. Low-temperature photooxidation of cytochrome b_{559} (Aparicio et al.) (357) 246
Photooxidation
Absolute quantum efficiency of bacteriochlorophyll – – – in reaction centres of Rhodopseudomonas spheroides (Wraight, Clayton) (333) 246

Photophosphorylation
Alkaloids as inhibitors of – – – in spinach chloroplasts (Vallejos, Andreo) (333) 141
Photophosphorylation
Native and artificial energy-conserving sites in cyclic – – – systems (Hauska et al.) (357) 1
Photophosphorylation
Site-specific inhibition of – – – in isolated spinach chloroplasts by $HgCl_2$. II. Evidence for three sites of energy conservation associated with non-cyclic electron transport (Bradeen, Winget) (333) 331
Photophosphorylation
Studies on the energy coupling sites of – – –. IV. The relation of proton fluxes to the electron transport and ATP formation associated with Photosystem II (Gould, Izawa) (333) 509
Photoreaction II
Thermoluminescence studies on photosynthetic energy conversion. I. Evidence for three types of energy storage by – – – of higher plants (Lurie, Bertsch) (357) 420
Photoreaction II
Thermoluminescence studies on photosynthetic energy conversion. II. Activation energies for three energy storage states associated with – – – of higher plants (Lurie, Bertsch) (357) 429
Photoregeneration
Studies on cephalopod rhodopsin; conformational changes in chromophore and protein during the – – – process (Suzuki et al.) (333) 149
Photosynthesis
Characterization of primary reactants in bacterial – – –. II. Kinetic studies of the light-induced EPR signal (g=2.0026) and the optical absorbance changes at cryogenic temperatures (McElroy et al.) (333) 261
Photosynthesis
Inhibition of oxygen production and the uncoupling of electron transport in – – – in chloroplasts by substituted thiophens (Gregory) (368) 228
Photosynthesis
Question of the primary acceptor in bacterial – – –: Manganese substituting for iron in reaction centres of Rhodopseudomonas spheroides R-26 (Feher et al.) (368) 135
Photosynthesis inhibition
– – – in isolated spinach chloroplasts by inorganic phosphate or inorganic pyrophosphatase in the presence of pyrophosphate and magnesium ions (Levine, Bassham) (333) 136
Photosynthetic energy conversion
Delayed light studies on – – –. VII. Effect of the high energy state, coupled to 2,3,5,6-tetramethyl p-phenylenediamine-catalyzed cyclic electron flow, on millisecond emission from chloroplasts and digitonin subchloroplast particles (Cohen, Bertsch) (347) 371
Photosynthetic energy conversion
Thermoluminescence studies on – – –. I. Evidence for three types of energy storage by Photoreaction II of higher plants (Lurie, Bertsch) (357) 420
Photosynthetic energy conversion
Thermoluminescence studies on – – –. II. Activation energies for three energy storage states associated with Photoreaction II of higher plants (Lurie, Bertsch) (357) 429
Photosynthetic membranes
Polarized light spectroscopy of – – – in magneto-oriented whole cells and chloroplasts. Fluorescence and dichroism (Geacintov et al.) (347) 443
Photosynthetic oxygen evolution
Studies on a thermal reaction associated with – – – (Sinclair, Arnason) (368) 393
Photosynthetic regulation
– – – by cations in spinach chloroplasts (Marsho, Kok) (333) 353
Photosystem I
Effect of α-tocopherol on reconstitution of – – – in heptane-extracted spinach chloroplast (Baszyński) (347) 31
Photosystem I
Light-induced absorbance changes in chloroplasts mediated by – – – and Photosystem II at low temperature (Lozier, Butler) (333) 465
Photosystem I
Redox titration of the primary electron acceptor of – – – in spinach chloroplasts (Lozier, Butler) (333) 460
Photosystem II
Cooperativity between – – – centres at the level of primary electron transfer (Diner) (368) 371
Photosystem II
Direct evidence for a back-reaction in – – – of spinach chloroplasts following flash-excitation at low temperature (Mathis, Vermeglio) (368) 130

Photosystem II
Effect of low temperature (–30 °C to –60 °C) on the reoxidation of the – – – primary electron acceptor in the presence and absence of 3(3,4-dichlorophenyl)-1,1-dimethylurea (Joliot) (357) 439
Photosystem II
Effect of temperature on the primary reaction of chloroplast – – –: Evidence for a temperature-dependent back reaction (Knaff, Malkin) (347) 395
Photosystem II
Effects of carbonyl cyanide m-chlorophenylhydrazone and hydroxylamine on the – – – electron exchange mechanism in 3-(3,4-dichlorophenyl)-1,1-dimethylurea-treated algae and chloroplasts (Etienne) (333) 497
Photosystem II
Functions of plastoquinone and β-carotene in – – – of chloroplasts (Cox, Bendall) (347) 49
Photosystem II
Further characterisation of a – – – particle isolated from spinach chloroplasts by triton treatment: the reaction-center components (Ke et al.) (347) 36
Photosystem II
Identification of the reduced primary electron acceptor of – – – as a bound semiquinone anion (Van Gorkom) (347) 439
Photosystem II
Kinetic observation of the – – – electron acceptor pool isolated by mercuric ion (Radmer, Kok) (357) 177
Photosystem II
Lactoperoxidase-catalyzed iodination of chloroplast membranes. II. Evidence for surface localization of – – – reaction centers (Arntzen et al.) (368) 39
Photosystem II
Light-induced absorbance changes in chloroplasts mediated by Photosystem I and – – – at low temperature (Lozier, Butler) (333) 465
Photosystem II
New results on the properties of – – – centres blocked by 3-(3,4-dichlorophenyl)-1, 1-dimethylurea in their different photoactive states (Etienne) (333) 320
Photosystem II
Structure and organization of – – – photosynthetic units during the greening of a dark-grown Chlorella mutant (Dubertret, Joliot) (357) 399
Photosystem II
Studies on the energy coupling sites of photophosphorylation. IV. The relation of proton fluxes to the electron transport and ATP formation associated with – – – (Gould, Izawa) (333) 509
Phycocyanin
Photochemical activity and components of membrane preparations from blue-green algae. I. Coexistence of two photosystems in relation to chlorophyll a and removal of – – – (Arnon et al.) (357) 231
Physarum polycephalum
Extracellular rennin-like enzyme produced by – – – (Farr et al.) (334) 410
Physarum polycephalum
Sub-nuclear components of – – – (Bradbury et al.) (335) 19
Phytane metabolism
– – – in rats (Albro, Thomas) (372) 1
Phytochrome destruction reaction
Immunochemical characterization of the – – – (Pratt et al.) (365) 93
Trans-phytoene
Occurrence of – – – in microorganisms grown in the absence of carotenogenesis inhibitors (Maudinas et al.) (348) 357
Phytohaemagglutinin–agarose
Studies on blood group substances. III. Biospecific affinity chromatography of blood group substance A on Vicia cracca – – – (Kristiansen) (338) 246
Phytohaemagglutinins
Studies on – – –. XVI. Subunit structure of the pea isophytohaemagglutinins (Marik et al.) (336) 53
Phytohaemagglutinins
Studies on – – –. XVII. Some properties of the anti-H specific phytohaemagglutinin of the furze seeds (Ulex europaeus L.) (Horejsi and Kocourek) (336) 329
Phytohaemagglutinins
Studies on – – – XVIII. Affinity electrophoresis of phytohaemagglutinins (Horejsi and Kocourek) (336) 338
Phytohaemagglutinins
Studies on – – –. XIX. Subunit structure of the lentil isohaemagglutinins (Fliegerova et al.) (351) 416
Phytohaemagglutinins
Studies on – – –. XX. Isolation and characterization of haemagglutinins from scarlet runner seeds (Phaseolus coccieus L.) (Nowaková, Kocourek) (359) 320

Phytohaemagglutinins
Studies on – – –. XXII. Isolation and characterization of a lymphocyte receptor for concanavalin A (Pospisilová et al.) (373) 444
Phytohaemagglutinins
Studies on – – –. XXIII. A receptor which does not conform to the so-called sugar specificity of the pea phytohaemagglutinin (Pospisilova et al.) (362) 593
Pigment–protein complex II
Relationship between chlorophyll b and – – – (Genge et al.) (347) 22
Pituitary gland
– – – polyribosomal function in rats bearing pituitary hormone-secreting tumors (Reagan et al.) (353) 77
Planar bilayer membranes
Temperature-dependent structural changes in – – –. Solvent "freeze-out" (White) (356) 8
Plant mitochondria
Comparative uptake of barium ions and other alkaline earth metals by – – – (Wilson, Minton) (333) 22
Plasmalogens
Metabolism of serine and ethanolamine – – – in Megasphaera elsdenii (Prins et al.) (348) 361
Plasma membrane
Analysis of the proteins in thymocyte – – – and smooth endoplasmic reticulum by sodium dodecylsulfate–gel electrophoresis (Schmidt-Ullrich et al.) (332) 175
Plasma membrane
Calcium binding to brain – – – (Hemminki) (363) 202
Plasma membrane
Calcium binding to placental plasma – – – as measured by rate of diffusion in a flow dialysis system (Shami et al.) (339) 323
Plasma membrane
Cell – – – external surface glycosyltransferases. Activity in the cell mitotic cycle (Bosmann) (339) 438
Plasma membrane
Concanavalin A augments the turnover of electrophoretically defined thymocyte – – – proteins (Schmidt-Ullrich et al.) (356) 288
Plasma membrane
Differential effects of temperature on the nuclear membrane and – – – of lymphoid cells. A study by freeze-etch electron microscopy (Wunderlich et al.) (373) 34
Plasma membrane
Effect of bovine growth hormone on rat liver – – – as studied by circular dichroism and fluorescence using the extrinsic probe 7,12-dimethylbenzanthracene (Postel-Vinay et al.) (332) 156
Plasma membrane
Effect of guanyl nucleotides on the stimulation of adenyl cyclase activity in human thyroid – – – by thyroid-stimulating hormone and prostaglandin E_2 (Sato et al.) (332) 166
Plasma membrane
– – – fraction from bovine adrenal medulla. Preparation, marker enzyme studies and phospholipid composition (Nijjar, Hawthorne) (367) 190
Plasma membrane
Highly purified – – – from rat hepatocytes following rate-isopycnic zonal centrifugation (Gavard et al.) (332) 145
Plasma membrane
Improved technique for preparation of skeletal muscle cell – – – (Schapira et al.) (345) 348
Plasma membrane
Iodination of – – – proteins of BHK cells in different growth states (Mastro et al.) (352) 38
Plasma membrane
Isolation of – – – from frog cardiac muscle cells (Barr et al.) (345) 336
Plasma membrane
Isolation of the – – – of a trypanosomatid flagellate. General characterisation and lipid composition (Hunt, Ellar) (339) 173
Plasma membrane
Isolation of the Ochromanas danica – – – and identification of several membrane enzymes (Patni et al.) (373) 347
Plasma membrane
Isolation of synaptic – – – from brain by combined flotation-sedementation density gradient centrifugation (Jones, Matus) (356) 276
Plasma membrane
Lipid composition of – – – from developing chick muscle cells in culture (Kent et al.) (360) 312
Plasma membrane
Metabolic studies on ^{125}I-labeled baby hamster kidney cell – – – (Pearlstein, Waterfield) (362) 1

Plasma membrane
Structural studies of a mitochondria-free – – – fraction from rat liver (Wong, Zull) (352) 52
Plasma membrane enzymes
On the sidedness of – – – (Trams, Lauter) (345) 180
Plasma membrane proteins
Incorporation of radioactive leucine and fucose in brain – – – fractionated by polyacrylamide gel electrophoresis (Hemminiki) (359) 83
Plasma membrane vesicles
Osmotically reactive – – – prepared from rabbit kidney tubules by mild hypotonic lysis (Busse, Steinmaier) (345) 359
Plasma membrane vesicles
Preparation and identification of yeast – – – (Fuhrmann et al.) (363) 295
Plasmin
Mechanism of reaction of human – – – with α-N-benzoyl-L-arginine-p-nitroanilide. Titration of the enzyme (Christensen, Müllertz) (334) 187
Plasminogen
Physicochemical and proenzyme properties of NH_2-terminal glutamic acid and NH_2-terminal lysine human – – –. Influence of 6-aminohexanoic acid (Claeys, Vermylen) (342) 351
Plasminogen
Some observations on the affinity chromatography of rabbit – – – (Hatton, Regoeczi) (359) 55
Plastocyanin
EPR signals of oxidized – – – in intact algae (Visser et al.) (333) 279
Plastocyanin
Rate of electron transfer between – – –, cytochrome f, related proteins and artificial redox reagents in solution (Wood) (357) 370
Plastoquinone
Functions of – – – and β-carotene in Photosystem II of chloroplasts (Cox, Bendall) (347) 49
Plastoquinone
Primary reactions, – – – and fluorescence yield in subchloroplast fragments prepared with deoxycholate (Van Gorkom et al.) (347) 417
Platelet
Distribution and transport of calcium in human – – –s (Steiner, Tateishi) (367) 232
Platelet
Incorporation of carbohydrate into protein of human – – –s (Zieve, Schmukler) (372) 225
Platelet
Release from washed – – –s induced by Sr^{2+} and Ca^{2+}. Indications for two different mechanisms of action (Mürer et al.) (362) 53
Platelet aggregation
Effects of α,β-methylene-adenosine-5′-diphosphate on blood – – – (Horak, Barton) (373) 471
Platelet aggregation
Effects of various lectins on – – – and release (Greenberg and Jamieson) (345) 231
Platelet aggregation
Primary – – –. Energy metabolism and the effect of inhibitors (Kattlove) (372) 135
Poly(6-methoxypurinylic acid)
Synthesis and properties of poly(6-methylpurinylic acid), – – –, and poly(6-methylthiopurinylic acid) (Kohlschein et al.) (374) 407
Poly(6-methylthiopurinylic acid)
Synthesis and properties of poly(6-methylpurinylic acid), poly(6-methoxypurinylic acid), and – – – (Kohlschein et al.) (374) 407
Poly(6-methylpurinylic acid)
Synthesis and properties of – – –, poly(6-methoxypurinylic acid), and poly(6-methylthiopurinylic acid) (Kohlschein et al.) (374) 407
Polyribosomes
Association of different ribonucleases with free and membrane-bound – – – of rat liver (Arora, Robert) (374) 350
Polyribosomes
Attachment of – – – to membranes of the hypocotyl of Phaseolus vulgaris (Dobberstein et al.) (374) 187
Poly(ADP-ribose)polymerases
Solubilization and properties of – – – from bovine spleen and Ehrlich ascites cells (Dungan et al.) (374) 220
Poly(5-ethylcytidylic acid)
Preparation and properties of – – –, a poly(5-methylcytidylic acid) analogue (Kulikowski, Shugar) (374) 164
Polypeptide chains
Reaggregation studies on the – – – of calf lens alpha-crystallin (van Kamp et al.) (342) 89

Polysaccharides
– – – of the cellular slime mold I. Extracellular polysaccharides in growth phase of Dictyostelium discoideum (Yamada et al.) (343) 371
Polar lipids
Lipids of alcoholophilic lactobacilli. II. Occurrence of – – – with unusually long acyl chains in Lactobacillus heterohiochii (Uchida) (369) 146
Polyribosomal RNA
Early and late viral-specific – – – in herpes virus-1 and -2-infected rabbit kidney cells (Murray et al.) (361) 209
Polysome-classes
The shift in the distribution of – – – in the course of the maturation process of reticulocytes (Nijhof, Wierenga) (361) 367
Poly(A)-RNA
Isolation of microsomal – – – from rat brain directing the synthesis of the myelin encephalitogenic protein in xenopus oocytes (Lim et al.) (361) 241
Poly(A)-RNA
Isolation of microsomal – – – from rat brain directing the synthesis of the myelin encephalitogenic protein in Xenopus oocytes (Lim et al.) (361) 241
Polysome formation
Hormonal requirements for acute stimulation of rat liver – – – by amino acid feeding (Clemens, Pain) (361) 345
Polyribosomal RNA
Early and late viral-specific – – – in herpes virus-1 and -2-infected rabbit kidney cells (Murray et al.) (361) 209
Poly(A) polymerase
Expression of purified mitochondrial – – – of hepatomas by an endogenous primer from liver (Jacob et al.) (361) 312
Polysomes
Purification on hydroxyapatite of liver ribosomes and – – – from unfasted mice (Hoffman, Ilan) (366) 199
Polysomes
Studies on the radiation-induced dissociation and reassociation of – – – in Tetrahymena pyriformis (Oleinick et al.) (366) 215
Poly (A)
Studies on – – – sequences associated with regenerating liver RNA (Greene, Fausto) (366) 23
Poly(A)
Quantitation and size determination of – – – by hybridization to [^{3}H]-poly(dT) (Kaufman, Gross) (353) 133
[^{3}H]-Poly(dT)
Quantitation and size determination of poly(A) by hybridization to – – – (Kaufman, Gross) (353) 133
Polyadenylate
Cations and the binding of – – – to cellulose (Kitos et al.) (353) 362
Polyribosomes
In vivo rates of deaggregation of – – – in normal and regenerating liver after the injection of pactamycin (Scornik) (374) 76
Polyribonucleotides
Effect of – – – on eukaryotic DNA-dependent RNA polymerases (Sasaki et al.) (366) 435
Polysomes
Specificity of the binding of antibodies to – – – in hen oviduct (González et al.) (366) 424
Polysaccharides
Structure of – – – from the Polyporus tumulosus cell wall (Angyal et al.) (362) 175
Polysaccharides
– – – of the cellular slime mold. II. Change of intra- and extracellular polysaccharides during growth phase of Dictyostelium discoideum NC-4 (Yamada et al.) (362) 167
Polysaccharide
Chitin sulfate-like – – – from the test of the tunicate Halacynthia roretzi (Anno et al.) (362) 215
Polyamine metabolism
Changes in – – – during wound healing in rat skin (Mizutani et al.) (338) 183
Polysaccharides
– – – in human gallbladder wall and bile. (Terho, Laitio) (338) 135
Polyamines
Insulin-like effects of – – –: spermine binding to fat cells and fat cell membranes (Amatruda, Lockwood) (372) 266
Polyamine biosynthesis
– – – and vitamin B-6 deficiency: Evidence for pyridoxal phosphate as coenzyme for S-adenosylmethionine decarboxylase (Sturman, Kremzner) (372) 162
Poly(riboadenylic acid)
Gel electrophoretic analysis of – – – (Pinder, Gratzer) (349) 47
Poly(A)-associated RNA
– – – in plants (Sagher et al.) (349) 32

Polyadenylic acid
– – – in RNA extracted by thermal phenol fractionation from chick embryo brain and liver (Hemminki) (340) 262
Polypeptide
The rate of – – – chain elongation in a cell-free system from Krebs II ascites cells (Mathews and Osborn) (340) 147
Poly (5-fluorocytidylic acid)
– – – (Folayan and Hutchinson) (340) 194
Polynucleotides
Molecular orbital calculations on the conformation of nucleic acids and their constituents. IX. The geometry of the phosphate group: key to the conformation of – – – (Perahia et al.) (340) 299
Polynucleotides
Uptake of – – – by mammalian cells. XIV: Stimulation of the uptake of polynucleotides by poly(L-lysine) (Schell) (340) 323
Polynucleotide ligase
New method of assay for – – – (Karkas) (340) 452
Polyprenol monophosphate glucose
Formation of – – – in Shigella flexneri (Jankowski et al.) (337) 153
Polyribosomes
Cytoplasmic RNA in immunoglobulin-secreting myeloma tumor cells. II. Heterogeneous RNA associated with – – – following fractionation by sucrose gradient centrifugation (Kimmel, Larrabee) (335) 374
Polyribonucleotide interaction
– – – with chloroplastic and nuclear DNA of Chlorella pyrenoidosa (Bayen) (335) 42
Polynucleotides
Inhibition of oncorna virus and cellular DNA polymerases by natural and synthetic – – – (Srivastava) (335) 77
Poly(dG–dC)
Laser Raman scattering of two double-helical forms of – – – (Pohl et al.) (335) 85
Polyribosomes
Studies on the metabolism of ribosomal RNA and proteins of free and membrane-bound – – – of rat liver (Murty, Sidransky) (335) 226
Polypeptides
Snake venom toxins. The purification and properties of five non-neurotoxic – – – from Naja mossambica mossambica venom (Louw) (336) 470
Polar lipids
Osmometric and microscopic studies on bilayers of – – – from the extreme halophile, Halobacterium cutirubrum (Chen et al.) (352) 202
Polypeptide
Studies on β-crystallin. I. Isolation and partial characterization of the principal – – – chain (Herbrink and Bloemendal) (336) 370
Porcine muscle
NMR investigation of rigor in – – – (Pearson et al.) (362) 188
Pore
Testing and characterizing the simple – – – (Lieb, Stein) (373) 165
Porphobilinogen deaminase
Studies on – – – and uroporphyrinogen III cosynthase from human erythrocytes (Frydman, Feinstein) (350) 358
Porphobilinogen synthase
Liver and red cell – – – in the adult and fetal guinea pig (Weissberg, Voytek) (364) 304
Porphyrin
Characterization of the reduction steps of iron (III) – – –s (Lexa et al.) (338) 151
Porphyrin accumulation
Stimulation of – – – in chick embryo liver cell cultures by partially purified erythropoietin (Rifkind) (338) 164
Porphyrinogenic drugs
Induction of δ-aminolevulinic acid synthetase in the kidney of chicks treated with – – – (Yoda et al.) (372) 478
Porphyrin synthesis
δ-Aminolevulinic acid transport and synthesis, – – – and heme catabolism in chick embryo liver and heart cells (Israels et al.) (372) 32
Potassium
Hormonal control of the – – – level in isolated rat liver cells (Barnabei et al.) (362) 316
Potassium-dependent phosphatase
– – – in the membranes of low-K^+-type erythrocytes (Ellory, Lew) (332) 215
Potassium permeability
Valinomycin-induced – – – and rubidium permeability of intact cells of Acholeplasma laidlawii B (van der Neut-Kok et al.) (332) 97
Potassium transport
Effects of calcium on – – – and water transport in human erythrocyte ghosts (Colombe, Macey) (363) 226
5-α-pregnane-3,20-dione
Studies on the inhibition by – – – of the

biosynthesis of 16 androstenes and dehydroepiandrosterone in boar testis preparations (Brophy, Gower) (360) 252
Primary structure
– – – of porcine colipase II. I. The amino acid sequence (Charles et al.) (359) 186
Primary structure
– – – of porcine colipase II. II. The disulfide bridges (Erlanson et al.) (359) 198
Procollagen
Incorporation of proline analogues into collagen polypeptides. Effects on the production of extracellular – – – and on the stability of the triple-helical structure of the molecule (Uitto and Prockop) (336) 234
Procollagen
Polymerization of – – – in vitro (Lapière, Nusgens) (342) 237
Proinsulin
Biosynthesis of – – – in inlets of Langerhans of the carp (Cyprinus carpio) (Lukowsky et al.) (359) 248
Proline
Enzyme organization in the – – – biosynthetic pathway of Escherichia coli (Gamper, Moses) (354) 75
Proline
Incorporation of – – – analogues into collagen polypeptides. Effects on the production of extracellular procollagen and on the stability of the triple-helical structure of the molecule (Uitto and Prockop) (336) 234
Proline dipeptidase
Structural properties of pig intestinal – – – (Sjöström, Norén) (359) 177
Proline dipeptides
Hydrolysis and absorption of – – – across the wall of sacs prepared from everted rat intestine (Saidel, Edelstein) (367) 75
Prostaglandin
Microbiological transformation of – – –s. II. Stereospecific reduction of a (±)-$\Delta^{8(12)}$-15-dehydroprostaglandin (Marsheck, Miyano) (348) 263
Prostaglandin
Reduction of – – – E_2 to prostaglandin $F_{2\alpha}$ by an enzyme in sheep blood (Hensby) (348) 145
Prostaglandin
Stimulation by angiotensin of myocardial – – – synthesis (Limas) (337) 417
Prostaglandin E
Competitive protein binding assay specific for – – – (Frölich et al.) (348) 241
Prostaglandin E_1
Effects of – – – and isoproterenol on cyclic AMP content of human fibroblasts modified by time and cell density in subculture (Mangeniello, Breslow) (362) 509
Prostaglandin E_2
Effect of guanyl nucleotides on the stimulation of adenyl cyclase activity in human thyroid plasma membranes by thyroid-stimulating hormone and – – – (Sato et al.) (332) 166
Prostaglandin $F_{2\alpha}$
Intestinal absorption of – – –, 15(S)-15-methyl prostaglandin $F_{2\alpha}$ and their methyl esters in the dog (Robert et al.) (348) 269
Prostaglandin $F_{2\alpha}$
Metabolism of – – – in Rhesus monkeys (Sun, Stafford) (369) 95
Prostaglandin $F_{2\alpha}$
Metabolism of – – – in the rat (Sun) (348) 249
Prostaglandin biosynthesis
Effects of local anaesthetics on – – – in vitro (Kunze et al.) (360) 260
Prostatic acid phosphatase
Subunit structure of human – – – (Luchter-Wasyl, Ostrowski) (365) 349
Protamine
Action of – – – on clearing factor lipase and on plasma triglyceride metabolism (Harwood et al.) (337) 225
Protease
Effect of aminonucleoside on the activity of pancreatic – – –s (Mayer et al.) (338) 447
Protease
Interaction between – – –s and bovine erythrocyte membranes. II. Binding of fibrinolytic components (Burkholder, Brecher) (332) 201
Protease
Structural and functional determinants of Mucor miehei – – –. III. Isolation and composition of the carbohydrate moiety (Rickert) (336) 437
Protease
Structural and functional determinants of Mucor miehei – – –. IV. Nitration and spectrophotometric titration of tyrosine residues (Rickert, McBride-Warren) (371) 368
Protease
Study of the N⇌D transition in lysozyme. I. Detection of the transition by product

analyses of – – – digests (Imoto et al.) (336) 264
Protease inhibitors
– – – in guinea pig serum. I. Isolation of two functionally different trypsin inhibitors from guinea pig serum (Kobayashi, Nagasawa) (342) 372
Protease inhibitors
Effect of – – – on protein degradation in rat hepatoma cells. I. Effect on general protein degradation (McIlhinney, Hogan) (372) 358
Protease inhibitors
Effect of – – – on protein degradation in rat hepatoma cells. II. Effects on ornithine decarboxylase and tyrosine aminotransferase (McIlhinney, Hogan) (372) 366
Protein
Amniotic fluid vitamin B_{12}-binding – – –. Purification and characterization with isoelectric focusing and other techniques (Stenman) (342) 173
Protein
Analysis of the – – – in thymocyte plasma membrane and smooth endoplasmic reticulum by sodium dodecylsulfate–gel electrophoresis (Schmidt-Ullrich et al.) (332) 175
Protein
Effects of temperature on extraction and electrophoretic migration of envelope – – – from Erwinia species (Rice, Grula) (342) 125
Protein
Electrophoresis of interacting – – –. II. A simple method of simulation (Nijhuis and Payens) (336) 213
Protein
Interaction of the "Folch–Lees" – – – with lipids at the air–water interface (London et al.) (332) 69
Protein
Iodination of cell membranes. II. Characterization of HeLa cell membrane surface – – – (Huang et al.) (332) 59
Protein
Mode of adsorption of – – – to aliphatic and aromatic amines coupled to cyanogen bromide-activated agarose (Jost et al.) (362) 75
Protein
Separation of – – –s with polyacrylic acids (Sternberg, Hershberger) (342) 195
Protein
Studies on the interaction between ganglio-sides, – – – and divalent cations (Hayashi, Katagiri) (337) 107
Protein A_1
Readthrough – – – is essential for the formation of viable Qβ particles (Hofstetter et al.) (374) 238
Proteinase
Presence of a gelatin-specific – – – and its latent form in human leucocytes (Sopata, Dancewicz) (370) 510
Proteinase
Studies on – – – from Ficus carica var. Horaishi. V. Purification and properties of a sugarcontaining proteinase (Ficin S) (Sugiura, Sasaki) (350) 38
α_2-proteinase inhibitor
Chicken – – –. A serum protein homologous with ovoinhibitor of egg white (Barrett) (371) 52
Proteinase inhibitor
Modification of lima bean – – – with catalytic amounts of bovine and porcine trypsins (Sakura, Timasheff) (336) 37
Protein binding
– – – of small molecules. III. Relation between binding of phenol red and Cl^- by human serum albumin (Kragh-Hansen, Moller) (336) 30
Protein degradation
Alteration of – – – in mitochondria and other rat liver fractions as a result of aminoazodye feeding (Fiala et al.) (338) 43
Protein digestion
Role of individual cathepsins in lysosomal – – – as tested by specific inhibitors (Huisman et al.) (370) 297
Protein kinase
– – – and cyclic 3′,5′-AMP: Significance of binding and activation constants (Swillens et al.) (364) 250
Protein kinase
– – – in Tetrahymena cilia. II. Partial purification and characterization of adenosine 3′,5′-monophosphate-dependent and guanosine 3′,5′-monophosphate-dependent protein kinases (Murofushi) (370) 130
Protein kinase
– – – in the sea urchin egg cortices. Its purification and characterization and some properties of an endogenous protein kinase in the cortices (Murofushi) (364) 260
Protein kinase
Activation and phosphorylation of carbonic anhydrase by adenosine 3′,5′-monophos-

phate dependent – – – (Narumi, Miyamoto) (350) 215
Protein kinase
Cyclic AMP regulation of – – –s in rabbit skeletal muscle. Nucleoside triphosphate and divalent cation specificity (Huang) (358) 281
Protein kinase
Cyclic nucleotide binding and – – – in the central nervous system of Galleria mellonella (L.) (Tsuzuki, Newburgh) (354) 101
Protein kinase
Partial purification and characterisation of an adenosine 3′:5′-monophosphate-dependent – – – from rabbit gastric mucosa (Reimann, Rapino) (350) 201
Protein kinase
Phosphorylation of muscle plasma membrane protein by a membrane-bound – – – (Pinkett, Perlman) (372) 379
Protein kinase
Presence of multiple – – – activities in Coprinus macrorhizus (Uno, Ishikawa) (334) 354
Protein kinase
Studies on cyclic nucleotides in the adrenal gland. III. Properties of cyclic AMP- and GMP-dependent – – – in the adrenal gland (Shima et al.) (341) 56
Protein kinase assays
Changes in the specific activity of [γ-^{32}P]ATP during – – – of crude lymphocyte extracts (Kemp, Murray) (370) 325
Protein–protein interaction
Shear-induced – – – at the air–water interface (Watterson et al.) (356) 133
Protein synthesis
– – – in a cell-free system prepared from human placenta. II. pH 5 enzyme inefficiency due to defects in tRNA charging with resulting loss of elongation factor 1 (Hubert et al.) (374) 359
Protein synthesis
– – – in chloroplasts. II. Light-driven synthesis of membrane proteins by isolated pea chloroplasts (Eaglesham, Ellis) (335) 396
Protein synthesis
– – – in vitro with ribosomal fractions from cell suspension cultures of Petroselinum hortense (Schroeder, Hahlbrock) (366) 454
Protein synthesis
Differential effects of cycloheximide and other inhibitors of – – – on in vivo ribosomal RNA synthesis in Achlya bisexualis (Timberlake, Griffin) (353) 248
Protein synthesis
Effect of actinomycin D, pancreozymin and secretin on RNA synthesis and – – – measured in vivo in rat pancreas (Reggio, Cailla) (338) 37
Protein synthesis
Effect of unilateral phrenicectomy on the rate of – – – in rat diaphragm in vivo (Turner, Garlick) (349) 109
Protein synthesis
Evidence for translational control of "early" – – – in lymphocytes stimulated with concanavalin A (Wettenhall, London) (349) 214
Protein synthesis
Evidence of defective – – – in liver in rats with congenital hyperbilirubinemia (Gunn) (Majumdar, Greenfield) (335) 260
Protein synthesis
Existence of two distinct – – – systems in the trypanosomatid Crithidia lucilae (Laub-Kupersztejn, Thirion) (340) 314
Protein synthesis
Initiation of mammalian mitochondrial – – –. The effect of methotrexate (Wallace, Freeman) (366) 466
Protein synthesis
In vitro inhibition of – – – in rat liver as a consequence of ethanol metabolism (Perin et al.) (366) 101
Protein synthesis
Muscle – – – during development of the normal and dystrophic chicken: activity of supernatant elongation factors (Weinstock, Markiewicz) (374) 197
Protein synthesis
Negamycin inhibits termination of – – – directed by phage f2 RNA in vitro (Uehara et al.) (374) 82
Proteoglycan
Collagen and – – – interactions in bovine articular cartilage (Herbage et al.) (336) 108
Proteoglycan
Extraction and purification of – – –s from various types of connective tissue (Antonopoulos et al.) (338) 108
Proteoglycan
Small – – –s of cartilage: Confirmation of their presence by non-disruptive extraction (Palmoski et al.) (372) 171
Proteolytic enzymes
Substrate specificity of three different extracellular – – – from Staphylococcus aureus (Björklind, Jörnvall) (370) 524

Protochlorophyllide
Energy transfer from – – – to chlorophyllide during photoconversion of etiolated bean holochrome (Vaughan, Sauer) (347) 383
Protochlorophyll(ide) 635/650
Photoconvertible – – – in vivo: a single species or two species in dynamic equilibrium? (Kahn, Nielson) (333) 409
Protocollagen
Developmental changes in – – – lysyl hydroxylase activity in the chick embryo (Ryhänen, Kivirikko) (343) 121
Protocollagen
Hydroxylation of lysyl residues in native and denatured – – – by protocollagen lysyl hydroxylase in vitro (Ryhänen, Kivirikko) (343) 129
Protocollagen proline hydroxylase
Activation of – – – by ascorbic acid in cultured 3T6 fibroblasts (Levene et al.) (338) 29
Protomer
– – – stability and sclerotization in vitro (Strout, Lipke) (351) 348
Proton evolution
– – – associated with the photooxidation of water in photosynthesis (Fowler, Kok) (357) 299
Proton magnetic resonance spectroscopy
Nucleoside conformations. XIV. Conformation of adenosine monophosphates in aqueous solution by – – – (Son, Chachaty) (335) 1
Proton relaxation
– – – studies of water in concentrated dimyristoyllecithine–water systems (Prestegard, Wilkinson) (345) 439
Proton translocation
Mechanism of respiration-driven – – – in the inner mitochondrial membrane. Analysis of proton translocation associated to oxido-reductions of the oxygen terminal respiratory carriers (Papa et al.) (357) 181
Protoplasmic droplet
Roles of Ca^{2+}, phospholipids and proteins in the excitable membrane of – – – isolated from Nitella (Ueda et al.) (373) 286
Proximal tubule
Serum-induced inhibition of isotonic fluid absorption by the kidney – – –. II: Evidence that complement is involved (Sato, Ullrich) (354) 182
Pteridine
Requirement for an unconjugated – – – for the growth of Paramecium aurelia (Soldo, Godoy) (362) 521
Pteroylglutamate (folic acid)
Identification of the forms of folate found in the liver, kidney and intestine of the monkey and their biosynthesis from exogenous – – – (Brown et al.) (343) 78
Purine biosynthesis
Multiple mechanisms of regulation of – – – de novo in intact tumor cells (Bagnara et al.) (374) 259
Purine metabolism
Regulation of – – – in Schizosaccharomyces pombe. IV. Variations in the stability and kinetic parameters of amidophosphoribosyltransferase depending on growth phase and growth conditions (Nagy et al.) (370) 85
Purine phosphoribosyltransferase
Changes in – – – activities in mouse brain, liver and muscle with age (Planet, Willemot) (364) 236
Purine ribonucleotide
– – – homopolymer formation activity of RNA polymerase from cauliflower (Sasaki et al.) (366) 443
Putrescine
Mobility of the protons of – – – during deamination by diamine oxidase extracted from pig kidney (Pionetti) (338) 191
Pyridine
Immunologic studies on nucleic acids and their components. II. Reversible inhibition of anti-nucleoside antibodies in aqueous – – – and its application in antibody purification (Humayun, Jacob) (349) 84
Pyridine nucleotide reduction
Trypsin inhibition of photosynthetic – – – (Selman, Bannister) (347) 113
Pyridoxal 5′-phosphate
Preparation and characterization of several new immobilized derivatives of – – – (Ikeda et al.) (372) 400
Pyrimidine dimer excision
Role of DNA polymerase I in – – – and repair replication in Escherichia coli K12 following ultraviolet irradiation (Glickman) (335) 115
Pyrimidine dimers
Disappearance of ultraviolet-induced – – – from the nuclear DNA of exponential and stationary phase cells of Saccharomyces cerevisiae following various post-irradiation treatments (Waters, Moustacchi) (353) 407

Pyrimidine dimers
Fate of ultraviolet-induced – – – in the mitochondrial DNA of Saccharomyces cerevisiae following various post-irradiation cell treatments (Waters, Moustacchi) (366) 241
Pyrimidine-2′-fluoro-2′-deoxyribonucleosides
Nucleoside conformations. 16. NMR and CD studies on – – – (Blandin et al.) (361) 249
Pyrimidine nucleoside
X-ray structure of 3′, 5′-diacetyl-2′-deoxy-2′-fluorouridine: A – – – in the syn conformation (Suck et al.) (361) 257
Pyrophosphatase
– – – and (Ca^{2+}-Mg^{2+})-ATPase activity of purified calf bone alkaline phosphatase (Felix, Fleisch) (350) 84
Pyrophosphatase
Photosynthesis inhibition in isolated spinach chloroplasts by inorganic phosphate or inorganic – – – in the presence of pyrophosphate and magnesium ions (Levine, Bassham) (333) 136
Pyrophosphate
Complex formation of inorganic – – – with magnesium. The influence of ionic strength supporting medium and temperature (Hørder) (358) 319
Pyrophosphate-phosphohydrolytic activity
Inorganic – – – associated with human placental alkaline orthophosphatase. Nature of the substrate and role of magnesium (Hørder) (341) 41
Pyruvate
Effects of fatty acids on oxidative decarboxylation of – – – in rat small intestine (Lamers, Hülsmann) (343) 215
Pyruvate
Inosine permeability and purine nucleoside phosphorylase activity as limiting factors for the synthesis of 2,3-diphosphoglycerate from inosine, – – – and inorganic phosphate in erythrocytes of various mammalian species (Duhm) (343) 89
Pyruvate
Transfer of reducing equivalents across the mitochondrial membrane. Hydrogen transfer mechanisms involved in the reduction of – – – to lactate in isolated liver cells (Meijer, Williamson) (333) 1
Pyruvate kinase
Lactate dehydrogenase and – – – in rat heart during sideropenic anemia (Penney et al.) (334) 24
Pyruvate kinase
On the regulation and allosteric model of L-type – – – from rat liver (Van Berkel et al.) (370) 450
Pyruvate kinase
Phosphorylation of purified rat liver – – – by cyclic 3′, 5′-AMP-stimulated protein kinase (Ljungström et al.) (358) 289
Pyruvate kinase
Some kinetic properties of M_2-type – – – from rat liver at physiological Mg^{2+} concentration (Van Berkel) (370) 140
Pyruvate kinase deficiency
On the molecular basis of – – – (Blume et al.) (370) 601
Pyruvate kinase deficiency
On the molecular basis of – – –. II. Role of thiol groups in pyruvate kinase from pyruvate kinasedeficient patients (Van Berkel et al.) (334) 361
Pyruvate oxidation
Studies on the control of – – – in isolated fetal rat liver cells (Berger, Hommes) (333) 535
Pyruvate transport
Inhibition of mitochondrial – – – by phenylpyruvate and α-ketoisocaproate (Halestrap et al.) (367) 102

Q

Qβ particles
The readthrough protein A_1 is essential for the formation of viable – – – (Hofstetter et al.) (374) 238
Quaternary structure
– – – of lactate dehydrogenase. II. The mechanisms, kinetics and thermodynamics of dissociation, denaturation and hybridization in ethylene glycol (Millar) (359) 152
Quercetin
Effects of – – – and F_1 inhibitor on mitochondrial ATPase and energy linked reactions in submitochondrial particles (Lang, Racker) (333) 180
Quinones
– – – of Brevibacterium (Kanzaki et al.) (348) 162

R

Rabbit kidney
Analysis of factors influencing the in vitro developmental pattern p-aminohippurate transport by – – – (Ecker, Hook) (339) 210

Rat liver
Determination of the kinetic constants of fructose transport and phosphorylation in the perfused – – – (Sestoft, Fleron) (345) 27

Rat liver
Effect of fasting on the acylation of carnitine and glycerophosphate in – – – subcellular fractions (van Tol) (357) 14

Rat liver
Effect of triamcinolone treatment, starvation and diabetes on – – – protein kinase activity (Gorin, Rosenblum) (343) 510

Rat liver mitochondria
Determination of the isoelectric point of – – – by cross-partition (Ericson) (356) 100

Rat liver mitochondria
Non-protein thiol of – – – (Jocelyn and Kamminga) (343) 356

Reaction centre particles
Light-initiated, dark oxidation of bacteriochlorophyll from – – – (Brune, Clayton) (333) 37

Redox potentiometry
– – – in mitochondrial and photosynthetic bioenergetics (Dutton, Wilson) (346) 165

Red-pigment-concentrating hormone
Structure of the – – – of the shrimp, Pandalus borealis (Fernlund) (371) 304

Red-pigment-concentrating hormone
Synthesis of – – – of the shrimp, Pandalus borealis (Fernlund) (371) 312

Regulatory proteins
– – – of crayfish tail muscle (Benzonana et al.) (368) 247

Renal brush borders
Evidence for a single kind of O-glucose binding site on – – – (Chertok, Lake) (339) 202

Rennin-like enzyme
Extracellular – – – produced by Physarum polycephalum (Farr et al.) (334) 410

Repair replication
Demonstration of protein synthesis dependent – – – in Escherichia coli after treatment with the mono-alkylating agent ethyl methane sulphonate (Skjak Braek, Smith-Kielland) (353) 334

Repair replication
Role of DNA polymerase I in pyrimidine dimer excision and – – – in Escherichia coli K12 following ultraviolet irradiation (Glickman) (335) 115

Reserpine
– – – as an uncoupling agent (Maina) (333) 481

Respiration
Autoregulation of glycolysis, – – –, gluconeogenesis and glycogen synthesis in isolated parenchymal rat liver cells under aerobic and anaerobic conditions (Seglen) (338) 317

Respiration-deficient mutants
Bongkrekic acid sensitivity of – – – and of "petite-negative" species of yeasts (Subík et al.) (357) 453

Respiratory chain
– – – of Azotobacter vinelandii. III. Effect of cyanide in the presence of substrates (Kauffman, Van Gelder) (333) 218

Respiratory system
– – – of the marine bacterium Beneckea natriegens. I. Cytochrome composition (Weston, Knowles) (333) 228

Respiratory system
– – – of the marine bacterium Beneckea natriegens. II. Terminal branching of respiration to oxygen and resistance to inhibition by cyanide (Weston et al.) (368) 148

Reticulocyte
Chromatographic fractionation of human – – – after uptake of doubly labelled (^{59}Fe, ^{125}I) transferrin (Speyer, Fielding) (332) 192

Reticulocyte
Comparison of rabbit liver and reticulocyte transfer RNA: evidence of unique species in – – – (Smith et al.) (349) 366

Reticulocyte
Interaction between transferrin and rabbit – – – ghosts (Morgan, Baker) (363) 240

Reticulocyte
Iron transport intermediates in human – – –

and the membrane binding site of iron-transferrin (Fielding, Speyer) (363) 387
Retina
Metabolism of glucosamine in bovine – – – (Tesoriere et al.) (338) 641
Retinal
Influence of – – – on complement-dependent immune damage to liposomes (Conrad et al.) (332) 36
11-cis-Retinal
Stability of – – – and reactivity toward nucleophiles (Futterman, Futterman) (337) 390
Retinaldehyde
Biochemical aspects of the visual process. XXVI. Binding site and migration of – – – during rhodopsin photolysis (Rotmans et al.) (357) 151
Retinochrome
Circular dichroism of squid – – – (Azuma et al.) (351) 133
Retinoic acid
Metabolism of – – – in vitamin A-deficient rats (Ito et al.) (369) 338
Retinol
Isolation and partial characterization of – – – binding protein from chicken plasma (Mokady and Tal) (336) 361
RH (c) antigen
Isolation and purification of – – – (Abraham, Bakerman) (365) 445
Rhodopsin
Magnetic resonance study of spin-labelled – – – (Delmelle, Pontus) (365) 47
Rhodopsin
Studies on cephalopod – – –; conformational changes in chromophore and protein during the photoregeneration process (Suzuki et al.) (333) 149
Riboflavin
Occurrence of fatty acid methyl esters and cholesterol in a molecular complex with – – – (Lewis) (360) 270
Ribonuclease
– – – and phosphodiesterase activities in rat hepatocyte plasma membranes (Gavard et al.) (374) 207
Ribonucleases
– – – of beef brain nuclei. Purification and characterization of an alkaline RNAase (Niedergang et al.) (358) 91
Ribonuclease
Association of different – – – with free and membrane-bound polyribosomes of rat liver (Arora, Robert) (374) 350
Ribonuclease
Cleavage of 23 S RNA in 50 S ribosomes into a 5′-terminal and a 3′-terminal fragment by pancreatic – – – (Saha) (353) 292
Ribonuclease
Early – – – scissions and the structure of ribosomes (Rodgers) (349) 250
Ribonuclease
Effect of chloroplatinite on the ^{1}H NMR spectrum of – – –. Solvent accessibility of methionine residues (Sadler et al.) (359) 13
Ribonuclease
Isolation of salivary – – –, deoxyribonuclease and amylase from the parotid gland of the rat, Rattus norvegicus albinus (Ball) (341) 305
Ribonuclease
Problems in the extraction of DNA when utilizing pancreatic – – – and pronase (McCormick et al.) (349) 145
Ribonuclease
Purification and properties of an extracellular acid – – – from Penicillium janthinellum (Ghosh, Thangaman) (361) 321
Ribonuclease
Specificities of rat alkaline – – – and cytochemical localization of pancreatic-like ribonucleases (Zan-Kowalczewska et al.) (341) 138
Ribonuclease
Specificity of the natural rat liver – – – inhibitor towards nuclease activities of subcellular fractions (Gagnon et al.) (353) 323
Ribonuclease A
Effect of ammonium sulphate on the activity of – – – (Allewell, Sama) (341) 484
Ribonucleoprotein
– – – complexes containing nascent DNA-like RNA in the crude chromatin fraction of rat liver (Ishikawa et al.) (353) 420
Ribonucleoprotein
Informational – – – particles of newt oocytes: polyribosome-associated ribonucleo-proteins (Sommerville) (349) 96
Ribonucleoprotein
Messenger – – – directed globin synthesis in an embryonic brain cell-free system (Hendrick et al.) (340) 278
Ribonucleoprotein
Purification and characterization of a salt-unstable "50-S" – – – particle from Escherichia coli (Tokuda, Mizushima) (374) 417

Ribonucleoprotein
Structural studies of avian myeloblastosis virus: Selective release of – – – polypeptides from the core component and partial purification of the DNA polymerase (Stromberg, Wilson) (361) 53
Ribose 0(2′)-methylation
Effect of – – – on the conformation of nucleosides and nucleotides (Prusiner et al.) (366) 115
Ribosomal protein
Absence of exchange by – – – in extracts of Escherichia coli (Subramanian) (374) 400
Ribosomal protein
Imbalance in – – – and ribonucleic acid synthesis in amino acid starved rel^+ and rel^- mutants of Escherichia coli (Midgley) (335) 349
Ribosomal protein
In vivo phosphorylation of free and membrane-bound – – – (Barela, Kizer) (335) 218
Ribosomal subunit
Changes in the number of N-ethylmaleimide-reacting sulfhydryl groups resulting from – – – interactions (Nolan, Tailleur) (374) 52
Ribosomal subunit
On the role of the eukaryotic supernatant factor that stimulates phenylalanyl-tRNA binding to the 40 S – – – (Nakamoto, Koka) (335) 264
Ribosome
– – – function in vitro and in vivo during the life cycle of Blastocladiella emersonii (Adelman, Lovett) (349) 240
Ribosome
Binding to – – – and mode of action of chloramphenicol analogues (Contreras et al.) (349) 376
Ribosome
Differences in the subunit exchange between native and run-off single – – – (Mathews, Wettstein) (366) 300
Ribosome
Early ribonuclease scissions and the structure of – – – (Rodgers) (349) 250
Ribosome
Effect of diabetes on the ultrastructure of the hepatocyte and on the distribution and activity of the – – – in the free and membrane-bound populations (Pain et al.) (353) 487
Ribosome
Effect of – – – removal on rough microsomal composition and polysomal attachment in vitro: comparison of liver and kidney (Shires et al.) (374) 59
Ribosome
Free and membrane-bound – – – III. Analysis by two-dimensional gel electrophoresis of proteins from liver ribosomal subunits of rats with different dietary intakes of phenylalanine (Hanna, Godin) (374) 342
Ribosome
Inhibition of chloroplast – – – formation by N, N-bis(phosphonomethyl)glycine (Croft et al.) (335) 211
Ribosome
Interaction of informational macromolecules with – – –. VII. Restoration of RNA-binding ability of 40 S ribosome subunits and effect of aurintricarboxylic acid (Whitelam, Naora) (349) 178
Ribosome
Metabolic role of peptidyl-tRNA hydrolase. II. Peptidyl-tRNA hydrolase activity on washed rat liver – – – (Menninger et al.) (335) 185
Ribosome
Metabolism of – – – during thiamine starvation and restoration in Lactobacillus viridescens (Loh et al.) (353) 238
Ribosome
Mitochondrial – – – of Neurospora crassa. I. On the occurrence of 80-S ribosomes (Datema et al.) (335) 386
Ribosome
Novel salt-unstable "50-S" particle in Escherichia coli; a possible ribosomal precursor for the 50-S subunit (Tokuda and Mizushima) (340) 183
Ribosome
Purification on hydroxyapatite of liver – – – and polysomes from unfasted mice (Hoffman, Ilan) (366) 199
Ribosome
Questioning the in vitro protein exchange between – – – and post-microsomal supernatant (Delaunay, Schapira) (349) 262
Ribosome
Structural relationships between native and unfolded – – – (Hartman, Clayton) (335) 201
Ribosome
Studies on peptidyl transferase in free – – – derived from rat liver (Innanen, Nicholls) (361) 221
Ribosome-associated translation inhibitor
Evidence for a – – – during differentiation

of Blastocladiella emersonii (Adelman, Lovett) (335) 236
Ribosome dissociation factor
– – – on both native subunits in rabbit reticulocytes (Lubsen, Davis) (335) 196
Ribothymidine
Base analysis of RNA by ^{3}H postlabeling – a study of – – – content and degree of base methylation of 4 S RNA (Randerath et al.) (366) 159
D-Ribulose-1,5-biphosphate carboxylase
– – – in Chlorobium thiosulfatophilum tassajara (Tabita et al.) (341) 187
Ribulose-1,5-bisphosphate carboxylase
Electron paramagnetic resonance study of the binding of manganese to – – – inhibition by magnesium (Chu et al.) (334) 438
Ribulosebisphosphate carboxylase
Improved spectrophotometric assay for – – – (Lilley, Walker) (358) 226
Ribulosebisphosphate carboxylase
Purification and some properties of – – – and of its subunits from the green alga Chlamydomonas reinhardtii (Iwanij et al.) (358) 329
RNA
– – – –DNA covalent complexes in HeLa cells (Neubort, Bases) (340) 31
RNA
– – –'forms and DNA forms of the genetic material of C-type viruses and the integrated state of the DNA form in the cellular chromosomes (Hill, Hillova) (355) 7
RNA
Altersabhängige Labiltät der ribosomalen – – – aus chloroplasten von nicotiana rustica (Munsche, Wollgiehn) (340) 437
RNA
Base analysis of – – – by ^{3}H postlabeling – a study of ribothymidine content and degree of base methylation of 4 S RNA (Randerath et al.) (366) 159
RNA
Comparison of the effects of alkylating agents 1,3-bis(2-chloroethyl)-1-nitrosourea, 1-(2-chloroethyl)-3-cyclohexyl-1-nitrosourea and nitrogen mustard on nuclear – – – synthesis and processing (Abelson et al.) (349) 389
RNA
Control of – – – synthesis in Escherichia coli. IV. Effect of levallorphan on guanosine 3′-diphosphate 5′-diphosphate metabolism in spoT^{+} and spoT^{-} strains (Raué, Gruber) (366) 279
RNA
Covalent attachment of a messenger – – – to the Escherichia coli ribosome (Schenkman et al.) (353) 503
RNA
Differential effects of analogs of cycloheximide on protein and – – – synthesis in Achlya (Timberlake, Griffin) (349) 39
RNA
Early events in lens regeneration: changes in cyclic AMP concentrations during initiation of – – – and DNA synthesis (Thorpe et al.) (340) 413
RNA
Effect of actinomycin D, pancreozymin and secretin on – – – synthesis and protein synthesis measured in vivo in rat pancreas (Reggio, Cailla) (338) 37
RNA
Effects of ionizing radiation on – – – metabolism in cultured mammalian cells. II. Patterns of precursor incorporation into messenger-related RNAs of exponentially growing and synchronized populations (Enger et al.) (353) 227
RNA
Effect of γ-irradiation on deoxyribonucleoprotein as a template for – – – synthesis (Hayashi et al.) (366) 288
RNA
Imbalance in ribosomal protein and – – – synthesis in amino acid starved rel^{+} and rel^{-} mutants of Escherichia coli (Midgley) (335) 349
RNA
Initiation of in vitro – – – synthesis with deoxyribosyl oligomers (Smith, Martinez) (353) 475
RNA
Interaction between murine type-C virus – – – directed DNA polymerases and rifamycin derivatives (Gallo, Wu) (340) 419
RNA
Interaction of informational macromolecules with ribosomes. VII. Restoration of – – – binding ability of 40 S ribosome subunits and effect of aurintricarboxylic acid (Whitelam, Naora) (349) 178
RNA
Isolation from – – – of substituted uridines containing α-aminobutyrate moieties derived from methionine (Saponara et al.) (349) 61
RNA
Isolation of adenylate-rich – – – from Physarum polycephalum (Fouquet et al.) (353) 313

RNA
Negamycin inhibits termination of protein synthesis directed by phage f2 – – – in vitro (Uehara et al.) (374) 82
RNA
Newly synthesized mammalian cell DNA: evidence for effects simulating the presence of – – – in the nascent DNA fraction isolated by nitrocellulose column chromatography (Probst et al.) (342) 361
RNA
Polyadenylic acid-containing – – – and gene expression during the development of Acanthamoeba castellanii (Jantzen) (374) 38
RNA
Polyadenylic acid in – – – extracted by thermal phenol fractionation from chick embryo brain and liver (Hemminki) (340) 262
RNA
Rapid degradation of ribosomal – – – in Pasteurella septica induced by specific antiserum (Griffiths) (340) 400
RNA
Rat liver double-stranded – – – from nuclei and whole cells: isolation, purification and characterisation (Monckton, Naora) (335) 139
RNA
Regulation of – – – synthesis in Escherichia coli. II. Polynucleotide phosphorylase activity in cold-shocked cells (Raué, Cashel) (340) 40
RNA
Selective incorporation of host cell methionyl-transfer – – – by RNA tumour viruses (Wang et al.) (340) 52
RNA
Stimulation of – – – synthesis in corpora lutea nuclei by human chorionic gonadotropin in vitro (McKerns) (349) 465
RNA
Stimulation of ribosomal and DNA-like – – – synthesis by α-methyltryptophan (Oravec, Sourkes) (366) 56
RNA
Studies on poly(A) sequences associated with regenerating liver – – – (Greene, Fausto) (366) 23
RNA
Studies on the inhibition of – – – synthesis by phalloidin in primary cultures of fetal cells (Congote, Solomon) (366) 79
RNA
Studies on the metabolism of ribosomal – – – and proteins of free and membrane-bound polyribosomes of rat liver (Murty, Sidransky) (335) 226
RNA
Study of the – – – associated with chromosomal proteins in chromatin from Pisum sativum L. embryos (Scharpé, Van Parijs) (353) 45
RNA
Covalent attachment of a – – – to the Escherichia coli ribosome (Schenkman et al.) (353) 503
RNA
Differences in the translation of rat forebrain – – – dependent on the source of protein synthesis factors (Gilbert) (340) 140
RNA
Relationship between polyadenylated heterogeneous nuclear RNA and – – –: studies with actinomycin D and cordycepin (LaTorre, Perry) (335) 93
mRNA
Translation in Xenopus oocyte of – – – coding for a beef heavy-chain thyroglobulin (Vassart et al.) (353) 261
nuclear RNA
Metabolic studies of small molecular weight – – – components in BHK-21 cells (Frederiksen et al.) (340) 64
nuclear RNA
Relationship between polyadenylated heterogeneous – – – and messenger RNA: studies with actinomycin D and cordycepin (LaTorre, Perry) (335) 93
rRNA
– – – genes in the chloroplast DNA of pea leaves (Thomas, Tewari) (361) 73
rRNA
– – – homologies in flowering plants; comparison of the nucleotide sequences in 5.8 S rRNA from broad bean, dwarf bean, tomato, sunflower and rye (Woledge et al.) (349) 339
rRNA
Amount of DNA coding for – – – during differentiation (spherulation) in Physarum polycephalum (Ryser, Braun) (361) 33
rRNA
Differential effects of cycloheximide and other inhibitors of protein synthesis on in vivo – – – synthesis in Achlya bisexualis (Timberlake, Griffin) (353) 248
rRNA
Dinucleotide sequences containing both base and sugar modifications in the – – – of Crithidia fasciculata (Gray) (364) 253

rRNA
Inhibition of the processing of – – – in avian cells infected with an influenza virus (Stephenson, Dimmock) (361) 198

rRNA
Studies on chloroplast development in Chlamydomonas reinhardtii. III. Three phases in the greening process of y-1 cells and the stages of chloroplast – – – synthesis (Matsuda) (366) 45

rRNA
Studies on the metabolism of – – – and proteins of free and membrane-bound polyribosomes of rat liver (Murty, Sidransky) (335) 226

rRNA
Synthesis and maturation of chloroplast and cytoplasmic – – – in Chlamydomonas reinhardi (Miller, McMahon) (366) 35

rRNA
Synthesis of – – – during the illumination of dark-grown Euglena (Heizmann) (353) 301

$tRNA^{Asp}$
Methylation of yeast – – – by enzymes from cytoplasm, chloroplasts and mitochondria of Phaseolus vulgaris (Dubois et al.) (374) 332

$tRNA^{Glu}$
Primary structure of yeast – – – specific to the GAA codon (Kobayashi et al.) (366) 168

$tRNA^{Met}$
– – – from the blue-green alga, Anacystis nidulans (Ecarot and Cedergren) (340) 130

$tRNA^{Met}$
Differential biological activity of three species of – – – in yeast (McNeil, McLaughlin) (374) 176

$tRNA^{Phe}$
Crystallisation of yeast – – –: polymorphism and studies of sulphur-substituted mercury binding derivatives (Cramer et al.) (349) 351

$tRNA^{Phe}$
Modified nucleosides in undermethylated – – – from Escherichia coli (Isham and Stulberg) (340) 177

$tRNA^{Phe}$
On the role of the eukaryotic supernatant factor that stimulates – – – binding to the 40 S ribosomal subunit (Nakamoto, Koka) (335) 264

tRNA
Chromatographic changes in specific – – – after reaction with cyanogen bromide and sodium periodate (White) (353) 283

tRNA
Comparison of rabbit liver and reticulocyte – – –: evidence of unique species in reticulocytes (Smith et al.) (349) 366

tRNA
Enrichment of – – – cistrons from E. coli using antibody affinity chromatography (Miller et al.) (366) 188

tRNA
Involvement of the anticodon region of Escherichia coli $tRNA^{Gln}$ and $tRNA^{Glu}$ in the specific interaction with cognate aminoacyl-tRNA synthetase: alteration of the 2-thiouridine derivatives located in the anticodon of the – – – by BrCN or sulfur-deprivation (Seno et al.) (349) 328

tRNA
Methylation of – – – in Escherichia coli (Davis, Nierlich) (374) 23

tRNA
Methylation properties of mitochondrion-specific – – – from cultured hamster cells (Dubin, Friend) (340) 269

tRNA
Protein synthesis in a cell-free system prepared from human placenta. II. pH 5 enzyme inefficiency due to defects in – – – charging with resulting loss of elongation factor 1 (Hubert et al.) (374) 359

tRNA
Ribonuclease T_1 catalyzed degradation of – – –: an unusual alteration induced by urea (Warrington) (353) 63

tRNA
Role of aminoacyl- – – – binding site on the factor EF-T in uncoupled GTPase reaction (Sedlacek et al.) (349) 78

tRNA
Study of the Escherichia coli – – – nucleotidyltransferase. Effect of inorganic ions and thiol blocking reagents on enzyme activity (Carre, Chapeville) (361) 176

tRNA
Study of the Escherichia coli – – – nucleotidyltransferase. Interactions of the enzyme with tRNA (Carré et al.) (361) 185

tRNA
Temperature-sensitive adenylylation of – – – in cacodylate and other buffers (McNutt, Robins) (366) 411

RNA polymerases
Animal DNA-dependent – – –. 11. Mechanism of the inhibition of RNA polymerases B by amatoxins (Cochet-Meilhac, Chambon) (353) 160

RNA polymerase
Animal DNA-dependent – – –. 12. Determination of the cellular number of RNA polymerases B molecules (Cochet-Meilhac et al.) (353) 185
RNA polymerase
Appearance of an inhibitor of – – – activity in thermophilic Mycobacterium phlei exposed to sublethal temperatures (Rieber, Weinstein-Schonfeld) (361) 236
RNA polymerase I
Association of an estradiol receptor with the DNA-dependent – – – from immature quail oviduct (Müller et al.) (366) 224
RNA polymerase
Effects of λ development on template specificity of Escherichia coli – – – (Brown, Cohen) (335) 123
RNA polymerase
Effect of polyribonucleotides on eukaryotic DNA-dependent – – – (Sasaki et al.) (366) 435
RNA polymerase
Interaction of Escherichia coli DNA-dependent – – – and endonuclease R. Hind fragments of T7 DNA (Humphries et al.) (366) 70
RNA polymerase
Isolation and characterization of human DNA-dependent – – – (Tsai, Saunders) (366) 61
RNA polymerase
Purification and comparative mechanistic studies of an endogenous inhibitor of maize – – – (Arens, Stout) (353) 121
RNA polymerase
Purine ribonucleotide homopolymer formation activity of – – – from cauliflower (Sasaki et al.) (366) 443
RNA polymerase
Subunit structure of DNA-dependent – – – of Anacystis nidulans (Herzfeld, Rath) (374) 431
RNA polymerases
Transcription of mammalian satellite DNAs by homologous DNA-dependent – – – (Maio, Kurnit) (349) 305
RNA replicase
Host factor requirement of Q β – – – (Kamen et al.) (366) 292
Rubidium permeability
Valinomycin-induced potassium and – – – of intact cells of Acholeplasma laidlawii B (van der Neut-Kok et al.) (332) 97

S

Salicylate 1-monoxygenase
Mechanism of the – – – reaction. VI. The monomeric nature of the enzyme (Takemori et al.) (342) 137

Salicylic acid
Iron transport in Mycobacterium smegmatis: a restricted role for – – – in the extracellular environment (Ratledge et al.) (372) 39

Sarcosine
Further studies on the origin of – – – synthesized by Streptomyces antibioticus and Streptomyces chrysomallus (Fukagawa et al.) (338) 198

Scyllitol transport
Properties of – – – in rat kidney slices (Takenawa, Tsumita) (373) 490

Secretin
Effect of actinomycin D, pancreozymin and – – – on RNA synthesis and protein synthesis measured in vivo in rat pancreas (Reggio, Cailla) (338) 37

^{75}Selenium binding
In vivo – – – to human plasma proteins after administration of $^{75}SeO_3^{2-}$ (Burk) (372) 255

Sepharose
Affinity chromatography of β-hydroxy butyrate dehydrogenase on NAD and hydrophobic chain derivatives of – – – (Grover, Hammes) (356) 309

Sepharose
Characteristics and applications of N-(co-aminohexyl)-L-aspartic acid– – – – as an affinity adsorbent (Tosa et al.) (334) 1

Sepharosyl-glycyl-tyrosyl-N-(p-aminophenyl) oxamic acid
Affinity chromatography of Clostridium perfringens sialidase: Non-specific adsorption of haemaglutinin, haemolysin and phospholipase C to – – – (Rood, Wilkinson) (334) 168

Sepiapterin reductase
– – – in blood of various animals and of leukemic rats (Katoh et al.) (370) 378

[^{3}H] Serine
In vitro incorporation of – – – into phospholipids of proliferating and calcifying epiphyseal cartilage and liver (Wuthier, Cummins) (337) 50

L-Serine dehydratase
Characterization of human cystathionine β-synthase. Evidence for the identity of human – – – and cystathionine β-synthase (Porter et al.) (364) 128

L-Serine dehydratase
Interactions of – – – from rat liver with its coenzyme and substrates (Simon, Kröger) (334) 208

Serine-glyoxylate aminotransferase
– – – from kidney bean (Phaseolus vulgaris). II. The reverse reactions (Carpe, Smith) (370) 96

Serine proteinase Aspergillopeptidase B
Highly restricted specificity of the – – – (Spadari et al.) (359) 267

L-Serine: Pyruvate aminotransferase
Induction in vivo of rat liver – – – by N^6, O^2-dibutyryl cyclic AMP and its inhibition by cortisone (Hoshino et al.) (338) 418

L-Serine O-sulphate degrading system
Factors affecting the levels of the – – – of rat liver (Tudball et al.) (338) 83

Serum albumin
Covalent binding of bilirubin to agarose and use of the product for affinity chromatography of – – – (Hierowski, Brodersen) (354) 121

Serum albumin
New method for the measurement of dissociation rates for complexes between small ligands and proteins as applied to the palmitate and bilirubin complexes with – – – (Svenson et al.) (342) 54

Serum albumin
Protein binding of small molecules. III. Relation between binding of phenol red and Cl^- by human – – – (Kragh-Hansen, Moller) (336) 30

Serum lipoprotein apoproteins
– – – as major protein constituents of the human erythrocyte membrane (Langdon) (342) 213

Serum proteins
Glucosamine binding to – – –. Its possible relevance to cell surface and conditioned

medium studies (Angello, Hauschka) (367) 148
Sialidase
Affinity chromatography of Clostridium perfringens – – –: Non-specific adsorption of haemaglutinin, haemolysin and phospholipase C to sepharosyl-glycyl-tyrosyl-N-(p-aminophenyl) oxamic acid (Rood, Wilkinson) (334) 168
Sialidase
Non-specific protein binding by adsorbents designed for the specific affinity chromatography of – – – in crude bacterial extracts (Huang, Aminoff) (371) 462
Sialyltransferase
Properties and regional distribution of cerebral CMP-N-acetylneuraminic acid: Glycoprotein – – – (van den Eijnden, van Dijk) (362) 136
Sialyltransferase activities
– – – of rat ascites hepatoma cells and rat liver (Saito et al.) (362) 549
Silicotungstic acid
Restoration by – – – of DCMU-inhibited photoreactions in spinach chloroplasts (Girault, Galmiche) (333) 314
Single-carbon units
Biosynthesis of – – – in E. coli K12 (Newman et al.) (338) 529
Sodium concentration
Effect of extracellular – – – on α-methyl-D-glucoside transport by rat kidney cortex slices (Segal, Rosenhagen) (332) 278
Sodium current
Chemical stimulation of – – – through the outer surface of frog skin epithelium (Zeiske, Lindemann) (353) 323
Sodium ion-potassium ion transport
Ouabain binding and – – – in rat muscle cells and adipocytes (Clausen, Hansen) (345) 387
Sodium pump
Rapidly reversible inhibition of frog muscle – – – caused by cardiotonic steroids with modified lactone rings (Erlij, Elizalde) (345) 49
Sodium transport
– – – in isolated intestinal epithelial cells. The effect of actively transported sugars on Na^+ efflux. (Grant Gall et al.) (339) 291
Sodium transport
Factors influencing – – – in dog red cells (Elford, Solomon) (373) 253
Sodium transport
Jejunal – – – in the rat. Effect of alloxan diabetes (Schedl, Wilson) (367) 225
Solubilized thyroid particulate protein
Non-enzymic formation of sulphenyl iodide by – – – with peroxidase activity (Fawcett) (338) 297
Sorbitol pathway
– – – in diabetic rat lens and galactosemic rat lens (Varma, Kinoshita) (338) 632
Spectrin
Absence of subunits in high-molecular weight proteins (– – –) of red cell membranes (Hulla) (345) 430
"Spectrin" components
Immunoelectrophoretic heterogeneity and cross-reactions of individual – – – isolated by preparative sodium dodecylsulfate–polyacrylamide-gel electrophoresis (Bjerrum et al.) (373) 44
Spegazzinine
– – –, a new inhibitor of mitochondrial oxidative phosphorylation (Roveri, Vallejos) (333) 187
Spermine binding
Insulin-like effects of polyamines: – – – to fat cells and fat cell membranes (Amatruda, Lockwood) (372) 266
Sphingolipid composition
– – – of human renal carcinoma (Karlsson et al.) (337) 349
Sphingomyelin
Diffusion coefficients of mixed micelles of Triton X-100 and – – – and of sonicated sphingomyelin liposomes, measured by autocorrelation spectroscopy of Rayleigh scattered light (Cooper et al.) (363) 86
Sphingomyelin
Molecular weight, shape and structure of mixed micelles of Triton X-100 and – – – (Yedgar et al.) (363) 98
Spin labels in membranes
Theoretical analysis of the molecular motion of – – –. ESR spectra of labelled Bacillus subtilis membranes (Israelachvili et al.) (339) 164
Sporangial autolysis
– – – in Clostridium perfringens type A (Chen, Duncan) (338) 605
State I
Correlation between – – – and State II in algae and the effect of magnesium on chloroplasts (Bennoun) (368) 141
State II
Correlation between State I and – – – in algae and the effect of magnesium on chloroplasts (Bennoun) (368) 141

State 1–State 2 phenomenon
On the – – – in photosynthesis (Wang, Myers) (347) 134
Stearic acid monolayers
Interaction of poly(L-lysine) and Ca^{2+} with – – – (Hammerstein, Barnett) (332) 125
Stereospecificity
Permeation and – – – of hydrolysis of peptide esters within intact lysosomes in vitro (Goldman, Naider) (338) 224
Steroid
Effects of ethinylestradiol and norethisterone on liver microsomal metabolism of – – –s in male and female rats (Einarsson et al.) (369) 278
Steroid 17-hydroxylase
Studies of the human testis. IV. Testicular 20-hydroxysteroid dehydrogenase and – – – (Fan et al.) (360) 88
Steroidogenesis
Acute action of ACTH on adrenal – – – (Bell, Harding) (348) 285
Steroid–protein interactions
– – –. XXX. A progesterone-binding protein in the uterine cytosol of the pregnant guinea pig (MacLaughlin, Westphal) (365) 372
Steroid sulphates
Enzymic synthesis of – – –. IX. Physical and chemical properties of purified oestrogen sulphotransferase from bovine adrenal glands, the nature of its iso-enzymatic forms and a proposed model to explain its wave-like kinetics (Adams et al.) (370) 160
Steroid sulphates
Enzymic synthesis of – – –. X. Isolation of oestrogen sulphotransferase from bovine placenta and comparison of its properties with adrenal oestrogen sulphotransferase (Adams, Low) (370) 189
Sterol
– – –s of Neurospora crassa and the pattern of their binding during the growth cycle (Elliott et al.) (360) 339
Sterol
Regulation of cellular – – – flux and synthesis by human serum lipoproteins (Bates, Rothblat) (360) 38
Sterol
Study of rat adrenal – – –s. Identification of phytosterols, oxo- and hydroxycholestenols by gas–liquid chromatography–mass spectrometry (Prost et al.) (360) 230
Sterol metabolism
– – –. XXVIII. Biosynthesis and accumulation of cholest-5-ene-3β, 24-diol (cerebrosterol) in developing rat brain (Lin, Smith) (348) 189
Sterol metabolism
Effects of clofibrate on – – – in the rat (Cohen et al.) (369) 79
Δ^{24}-sterol methyltransferase
Kinetic properties of S-adenosylmethionine: – – – enzyme(s) in mitochondrial structures of Saccharomyces cerevisiae (Bailey et al.) (334) 127
Δ^{24}-Sterol methyltransferase
Subcellular location of S-adenosylmethionine: – – – in Saccharomyces cerevisiae (Thompson et al.) (334) 116
Stopped-flow apparatus
Convenient electrochemical preparation of reduced methylviologen and kinetic study of the reaction with oxygen using an anaerobic – – – (Thorneley) (333) 487
Strand breakage
Inhibition of dimethylnitrosamine-induced – – – in rat liver DNA by aminoacetonitrile (Stewart) (366) 261
Stuck-ribosomes
Characterization of – – – induced by neomycin in vivo and in vitro (Mizuno, Mizushima) (353) 69
Styrylpyrone
– – – biosynthesis in Polyporus hispidus: I. Action spectrum and photoregulation of pigment and enzyme formation (Vance et al.) (343) 138
Styrylpyrone
– – – biosynthesis in Polyporus hispidus: II. Enzymic hydroxylation of p-coumaric acid and bis-noryangonin (Nambudiri et al.) (343) 148
Subchloroplast fragments
Primary reactions, plastoquinone and fluorescence yield in – – – prepared with deoxycholate (Van Gorkom et al.) (347) 417
Submitochondrial particles
Binding of aurovertin to phosphorylating – – – (Van de Stadt, van Dam) (347) 253
Submitochondrial particles
Equilibrium between the mitochondrial ATPase (F_1) and its natural inhibitor in – – – (Van de Stadt, van Dam) (347) 240
Submitochondrial particles
Interaction of aurovertin with – – –, deficient in ATPase inhibitor (Van de Stadt et al.) (347) 224

Submitochondrial particles
Some new paramagnetic centers in – – – detectable by EPR spectroscopy (Albracht) (347) 183
Substrate binding
Nuclear magnetic resonance studies on – – – to phosphoglucomutase (Gadian et al.) (358) 57
Subtilisin "Carlsberg"
On the heterogeneity and the autodigestion of – – – as studied by agarose electrophoresis and Grabar-Williams immunoelectrophoresis (Vergruggen et al.) (365) 108
Succinate oxidation
Purification and properties of a protein which stimulates – – – in the particulate fraction of Azotobacter vinelandii (Shimada et al.) (351) 364
Succinic thiokinase
Porcine heart – – –. Reactivity of sulfhydryl groups, cross-linking and immunochemical properties of the enzyme (Murakami and Nishimura) (336) 252
Succinoglucan depolymerase
Purification and properties of a specific, inducible β-glucanase, – – – from Flavobacterium (Amemura et al.) (334) 398
Succinyl-CoA synthetase (GDP-forming)
Sulfhydryl groups, a factor in the polymorphism of – – – (Baccanari, Cha) (334) 226
Sucrase–isomaltase deficiency
Deletion of enzyme protein from the brush border membrane in – – – (Preiser et al.) (363) 279
Sugar
Chemical and steric determinants governing – – – interactions with renal tubular membranes (Silverman) (332) 248
Sugar–phosphate bonds
ESR evidence for the radiation-induced breakage of the – – – in nucleotides: single crystal of deoxycytidine 5′-monophosphate (Krilov, Herak) (366) 396
Sugar transport
– – – in tumor cell membranes (Hatanaka) (355) 77
Sulphate
– – – diffusion and incorporation into human articular cartilage (Harondas, Evans) (338) 265
Sulphatase
– – – of ox liver. XVIII. An essential histidyl residue in sulphatase A (Jerfy, Roy) (371) 76
Sulphate diffusion
– – – and incorporation into human articular cartilage (Maroudas, Evans) (338) 265
Sulphated polyanions
Exposure of trypsin-removable – – – on the surface of normal and virally transformed $BHK_{21}/C13$ cells (Chiarugi et al.) (345) 283
Sulphatides
– – – of hog gastric mucosa (Slomiany et al.) (348) 388
Sulphenyl iodide
Non-enzymic formation of – – – by solubilized thyroid particulate protein with peroxidase activity (Fawcett) (338) 297
Sulphydryl enzyme inhibitors
Exchange and maximal net flux of glucose across the human erythrocyte. II. The effect of two – – –, chlormerodrin and p-chloromeribenzene sulfonic acid (Zipper, Mawe) (356) 207
Sulphydryl groups
Changes in the number of N-ethylmaleimide-reacting – – – resulting from ribosomal subunit interactions (Nolan, Tailleur) (374) 52
Sulphydryl reagents
Effect of – – – on the activity of histidinol-phosphatase from Salmonella typhimurium and bakers' yeast (Houston, Millay) (370) 216
Sulphite oxidase
Visualization of hepatic – – – in crude tissue preparations by electron paramagnetic resonance spectroscopy (Kessler et al.) (334) 86
Superoxide dismutase
– – – activity of galactose oxidase (Cleveland, Davis) (341) 517
Superoxide dismutase
pH Dependence of the nuclear magnetic relaxation rate of solvent water protons in solutions of bovine – – – (Terenzi et al.) (351) 230
SV-40
Purification and characterisation of a cellular fibrinolytic factor associated with oncogenic transformation: The plasminogen activator from – – –-transformed hamster cells (Christman, Acs) (340) 339
Synaptosomes
Nonspecific incorporation of glucosamine into rat brain – – – and endoplasmic reticulum (Ramirez) (338) 337
Synaptosomes
Uptake of calcium ions by – – – from rat brain (Swanson et al.) (356) 174

T

Taste reception
Physicochemical studies of – – –. I. Model membrane simulating taste receptor potential in response to stimuli of salts, acids and distilled water (Kamo et al.) (367) 1

Taste reception
Physicochemical studies of – – –. II. Possible mechanism of generation of taste receptor potential induced by salt stimuli (Kamo et al.) (367) 11

Taurolithocholate
Hydroxylation of – – – by isolated human liver microsomes. II. Cytochrome P-450 dependency (Czygan et al.) (354) 168

Testosterone
– – – uptake by membrane vesicles of Pseudomonas testosteroni (Watanabe, Po) (345) 419

Testosterone
Ionic transport through model membranes. III. Contrasting effects of – – – and 5-α-dihydrotestosterone. Dependence on temperature and bound water (Horton, Schuff) (373) 76

Testosterone
Transformation of – – – into 17 β-hydroxy-5 β-androstan-3-one by Rana esculenta skeletal muscle (Ozon et al.) (348) 425

Testosterone metabolism
– – – in rooster comb (Mori et al.) (337) 118

Tetrahymena membranes
Studies on – – –. Temperature-induced alterations in fatty acid composition of various membrane fractions in Tetrahymena pyriformis and its effect on membrane fluidity as inferred by spin-label study (Nozawa et al.) (367) 134

Tetraphenylboron
Action of – – – as a System II electron donor and its effect on the decay of the electrical field across the thylakoid membrane (Erixon, Renger) (333) 95

Tetrodotoxin
Binding of – – – to axonal membrane fraction isolated from garfish olfactory nerve (Chacko et al.) (373) 308

Theophylline
The effect of – – – and certain other purine derivatives on tyrosine aminotransferase activity in hepatoma cells in culture (Stellwagen) (338) 428

2-Thiocytidine
Codon–Anticodon interaction studied with trinucleoside diphosphates containing 2-thiouridine, 4-thiouridine, 2,4-dithiouridine or – – – (Vormbrock et al.) (340) 348

Thiol
Fluorescent – – – reagents. X. Fluorometric estimation of the reactivity of thiols; examples in small molecular compounds, Taka-Amylase A, and Myosin A (Sekine et al.) (354) 139

Thiophens
The inhibition of oxygen production and the uncoupling of electron transport in photosynthesis in chloroplasts by substituted – – – (Gregory) (368) 228

2-Thiouridine
Codon–Anticodon interaction studied with trinucleoside diphosphates containing – – – 4-thiouridine, 2,4-dithiouridine or 2-thiocytidine (Vormbrock et al.) (340) 348

4-Thiouridine
Codon–Anticodon interaction studied with trinucleoside diphosphates containing 2-thiouridine – – –, 2,4-dithiouridine or 2-thiocytidine (Vormbrock et al.) (340) 348

Threonine
– – – inhibition of the aspartokinase–homoserine dehydrogenase-I complex of Escherichia coli. Dilatometric studies (Wampler, Katz) (365) 414

Threonine dehydrates
– – – structural gene in Aspergillus nidulans (MacDonald et al.) (362) 60

Thrombin
– – – substrates and the proteolytic site of thrombin action on human platelet plasma membranes (Phillips, Agin) (352) 218

Thrombin
Activation of platelet fibrin-stabilizing factor by – – – (Hung et al.) (371) 511

Thrombin
Some effects of ionophores for divalent cations on blood platelets: Comparison with the effects of – – – (Massini, Lüscher) (372) 109

Thrombin
Structure-activity relationships of the peptides released from canine fibrinogen by – – – (Osbahr and Colman) (336) 273
Thrombin-like enzyme
Purification and properties of the – – – from Trimeresurus gramineus venom (Ouyang, Yang) (351) 354
Thyroxine-binding globulin
Further characterization of human – – – (Koroek, Tabachnick) (371) 323
Thylakoid membrane
Action of tetraphenylboron as a System II electron donor and its effect on the decay of the electrical field across the – – – (Erixon, Renger) (333) 95
Thylakoid membrane
Changes in chlorophyll fluorescence in relation to light-dependent cation transfer across – – – (Krause) (333) 301
Thylakoid
Relations between fluorescence and – – – structure in Porphyridium cruentum (Clement-Metral, Lefort-Tran) (333) 560
Thymidine-5′-carboxylic acid
X-ray structure of – – –, an inhibitor of thymidine and thymidylate kinase: preferred nucleobase-carboxylic acid hydrogen bonding scheme (Suck et al.) (361) 1
Thymidine kinase
Purification and properties of – – – from regenerating rat liver (Kizer, Holman) (350) 193
Thymine
Dipole moments of 2,4-diketopyrimidines. Part II. Uracil, – – – and their derivatives (Kutakowska et al.) (361) 119
Thymine
Dipole moments of 2,4-diketopyrimidines. Part II. Uracil, – – – and their derivatives (Kutakowska et al.) (361) 119
Thymine-dimer excision
Depression of – – – in various excision-proficient strains of Escherichia coli (Sedliaková et al.) (349) 442
Thymine dimerisation
Alteration of DNA reassociation kinetics due to base mismatch caused by – – – (Weinblum et al.) (374) 324
Thymocyte plasma membrane
Analysis of the proteins in – – – and smooth endoplasmic reticulum by sodium dodecyl-sulfate–gel electrophoresis (Schmidt-Ullrich et al.) (332) 175
Thyroglobulin
Comparison of iodoamino acid distribution in various preparations of hog – – – with different iodine content and subunit structure (Sorimachi, Ui) (342) 30
Thyroglobulin
Electron microscopical structure of – – – obtained by micropuncture of rat thyroid follicles (Berg, Dahlgren) (359) 1
Thyroglobulin biosynthesis
Cyclic AMP and – – – in the experimental rat thyroid tumor (D'Armiento, Monaco) (372) 176
Thyroid-stimulating hormone
Effect of guanyl nucleotides on the stimulation of adenyl cyclase activity in human thyroid plasma membranes by – – – and prostaglandin E_2 (Sato et al.) (332) 166
α-Tocopherol
Analogues of – – – as inhibitors of cyclic-AMP and cyclic-GMP phosphodiesterases and effects of α-tocopherol deficiency on cyclic AMP-controlled metabolism (Schroeder) (343) 173
α-Tocopherol
Effect of – – – on reconstitution of Photosystem I, in heptane-extracted spinach chloroplast (Baszyński) (347) 31
Toxins
Interactions between membranes and cytolytic bacterial – – – (Bernheimer) (344) 27
Toxins
Snake venom – – –. The amino acid sequences of three cytotoxin homologues from Naja mossambica mossambica venom (Louw) (336) 481
Toxins
Snake venom – – –. The isolation and purification of three cytotoxin homologues from the venom of the forest cobra (Naja Melonoleuca) and the complete amino acid sequence of toxin $V^{II}1$ (Carlsson and Joubert) (336) 453
Toxins
Snake venom – – –. The purification and properties of five non-neurotoxic polypeptides from Naja mossambica mossambica venom (Louw) (336) 470
Transamidase
Vertebral epidermal – – – (Goldsmith et al.) (351) 113
Transaminase A
Multiple forms of plurispecific aromatic: 2-oxoglutarate (oxaloacetate) aminotransferase

(– – –) in Escherichia coli and selective repression by L-tyrosine (Mavrides, Orr) (336) 70
Transcobalamin
Equilibrium of B_{12} binding proteins between transudates and plasma in man; evidence that – – – 2 in vivo is smaller than albumin (Cooper) (336) 270
Transcortin
Human liver nuclear – – –: Its postulated role in glucocorticoid regulation of genetic activity (Amaral et al.) (362) 332
Transcription
In vivo – – – of baseplate genes 9, 10, and 11 of bacteriophage T4 (Witmer) (335) 424
Trans-farnesyl triphosphate
Phosphate transfer from – – – to AMP in Gibberella fujikuroi (Shechter) (362) 233
Transferrin
Amino acid sequence of cysteic peptides of lactoferrin and demonstration of similarities between lactoferrin and – – – (Bluard-Deconinck et al.) (365) 311
Transferrin
Chromatographic fractionation of human reticulocytes after uptake of doubly labelled (^{59}Fe, ^{125}I) – – – (Speyer, Fielding) (332) 192
Transferrin
Interaction between – – – and rabbit reticulocyte ghosts (Morgan, Baker) (363) 240
Transferrin
Reticulocyte-mediated release of iron and bicarbonate from – – –: effect of metabolic inhibitors (Schulman et al.) (343) 529
Transferrin
Theory of competitive binding of iron by different – – – (Charlwood, Jarritt) (342) 145
Translational control
– – – at the level of initiation of protein synthesis: The effect of 3-methylcholanthrene administration on the activity of rat liver IF-M_2A, IF-M_2B and IF-M_3 (Hopkinson et al.) (374) 375
Translational diffusion
Microfluorimetric study of – – – in erythrocyte membranes (Peters et al.) (367) 282
Translation inhibitor
Evidence for a ribosome-associated – – – during differentiation of Blastocladiella emersonii (Adelman, Lovett) (335) 236
Transport
– – – of nucleosides, nucleic acid bases, choline and glucose by animal cells in culture (Plagemann, Richey) (344) 263
Transport
Enhancement of – – – in Micrococcus lysodeikticus by sodium ions (Ariel, Grossowicz) (352) 122
Transport
Minicells of Bacillus subtilis: A unique system for – – – studies (Reeve, Mendelson) (352) 298
Triacylglycerol lipase
On human pancreatic – – –: Isolation and some properties (Vandermeers et al.) (370) 257
Transport
Analysis of factors influencing the in vitro developmental pattern of p-aminohippurate – – – by rabbit kidney (Ecker, Hook) (339) 210
Transport kinetics
Anomalous – – – and the glucose carrier hypothesis (Regen, Tarpley) (332) 218
Triacylglycerol
Microsomal synthesis of the ether analogs of – – –. Acyl CoA:alkylacylglycerol and acyl CoA: alk-1-enylacylglycerol acyltransferases in tumors and liver (Blank et al.) (348) 397
Triacylglycerol lipase
Affinity chromatography of human adipose tissue – – – on agarose-linked dioleoylglycerol (Verine et al.) (369) 125
Triacylglycerol lipase
Lipolytic activity of adipose tissue. III. The – – – activity of human adipose tissue: A reevaluation (Giudicelli et al.) (348) 221
Triacylglycerol lipase
Tissue distribution of – – –, monoacylglycerol lipase and phospholipase A in fed and fasted rats (Pykälistö et al.) (369) 254
Triamcinolone
Reversal of age-related changes in microsomal enzyme activities following the administration of – – –, triiodothyronine and phenobarbital (Gold, Widnell) (334) 75
2-Tridecanone
Source of oxygen in the conversion of – – – to undecyl acetate by Pseudomonas capacia and Nocardia sp. (Britton et al.) (369) 45
Triglyceride metabolism
– – – in skeletal muscle from normal and dystrophic mice (Jato-Rodriguez et al.) (348) 1

Triglyceride metabolism
Interrelation of glucagon and gonadectomy upon hepatic – – – in rats (Weinstein et al.) (348) 14
Trihexosylceramide
Structure of – – – biosynthesized in vitro by rat kidney galactosyltransferase (Stoffyn et al.) (360) 174
Tropoelastin
On the preparation of – – – from embryonic chick aorta (Narayanan et al.) (351) 126
Tropomyosin
Studies on Ca ion-induced conformation changes in the actin–tropomyosin–troponin system by fluorimetry. II. Effect of – – –, troponin and Ca ion on conformation of anilinonaphthylmaleimide-labeled F-actin (Ohyashiki et al.) (351) 214
Tropomyosin subunits
Non-identical – – – in rat skeletal muscle (Johnson) (371) 219
Troponin
Immunochemical study of the calcium binding protein (troponin-C) and the inhibitory protein (troponin-I) of the – – – complex and their interaction (Hirabayashi, Perry) (351) 273
Troponin
Studies on Ca ion-induced conformation changes in the actin–tropomyosin–troponin system by fluorimetry. II. Effect of tropomyosin, – – – and Ca ion on conformation of anilinonaphthymaleimide-labeled F-actin (Ohyashiki et al.) (351) 214
Troponin B
Preparation and properties of the components of – – – (Wilkinson) (359) 379
Trypsin
Enzymatic activity at interfaces. I. Enzymatic activity of – – – at the air–water interface (Inbar, Miller) (364) 146
Trypsin
Mechanism of interaction of bovine – – – with human α_1-antitrypsin (Moroi, Yamasaki) (359) 130
Trypsin
Modification of lima bean proteinase inhibitor with catalytic amounts of bovine and porcine – – – (Sakura, Timasheff) (336) 37
Trypsin
Specifically located fluorescent probes: properties of a fluorescent conjugate of soy bean – – – inhibitor containing dansylaminotyrosine groups (Steiner et al.) (336) 407
Trypsin
Ultraviolet difference spectra of the lactose repressor protein. II – – – core protein (Matthews) (350) 334
Trypsin inhibitor
Elastase inhibitors as impurities in commercial preparations of Kunitz soybean – – – (Bieth, Frechin) (364) 97
Trypsin inhibitor
Protease inhibitors in guinea pig serum. I. Isolation of two functionally different – – – from guinea pig serum (Kobayashi, Nagasawa) (342) 372
Trypsin-like enzymes
Purification and properties of – – – from the starfish Lysastrosoma anthosticta (Kozlovskaya, Elyakova) (371) 63
Trypsinogen
Bovine and porcine anionic – – – (Louvard, Puifserver) (371) 177
Trypsinogen
N-terminal amino acid sequence of – – – from the elephant seal Mirounga leonina L. (Carnivora) (B-Grégoire et al.) (351) 87
Tryptophan
Molecular complex of – – – with ATP or its analogs (Morita) (343) 674
D-Tryptophan
Isolation and identification of indole-3-carboxaldehyde: A major new urinary metabolite of – – – (Chen et al.) (343) 167
Tubular membranes
Chemical and steric determinants governing sugar interactions with renal – – – (Silverman) (332) 248
Tumorigenesis
On the biochemical mechanism of – – – in mouse skin. VI. Early effects of growth-stimulating phorbol esters on phosphate transport and phospholipid synthesis in mouse epidermis (Balmin, Hecker) (362) 457
Tyrosinase
Computer simulation of the EPR spectra of mononuclear and dipolar coupled Cu(II) ions in nitric oxide- and nitrite-treated haemocyanins and – – – (Schoot Uiterkamp et al.) (372) 407
Tyrosine
Cross pathway regulation of – – – and histidine synthesis in Bacillus subtilis: biochemical, genetic and transfer RNA studies (Nester et al.) (361) 59
Tyrosine aminotransferase
Effect of protease inhibitors on protein

degradation in rat hepatoma cells. II. Effects on ornithine decarboxylase and – – – (McIlhinney, Hogan) (372) 366
Tyrosine aminotransferase
Induction of – – – in rat liver by α-methyl-p-thyrosine (Ohisalo et al.) (362) 48
Tyrosine aminotransferase activity
Effect of theophylline and certain other purine derivatives on – – – in hepatoma cells in culture (Stellwagen) (338) 428

U

Ubiquinone–cytochrome c oxidoreductase
Activity of reduced – – – with various ubiquinol-isoprenologues as substrate and corresponding inhibitory effect of antimycin in yeast (Lang et al.) (368) 71

Ubiquinol–cytochrome c reductase segment
New EPR-detectable component in the – – – of the respiratory chain (Lee, Slater) (347) 14

Ubiquinol-isoprenologues
Activity of reduced ubiquinone–cytochrome c oxido-reductase with various – – – as substrate and corresponding inhibitory effect of antimycin in yeast (Lang et al.) (368) 71

Ubiquinone
Identification of – – – as the secondary electron-acceptor in the photosynthetic apparatus of Chromatium vinosum (Halsey, Parson) (347) 404

Ubiquinone-10
Effect of exogenous – – – on the ubiquinone pool of liver and spleen of mice (Bliznakov, Casey) (362) 326

UDP-D-apiose
Conversion of UDP-D-glucuronic acid to – – – and UDP-D-xylose by an enzyme isolated from Lemna minor (Mendicino, Abou-Issa) (364) 159

UDPgalactose:ceramide galactosyltransferase
Purification and properties of – – – from rat brain microsomes (Neskovic et al.) (334) 309

UDP-galactose-4-epimerase
UMP-dependent reduction of – – – · NAD^+ complex by sodium cyanoborohydride (Davis et al.) (334) 442

UDPglucose
Biosynthesis of – – – by rat liver microsomes (Berthillier, Got) (362) 390

UDP glucose pyrophosphorylase
– – –: Differential heat inactivation and further characterization of human liver enzyme (Turnquist et al.) (364) 59

UDP-D-glucuronic acid
Conversion of – – – to UDP-D-apiose and UDP-D-xylose by an enzyme isolated from Lemna minor (Mendicino, Abou-Issa) (364) 159

UDP-glucuronic acid pyrophosphatase
Comparative study of nuclear and microsomal – – – of rat liver (Lau, Wong) (334) 431

UDP glucuronosyltransferase
Induction deficiency of the microsomal – – – by 3-methylcholanthrene in Gunn rats (Vaino, Hietanen) (362) 92

UDPglucuronyltransferase
On the activation of microsomal – – – by phospholipase A (Graham, Wood) (370) 431

UDP-D-xylose
Conversion of UDP-D-glucuronic acid to UDP-D-apiose and – – – by an enzyme isolated from Lemna minor (Mendicino, Abou-Issa) (364) 159

Umecyanin
Circular dichroism studies on the copper ligand structure of – – – by spectropolarimetric titration (Sjöholm, Stigbrand) (371) 408

Uncouplers
Binding of – – – of oxidative phosphorylation to rat-liver mitochondria (Bakker et al.) (333) 12

Undecyl acetate
Source of oxygen in the conversion of 2-tridecanone to – – – by Pseudomonas cepacia and Nocardia sp. (Britton et al.) (369) 45

Unsaponifiable lipid
Isolation and characterization of an – – – from Neurospora crassa (Aquerman de Cabrera, Trucco) (337) 377

Uracil
Dipole moments of 2,4-diketopyrimidines. Part II. – – –, thymine and their derivatives (Kutakowska et al.) (361) 119

Uracil
Photoaddition products of – – – and cysteine (Varghese) (374) 109

Uracil
Reinvestigation of specific hydrogen bonding of certain adenine and – – – derivatives by infrared spectroscopy (Chen, Lord) (340) 90

Urea biosynthesis
– – – in normal human fetuses (Guha, Mukherjee) (372) 285

Uridine
Effect of cyclic AMP on nucleoside metabolism. III. Effect on – – – incorporation in monkey (CV-1) cells (Roller et al.) (366) 402
Uridine
Inhibition of – – – transport in cultured mammalian cells by theophylline (Benedetto, Cassone) (349) 53
Uridine
Uptake and metabolism of exogenous – – – by superfused rat liver slices (Tseng, Gurpide) (353) 399
Urinary bladder
Electrically and osmotically induced changes in permeability and structure of toad – – – (Bindelev et al.) (332) 286
Urokinase
On the mechanism of – – – -catalysed hydrolysis of α-N-acetyl-L-lysine methyl ester (Petkov, Stoineva) (370) 546
Uroporphyrinogen III cosynthase
Studies on porphobilinogen deaminase and – – – from human erythrocytes (Frydman, Feinstein) (350) 358

V

Valinomycin
– – – -induced potassium and rubidium permeability of intact cells of Acholeplasma laidlawii B (van der Neut-Kok et al.) (332) 97

Valinomycin
Complexity in – – – effects on amino acid transport (de Cespedes, Christensen) (339) 139

Valinomycin
Stability of sodium and potassium complexes of – – – (Callaghan Rose, Henkens) (372) 426

Valinomycin
Two fold effect of – – – on isolated spinach chloroplasts: uncoupling and inhibition of electron transport (Telfer, Barber) (333) 343

Valine transfer RNA
Aminoacylation of Escherichia coli – – – after oxidation and reduction (Uziel, Jacobson) (366) 182

Venom coagulant protein
Activation of bovine Factor X by the – – – of Vipera russelli: Complex formation of the activation fragments (Furie et al.) (365) 121

Venom
Correlations between the enzymatic activities and the factors active on blood coagulation and platelets aggregation from the – – – of Vipera aspis (Boffa, Boffa) (354) 275

Venom
Haemolysis of intact human erythrocytes by purified Cobre – – – phospholipase A_2 in the presence of albumin and Ca^{2+} (Gul, Smith) (367) 271

Venom
Snake – – – toxins. The reactivity of the disulphide bonds of Naja nivea toxin α (Botes) (359) 242

Vesicles
Calcium efflux from sarcoplasmic reticulum – – – (Masuda, de Meis) (332) 313

Vesicles
Conversion of active transport – – – of Escherichia coli into oxidative phosphorylation vesicles (Mével-Ninio, Yamamoto) (357) 63

Viscosity
– – – changes of erythrocyte membrane and membrane lipids at transition temperature (Zimmer, Schirmer) (345) 314

Viruses
– – – as immunological adjuvants in cancer (Lindenmann) (355) 49

Viruses
Membrane structure of lipid containing – – – (Lenard, Compans) (344) 51

C-type viruses
RNA forms and DNA forms of the genetic material of – – – and the integrated state of the DNA form in the cellular chromosome (Hill, Hillova) (355) 7

Vitamin A
Membrane modification through the cooperative action of – – – and lipid (Wirtz, Westfall) (332) 131

Vitamin B-6
Selectivity in – – – model reactions: Selective α or β deuteration of amino acids under transamination or racemization conditions (Tenenbaum et al.) (362) 308

Vitamin B-6 deficiency
Polyamine biosynthesis and – – –: Evidence for pyridoxal phosphate as coenzyme for S-adenosylmethionine decarboxylase (Sturman, Kremzner) (372) 162

Vitamin B-12
Cleavage of the carbon-cobalt bond in – – – and coenzyme B-12 by reduction with electrons in γ-irradiated frozen solutions (Seki et al.) (372) 100

Vitamin B-12
Urinary excretion of 5-methyltetrahydrofolate and liver S-adenosylmethionine levels of rats fed a – – – deficient diet (Vidal, Stokstad) (362) 245

Vitamin B_{12r}–B_{12s}-couple
On the reversibility of the – – – in cobalamins and cobinamides (Swetik, Brown) (343) 641

Vitamin B-12-binding
Effect of pH on – – – by transcobalamins (Newmark, Mester) (343) 627

Vitamin B-12 binding proteins

Equilibrium of – – – between transudates and plasma in man; evidence that transcobalamin 2 in vivo is smaller than albumin (Cooper) (336) 270

Vitamin D_3
Formation of 1,24,25-Trihydroxy – – – from 1,25-dihydroxyvitamin D_3 (Kleiner-Bossaller, DeLuca) (338) 489

W

Water transport
Effects of calcium on potassium transport and – – – in human erythrocyte ghosts (Colombe, Macey) (363) 226

Waxes
– – – of the uropygial gland secretion of birds of the genus Parus (Poltz, Jacob) (360) 348

X

Xanthine dehydrogenase
Purification and partial characterization of – – – from Drosophila melanogaster (Seybold) (334) 266

Xanthine dehydrogenase
Purification of hepatic – – – from chicken fed a high protein diet (Nishino) (341) 93

Y

Yeast cells
Uptake and accumulation of purine bases
by stationary – – – pretreated with glucose
(Beichert, Winter) (356) 108

Z

Zinc inosine 5′-monophosphate
Polymeric structure of – – –: X-ray evidence for metal bonding to both N(7) and phosphate (de Meester et al.) (353) 392

S-p Zonal fractionation
– – – studies of rat skeletal muscle lysosome-rich fractions (Stauber, Bird) (338) 234

BBA LIBRARY

This is a series of original monographs devoted to a wide range of topics in the biochemical and biophysical disciplines. Although complementary to the Journal, the library contains no work reprinted from Biochimica et Biophysica Acta itself; instead, each volume is an important and independent contribution to our knowledge of the bio-sciences.

just published:

Vol. 13: **Dynamics of Energy-Transducing Membranes**

edited by L. ERNSTER, R. W. ESTABROOK *and* E. C. SLATER.

1974. 606 pages. US$52.00 / Dfl. 135.00

In this volume, over 200 scientists who have worked with Dr. Chance present current research on the role of biological membranes, particularly those associated with mitochondria, in relation to energy conservation and utilizing functions. The consequence of membranes in cellular compartmentation and its influence on metabolic regulation are the focal points of the papers.

Vol. 12: **Membrane Active Complexones**

by YU. A. OVCHINNIKOV, V. T. IVANOV *and* A. M. SHKROB.

1974. 464 pages. US$52.00 / Dfl. 135.00

The book is roughly divided into two parts. The first four chapters deal with the structure, conformations and properties of both the free complexone molecules and their complexes. The concluding chapters are devoted to the action of these compounds on artificial and biological membranes.

already published:

Vol. 1: **Biochemical Problems of Lipids**

Proceedings of the 7th International Conference on Biochemical Problems of Lipids, Meeting on Fat Absorption, Birmingham, July 1962.

edited by A. C. FRAZER

1963. 484 pages. US$27.00 / Dfl. 70.00

Vol. 2: **Porphyrins and Metalloporphyrins**

Their General, Physical and Coordination Chemistry, and Laboratory Methods

by J. E. FALK

1964. 280 pages. US$16.50 / Dfl. 42.50

Vol. 3: **Form and Function of Phospholipids**

edited by G. B. ANSELL, R. M. C. DAWSON *and* J. N. HAWTHORNE.

1973. 2nd rev. ed. 508 pages. US$44.25 / Dfl. 115.00

Vol. 4: **New Perspectives in Biology**

Proceedings of a Symposium held at the Weizmann Inst. of Science on the Occasion of the Inauguration of the Ullmann Institute of Life Sciences, Rehovoth, Israel, June, 1963.

edited by MICHAEL SELA

1964. 304 pages. US$19.25 / Dfl. 50.00

Vol. 5: **Glycoproteins**

Their composition, Structure and Function

Revised and expanded second edition

edited by ALFRED GOTTSCHALK

1972. 1416 pages (in 2 vols.). US$154.00 / Dfl. 400.00

Vol. 6: **Mucopolysaccharides**

Chemical Structure, Distribution and Isolation

by J. S. BRIMACOMBE *and* J. M. WEBBER *with a foreword by Professor* M. STACEY

1964. 190 pages. US$11.50 / Dfl. 30.00

Vol. 7: **Regulation of Metabolic Processes in Mitochondria**

Proceedings of a Symposium held in Bari, Italy, May 1965.

edited by J. M. TAGER, S. PAPA, E. QUAGLIARIELLO *and* E. C. SLATER

1966. 594 pages. US$36.50 / Dfl. 95.00

Vol. 8: **Flavins and Flavoproteins**

Proceedings of a Symposium held in Amsterdam, June 1965.

edited by E. C. SLATER

1966. 562 pages. US$29.00 / Dfl. 75.00

Vol. 9: **Molecular Biology of Muscular Contraction**

edited by SEKURO EBASHI, F. OOSAWA, T. SEKINE *and* Y. TONOMURA

1965. 218 pages. US$21.25 / Dfl. 55.00

Vol. 10: **Regulation of Nucleic Acid and Protein Biosynthesis**

Proceedings of a Symposium on Regulation Mechanisms in Nucleic Acid and Protein Biosynthesis held at Lunteren, The Netherlands, June 1966.

edited by V. V. KONINGSBERGER *and* L. BOSCH

1967. 412 pages. US$25.00 / Dfl. 65.00

Vol. 11: **Regulatory Functions of Biological Membranes**

Proceedings of a Sigrid Jusélius Symposium held in Helsinki, Finland, November 6-9, 1967.

edited by JOHAN JÄRNEFELT

1968. 320 pages. US$21.25 / Dfl. 55.00

Elsevier

P.O. BOX 211,
AMSTERDAM, THE NETHERLANDS

1279E